8.0 Summary, Conclusions, and Recommendations

This chapter summarizes the results of the RI conducted at the Small Weapons Repair Shop, Parcel 66(7), and presents the major conclusions. In addition, recommendations are made regarding further investigation at the site.

8.1 Summary and Conclusions

8.1.1 Geology and Hydrogeology

Data collected from surface and subsurface soil samples and from the installation of temporary and permanent monitoring wells were used to provide site-specific data on the geologic and hydrogeologic conditions at Parcel 66(7).

The residuum sequence encountered in the subsurface at Parcel 66 (7) consists of a relatively thin silty clay to clay soil that extends to a depth of approximately 10 to 13 feet bgs. Beneath this is an interval of highly weathered shale that extends to a depth of around 30 feet bgs. This unit marks the base of the residuum. The underlying competent bedrock consists of slightly weathered, moderately hard, fractured, dark gray to black shale that is consistent with undifferentiated Floyd and Athens Shale mapped for the site.

Groundwater flow maps constructed for this portion of FTMC show a divide present beneath Parcel 66(7). Groundwater flow maps constructed for the residuum and bedrock interpret the axis of the divide in the vicinity of Building 335 for both water-bearing zones; groundwater flow at the parcel divides towards the north and towards the south. Hydraulic conductivity values calculated from slug tests yielded geometric mean values of 0.0734 ft/day for residuum wells and 0.0922 ft/day for bedrock wells. Average linear groundwater flow velocities were calculated to be 0.0033 ft/day in the residuum and 0.0078 ft/day in the bedrock.

8.1.2 Surface and Subsurface Soil Contaminant Distribution

Three surface soil and three subsurface soil samples were collected from beneath the asphalt cover at Parcel 66(7) for chemical analysis.

In surface soil samples, several metals were detected at concentrations exceeding SSSLs, ESVs, and background screening values. An integrated statistical and geochemical evaluation concluded, however, that the elevated metals concentrations most likely result from the preferential enrichment of samples with iron or manganese oxides that naturally concentrate specific trace elements. The study concluded that the metals are naturally occurring. A similar conclusion was reached for metals that exceeded SSSLs in subsurface soil samples.

VOCs were detected in surface and subsurface soil samples but at concentrations below SSSLs and/or ESVs. Several SVOCs, all of which were PAH compounds, were detected in one surface soil sample at concentrations exceeding SSSLs and/or ESVs. In subsurface soils, no SVOCs were detected above SSSLs. The occurrence of PAH compounds in the one surface soil sample is believed to be directly related to the asphalt surface covering Parcel 66(7). One pesticide (endrin) was detected in one surface soil sample above its ESV; pesticides were not detected in the subsurface soil samples. Endrin has an adsorption coefficient similar to PAH compounds, and its presence in one surface soil sample beneath the asphalt cover at the site is not considered to pose a threat to human health or the environment.

8.1.3 Groundwater Contaminant Distribution

Nineteen groundwater samples were collected for chemical analysis at Parcel 66(7). Based on the evaluation of the soil and groundwater data, the most likely fate and transport pathway is the leaching of organic contaminants within subsurface soils and movement to the residuum aquifer system.

Although a few metals were detected in groundwater samples at concentrations exceeding SSSLs and background concentrations, an integrated statistical and geochemical evaluation of the data concluded that the metals are most likely naturally occurring. However, the manganese concentration in the groundwater sample from monitoring well PPMP-75-GP01 may be elevated due to reductive dissolution, which is a secondary effect of the VOC contamination in groundwater at that location.

Five chlorinated VOCs were detected in groundwater samples from two monitoring wells (PPMP-66-MW06 and PPMP-66-MW02) at concentrations exceeding their respective SSSLs: 1,1-DCE, 1,2-DCA, cis-1,2-DCE, TCE, and vinyl chloride. These compounds, and 1,1,1-TCA and 1,1-DCA, which are present at concentrations below SSSLs, indicate that active attenuation of precursor solvents (e.g., TCE and 1,1,1-TCA) is occurring through microbial degradation (of TCE), or abiotic degradation through hydrolysis or dehalogenation (of 1,1,1-TCA). The vertical extent of these contaminants in groundwater is restricted to the interval of weathered shale comprising the lower part of the residuum. Contamination is verified as not present in the deeper competent bedrock. The horizontal extent of contamination is defined.

An estimation of the rate and potential distance of contaminant migration was calculated for both the residuum and bedrock. The maximum solute transport rates for vinyl chloride were calculated to be 0.56 ft/yr in the residuum and 0.65 ft/yr in the bedrock. These values suggest that, over a 50-year period, movement of contaminants beyond the parcel boundary is not likely to occur.

8.1.4 Streamlined Human Health Risk Assessment

An SRA was performed to determine the potential threat to human health from exposure to environmental media at Parcel 66(7). Three receptor scenarios were evaluated: groundskeeper, construction worker, and resident. The total ILCR estimates for the groundskeeper and resident are above the risk management range and are considered unacceptable. Total HI estimates for all three receptor scenarios are above the threshold value of 1, indicating that exposure to site media presents an unacceptable noncancer risk. The data clearly show, however, that chlorinated VOCs in groundwater are the risk drivers and are responsible for cancer and noncancer risks exceeding acceptable or threshold levels.

Four PAH COPCs in soils were selected as COCs. The PAHs were present at concentrations that were consistent with anthropogenic background. On evaluation, the concentrations of the selected COCs fell below RGOs based on a cancer risk of 1E-4. It was concluded that they do not represent a significant site-related threat to human health.

The SRA identified five VOCs as COPCs in groundwater. Of these, four compounds were selected as COCs: 1,1-DCE, 1,2-DCA, TCE, and vinyl chloride. The SRA concluded that these chlorinated solvents are present in groundwater at levels that present an unacceptable threat to human health. This threat is not realized, however, unless groundwater is developed as a source of potable water.

8.1.5 Screening-Level Ecological Risk Assessment

The SLERA identified several constituents in surface soil that exceeded their respective ESVs. Inorganic constituents were found to be associated with iron oxides, and it was concluded that these constituents were naturally occurring. Elevated concentrations of PAHs detected in surface soil were concluded to be at concentrations less than the BTVs for soil beneath asphalt pavement at similar sites at FTMC. Although the pesticide endrin was detected in one surface soil sample, its concentration exceeded its ESV only slightly. Based on review, the SLERA concluded that none of these COPECs presents a risk to terrestrial ecosystems at FTMC.

8.2 Recommendations

Based on the summary and conclusions presented above, no further actions are warranted with respect to defining the extent of soil contamination at Parcel 66(7).

Groundwater contamination by site-related chlorinated solvents has been detected in the residuum in two monitoring wells (PPMP-66-MW06 and PPMP-66-MW02). The aquifer characteristics of the residuum, however, indicate that the horizontal and vertical movement of groundwater in the vicinity of these wells should be limited. The association of constituents present in the groundwater indicates that natural attenuation of the solvents is occurring. In order to evaluate the effectiveness of the attenuation, the following recommendations are made:

- Collect an additional round of groundwater samples from all Parcel 66(7) wells and analyze the samples for VOCs and natural attenuation parameters. Depth-to-water measurements should be taken during a period of seasonal high rainfall to confirm groundwater flow direction.

- Conduct a feasibility study to screen remedial action technologies and process options for groundwater remedial alternatives. These options would likely include long-term monitoring, monitored natural attenuation, in-situ enhanced bioremediation, and in-situ chemical oxidation.

9.0 References

Agency for Toxic Substances and Disease Registry (ATSDR), 1996, ***Toxicological Profile for Endrin,*** U.S. Public Health Service.

Agency for Toxic Substances and Disease Registry (ATSDR), 1995, ***Toxicological Profile for Nickel***, U.S. Public Health Service.

Agency for Toxic Substances and Disease Registry (ATSDR), 1993, ***Toxicological Profile for Beryllium***, U.S. Public Health Service.

Alabama Department of Conservation and Natural Resources (ADCNR), 1994a, ***Natural Heritage Inventory of Fort McClellan, Main Post: Federal Endangered, Threatened, Candidate Species and State-Listed Species***, Alabama Heritage Program.

Alabama Department of Conservation and Natural Resources (ADCNR), 1994b, ***Natural Heritage Inventory of Fort McClellan, Pelham Range: Federal Endangered, Threatened, Candidate Species and State-Listed Species***, Alabama Heritage Program.

Alloway, B.J., 1990, ***Heavy Metals in Soils***, John Wiley & Sons, New York, New York.

Ambrose, A.M., P.S. Larson, J.F. Borzelleca, and G.R. Hennigar, 1976, "Long-Term Toxicological Assessment of Nickel in Rats and Dogs," ***Journal of Food Science***, Tech., Vol. 13, pp. 81-187.

Arthur, M.A., G. Rubin, P.B. Woodbury, R.E. Schneider, and L.H.Weinstein, 1992, "Uptake and Accumulation of Selenium by Terrestrial Plants Growing on a Coal Fly Ash Landfill; Part 2: Forage and Root Crops," ***Environmental Toxicology and Chemistry***, Vol. 11, pp. 1289-1299.

Auerlich, R.J., R.K. Ringer, M.R. Bleavins, et al., 1982, "Effects of Supplemental Dietary Copper on Growth, Reproductive Performance, and Kit Survival of Standard Dark Mink and the Acute Toxicity of Copper to Mink," ***Journal of Animal Science***, Vol. 55, pp.337-343.

Baudouin, M. F. and P. Scoppa, 1974, "Acute Toxicity of Various Metals to Freshwater Zooplankton," ***Bulletin of Environmental Contamination and Toxicology***, Vol. 12, pp.745-751.

Besser, J.M., T.J. Canfield, and T.W. LaPoint, 1993, "Bioaccumulation of Organic and Inorganic Selenium in a Laboratory Food Chain," ***Environmental Contamination and Toxicology***, Vol. 12, pp. 57-72.

Boikat, U., A. Fink, and J. Bleck-Neuhaus, 1985, "Cesium and Cobalt Transfer from Soil to Vegetation on Permanent Pastures," ***Radiation and Environmental Biophysics***, Vol. 24, pp. 287-301.

Burrows, E. P., D.H. Rosenblatt, W.R. Mitchell, and D.L.Parmer, 1989, ***Organic Explosives and Related Compounds: Environmental and Health Considerations***, U.S. Army Technical Report 8901.

Cain, B.W. and E.A. Pafford, 1981, "Effects of Dietary Nickel on Survival and Growth of Lallard Ducklings," ***Archives of Environmental Contamination and Toxicology***, Vol. 10, pp. 737-745.

Cairns, J. and A. Scheier, 1968, "A Comparison of the Toxicity of Some Common Industrial Waste Components Tested Individually and Combined," ***Program, Fish-Cultivation***, Volume 30, pp.3-8.

Callahan, M. A., M.W. Slimak, and N. Gabel, 1979, ***Water-Related Environmental Fate of 129 Priority Pollutants, Volume I***, Office of Water and Waste Management, U.S. Environmental Protection Agency, EPA/440/4-79/092a, Washington, DC.

Carins, M. A., A.V. Nebeker, J.H. Gakstatter, and W.L. Griffis, 1984, "Toxicity of Copper Spiked Sediments to Freshwater Invertebrates," ***Environmental Toxicology Chemistry***, Vol. 3(3), pp. 435-446.

CH2M Hill, 1994, ***Environmental Compliance Assessment System Report, Fort McClellan, Alabama, 24 May-June, 1993***, prepared for the U.S. Army Corps of Engineers – Mobile District.

Chernoff, N., R.J. Kavlock, R.C. Hanisch, et al., 1979, "Perinatal Toxicity of Endrin in Rodents, I. Fetotoxic Effects of Prenatal Exposure in Hamsters," ***Toxicology***, Vol. 13, pp. 155-165.

Clark, M. L., D.G. Harvey, and D.J. Humphreys, 1981, ***Veterinary Toxicology***, Second Edition, Bailliere-Tindall, London, England.

Cloud, P. E., Jr., 1966, ***Bauxite Deposits of the Anniston, Fort Payne, and Asheville Areas, Northeast Alabama***, U. S. Geological Survey Bulletin 1199-O.

Cox, D. H., S.A. Schlicker, and R.C. Chu, 1969, "Excess Dietary Zinc for the Maternal Rat and Zinc, Iron, Copper, Calcium, and Magnesium Content and Enzyme Activity in Maternal and Fetal Tissues," ***Journal of Nutrition***, Vol. 98, pp.459-466.

Coyle, J.J., Buckler, D.R., Ingersoll, C.G., Fairchild, J.F. and T.W. 1993, "Effect of Dietary Selenium on the Reproductive Success of Bluegills (*Lepomis macrochirus*)," ***Environmental Toxicology and Chemistry***, Vol. 12, pp. 551-565.

Deichmann, W.B., MacDonald, W.E., Blum, E., et al., 1970, "Tumorigenicity of Aldrin, Dieldrin, and Endrin in the Albino Rat," ***Industrial Medical Surgery***, Vol. 39, pp. 37-45.

Dragun, J., 1988, ***The Soil Chemistry of Hazardous Materials: Hazardous Material Control Research Institute***, Silver Spring, Maryland.

EDAW, Inc. 1997, ***Fort McClellan Comprehensive Reuse Plan, Implementation Strategy***, report prepared for the Fort McClellan Reuse and Redevelopment Authority of Alabama, November.

Efroymson, R.A., Will, M.E., Suter, G.W., and Wooten, A.C., 1997, ***Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants: 1997 Revision***, ES/ER/TM-85/R3, Office of Environmental Management, U. S. Department of Energy, Oak Ridge, Tennessee.

Eisler, R., 1993, ***Zinc Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review***, U.S. Fish and Wildlife Service, Biological Report, Vol. 85(1.26).

Eisler, R., 1987, ***Polycyclic Aromatic Hydrocarbon Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review***, U.S. Fish and Wildlife Service, Biological Report, Vol. 85(1.11).

Eisler, R., 1985, ***Selenium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review***, U.S. Fish and Wildlife Service, Biological Report, Vol. 85(1.5).

Environmental Science and Engineering, Inc, (ESE), 1998, ***Final Environmental Baseline Survey, Fort McClellan, Alabama***, prepared for U.S. Army Environmental Center, Aberdeen Proving Ground, Maryland, January.

Evans, R. D., Andrews, D., and Cornett, R.J., 1988, "Chemical Fractioning and Bioavailability of Cobalt-60 to Benthic Deposit Feeders," ***Journal of Canadian Fisheries and Aquatic Sciences***, Vol. 45, pp. 228-236.

Fetter, C.W., 1988, ***Applied Hydrogeology***, Merrill Publishing, Columbus, Ohio

Finger, S. E., Little, E.F., Henry, M.G., Fairchild, J.F., and Boyle, T.P., 1985, ***Comparison of Laboratory and Field Assessment of Fluorene -- Part I: Effects of Fluorene on the Survival, Growth, Reproduction, and Behavior of Aquatic Organisms in Laboratory Tests. Validation and Predictability of Laboratory Methods for Assessing the Fate and Effects of Contaminants in Aquatic Ecosystems***, T. P. Boyle, ed., American Society for Testing and Materials, ASTM STP 865, pp. 120-133.

Fishbein, L., 1981, "Sources, Transport, and Alterations of Metal Compounds: an Overview. I. Arsenic, Beryllium, Cadmium, Chromium, and Nickel," ***Environmental Health Perspectives***, Vol. 40, pp. 43-64.

Fleming, W.J., Ross McLane, M.A., and Cromartie, E., 1982, "Endrin Decreases Screech Owl Productivity," ***Journal of Wildlife Management***, Vol. 46, pp. 462-468.

Fort McClellan (FTMC), 1985, Letter from LTC Robert Cooper to LTC George Pincince (Director of Engineering and Housing, Fort McClellan, Alabama), *"Possible Water Pollution at Weapons Branch, Building 335,"* December 18.

Francis, C. W., Davis, E.C., and Goyert, J.C. 1980, "Plant Uptake of Trace Elements from Coal Gasification Ashes," ***Journal of Environmental Quality***, Vol. 14, pp.561-569.

Frost, D.V. and Lish, P.M., 1975, "Selenium in Biology," ***Annual Review Pharmacology***, Vol. 15, pp. 259-284.

Fuller, R. H. and R. C. Averett, 1975, "Evaluation of Copper Accumulation in Part of the California Aqueduct," ***Water Resource Bulletin***, Vol. 11, pp.946-952.

Ganther, H.E., 1974, ***Biochemistry of Selenium in Selenium***, R.A. Zingaro and Cooper, W.C., eds, Van Nostrand Reinhold Co., New York, pp. 546-614.

Garland, B. W., 1996, ***Endangered Species Management Plan for Fort McClellan, Alabama***, Directorate of Environment.

Gatlin, D.M. and Wilson, R.P., 1984, "Dietary Selenium Requirement of Fingerling Channel Catfish," ***Journal of Nutrition***, Vol. 114, pp. 627-633.

Good, E.E. and Ware, G.W., 1969, "Effects of Insecticides on Reproduction in the Laboratory Mouse, IV: Endrin and Dieldrin," ***Toxicology and Applied Pharmacology***, 14: 201-203.

Hall, R.J. and Mulhern, B.H., 1984, "Are Anuran Amphibians Heavy Metal Accumulators?" in ***Vertebrate Ecology and Systematics – A Tribute to Henry S. Fitch***, Seigel, R.A., Hunt, L.E., Knight J.L., Malaret, L., and Zuschlag, N.L., (eds.), Museum of Natural History, University of Kansas, Lawrence, Kansas, pp.123-133.

Hammond, P.B. and Beliles, R.P. 1980, "Metals," ***Casarett and Doull's Toxicology: The Basic Science of Poisons***, 2nd ed., Doull, J., Klaassen, C.D., and Amdur, M.O., (eds.), Macmillan Publishing, New York, New York, pp. 409-4671.

Hassan, M.Q., Numan, I.T., et al., 1991, "Endrin-Induced Histopathological Changes and Lipid Peroxidation in Livers and Kidneys of Rats, Mice, Guinea Pigs, and Hamsters," ***Toxicological Pathology***, Vol. 19(2), pp.108-114.

Health Effects Assessment Summary Tables (HEAST), 1997, Office of Solid Waste and Emergency Response, Washington, DC, EPA-540-R-97-036.

Heinz, G.H., Hoffman, D.J., Krynitsky, A.J. and Weller, D.M.G., 1987, "Reproduction in Mallards Fed Selenium," ***Environmental Toxicology and Chemistry***, Vol. 6, pp. 423-433.

Hernandez, L. M., Gonzalez, J., Rico, C., et al., 1985, "Presence and Biomagnification of Organochlorine Pollutants and Heavy Metals in Mammals in Donana National Park (Spain)," ***Journal Environment Science Health***, Vol. 20, pp.633-650.

Hoffman, D. J., and Gay, M.L., 1981, "Embryotoxic Effects of Benzo(a)pyrene, Chrysene, and 7,12-Dimethylbenz(a)anthracene in Petroleum Hydrocarbon Mixtures in Mallard Ducks," ***Journal of Toxicology and Environmental Health***, Vol. 7, pp. 775-787.

Hose, J. E., Hannah, J.B., Dijulio, D., Landolt, M.L., Miller, B.S., Iwaoka, W.T., and Felton, S.P., 1982, "Effects of Benzo(a)pyrene on Early Development of Flatfish," ***Archives of Environmental Contamination Toxicology***, Vol.11, pp.167-171.

Hunter, B.A. and Johnson, M.S., 1982, "Food Chain Relationship of Copper and Cadmium in Contaminated Grassland Ecosystems," ***Oikos***, Vol. 38, pp. 108-177.

ICRP, 1979, ***Limits for Intakes of Radionuclides by Workers***, Publication 39, Part 1, Commission on Radiological Protection, Washington, DC.

IT Corporation (IT), 2002, ***Draft Installation-Wide Work Plan, Fort McClellan, Calhoun County, Alabama,*** Revision 2, February.

IT Corporation (IT), 2000a, ***Site-Specific Field Sampling Plan Addendum, Remedial Investigation, Small Weapons Repair Shop, Parcel 66(7), Fort McClellan, Calhoun County, Alabama***, November.

IT Corporation (IT), 2000b, ***Final Installation-Wide Sampling and Analysis Plan, Fort McClellan, Calhoun County, Alabama***, March.

IT Corporation (IT), 2000c, ***Final Human Health and Ecological Screening Values and PAH Background Summary Report, Fort McClellan, Calhoun County, Alabama,*** July.

IT Corporation (IT), 1998a, ***Final Site-Specific Field Sampling Plan Attachment for the Site Investigation at the Former Ordnance Motor Repair Area, Parcels 75(7), 41(7), 42(7), 5(7), 6(7), and 66(7), Fort McClellan, Calhoun County, Alabama***, December.

IT Corporation (IT), 1998b, ***Final Installation-Wide Work Plan, Fort McClellan, Calhoun County, Alabama***, August.

Jarvinen, A.W. and Ankley, G.T., 1999, ***Linkage of Effects to Tissue Residues: Development of a Comprehensive Database for Aquatic Organisms Exposed to Inorganic and Organic Chemicals,*** SETAC Technical Publication Series, SETAC Press.

Jenkins, D. W., 1980, ***Biological Monitoring of Toxic Trace Metals: Volume 1***, Biological Monitoring and Surveillance, NTIS PB81-103475.

Kabata-Pendias, A. and Pendias, H., 1992, ***Trace Elements in Soils and Plants***, 2nd edition, CRC Press, Boca Raton, Florida.

Kinnamon, K. E., 1963, "Some Independent and Combined Effects of Copper, Molybdenum, and Zinc on the Placental Transfer of Zinc-65 in the Rat," ***Journal of Nutrition,*** 81:312-320.

Klaassen, C. D., Amdur, M.O., and Doull, S., 1991, ***Toxicology: The Basic Science of Poisons***, Pergamon Press, Inc., Elmsford, New York.

Knobloch, K., Szendzikowski, S., and Slusarczyk-Zalobna A., 1969, "Acute and Subacute Toxicity of Acenaphthene and Acenaphthylene," ***Med. Pracy.***, Vol. 20(3), pp.210-222.

Kosalwat, P. and Knight, A.W., 1987, "Chronic Toxicity of Copper to a Partial Life Cycle of the Midge *Chironomus decorus*," ***Archives of Environmental Contaminant Toxicology***, Vol. 16(3), pp. 283-290.

Lecyk, M., 1980, "Toxicity of Cupric Sulfate in Mice Embryonic Development," ***Zoology Pollution***, Vol., 28(2), pp.101-105.

Lyman ,W.J., W.F. Reehl, and D.H. Rosenblatt, 1982, ***Handbook of Chemical Property Estimation Methods: Environmental Behavior of Organic Compounds***, McGraw Hill Book Co., New York, New York.

MacKenzie, K. M. and D.M. Angevine, 1981, "Infertility in Mice Exposed in Utero to Benzo(a)pyrene," ***Biology of Reproduction***, Vol. 24, pp. 183-191.

Maier, K.J., C.G. Foe, and A.W. Knight, 1993, "Comparative Toxicity of Selenate, Selenite, Seleno-DL-methionine, and Seleno-DL-cystine to *Daphnia magna*," ***Environmental Toxicology and Chemistry***, Vol. 12, pp. 755-763.

Marceau, N., N. Aspin, and A. Sass-Kortsak, 1970, "Absorption of copper from Gastrointestinal Tract of the Rat," ***American Journal of Physiology***, Vol. 218, pp. 377-383.

Mehring, A.L., Brumbaugh J.H., Sutherland, A.J., and Titus, W.H., 1960, "The Tolerance of Growing Chickens for Dietary Copper," ***Poultry Science***, Vol. 39, pp.713-719.

Merck Index, 1983, 10th edition, Rahway, New Jersey, Merck Co., Inc.

Metcalf, R.L., I.P. Kapoor, Lu, C.K., et al., 1973, "Model Ecosystem Studies of Environmental Fate of Six Organochlorine Pesticides," ***Environmental Health Perspective***, Vol. 4, pp.35-44.

Moore, J. W., and S. Ramamoorthy, 1984, ***Heavy Metals in Natural Waters: Applied Monitoring and Impact Assessment,*** DeSanto, R.S., ed., Springer-Verlag, New York, New York.

Moser, P. H., and S. S. DeJarnette, 1992, ***Ground-water Availability in Calhoun County, Alabama***, Geological Survey of Alabama, Special Map 228.

Nash, R.G. and E.A. Woolson, 1967, "Persistence of Chlorinated Hydrocarbon Insecticides in Soil," ***Science***, Vol.157, p. 924-927.

National Academy of Sciences (NAS), 1979, ***Zinc***, National Academy of Sciences, Washington, D.C., 471 pp.

National Academy of Sciences (NAS), 1977, ***Drinking Water and Health - Inorganic Solutes***, National Academy of Sciences, Washington, D.C., p. 205-488.

National Library of Medicine (NLM), 1996, Hazardous Substance Data Bank, produced by Micromedix, Inc.

National Research Council (NRC), 1977, ***Drinking Water and Health, Volume 1***, Washington, DC, National Academy Press.

Neff, J. M., 1985, "Polycyclic Aromatic Hydrocarbons," ***Fundamentals of Aquatic Toxicology***, G.M. Rand, and S.R. Petrocelli, eds., Hemisphere Publishing Corp., Washington, DC.

New South Associates (NSA), 1993, ***The Military Showplace of the South, Fort McClellan, Alabama, A History Building Inventory***.

Ontario Ministry of the Environment, 1992, ***Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario***.

Osborne, W. E., and M. W. Szabo, 1984, ***Stratigraphy and Structure of the Jacksonville Fault, Calhoun County, Alabama***, Geological Survey of Alabama, Circular 117.

Osborne, W. E., M. W. Szabo, T. L. Neathery, and C. W. Copeland, compilers, 1988, ***Geologic Map of Alabama, Northeast Sheet***, Geological Survey of Alabama, Special Map 220, Scale 1:250,000.

Osborne, W. E., M. W. Szabo, C. W. Copeland, Jr., and T. L. Neathery, 1989, ***Geologic Map of Alabama***, Geological Survey of Alabama, Special Map 221, Scale 1:500,000.

Osborne, W. E., G. D. Irving, and W. E. Ward, 1997, ***Geologic Map of the Anniston 7.5' Quadrangle, Calhoun County, Alabama***, Geological Survey of Alabama, Preliminary Map.

Osborne, W. E., 1999, Personal communication with John Hofer, IT Corporation.

Persaud, D., R. Jaagumagi, and A. Hayton, 1993, ***Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario,*** Ontario Ministry of the Environment and Energy.

Peterson, P.J. and C.A. Girling, 1981, "Other Trace Metals," ***Effect of Heavy Metal Pollution on Plants, Vol. 1, Effects of Trace Metals on Plant Function***, Lepp, N.W. (ed.), Applied Science Publishers, New Jersey, pp. 213-278.

Planert, M., and J. L. Pritchett Jr., 1989, ***Geohydrology and Susceptibility of Major Aquifers to Surface Contamination in Alabama; Area 4***, U.S. Geological Survey, Water Resources Investigations Report 88-4133.

Raymond, D.E., W.E. Osborne, C.W. Copeland, and T.L. Neathery, 1988, ***Alabama Stratigraphy***, Geological Survey of Alabama, Tuscaloosa, Alabama.

Reeves, A. and A. Vorwald, 1967, "Beryllium Carcinogenesis, Pulmonary Deposition and Clearance of Inhaled Beryllium Sulfate in the Rat," ***Cancer Research***, Vol., 27 pp. 446-451.

Reisz Engineering (Reisz), 1998, ***Integrated Natural Resource Management Plan (INRMP), Final Report for 1998-2002,*** prepared for the Directorate of Environment, Fort McClellan, Alabama, October.

Rhodes, F.M., S.M. Olsen, and A. Manning, 1989, "Copper Toxicity in Tomato Plants," ***Journal of Environmental Quality***, Vol. 18, pp. 195-197.

Romney, E.M. and J.D. Childress, 1965, "Effects of Beryllium in Plants and Soil," ***Soil Science***, Vol. 100(2), pp. 210-217.

Rosenfeld, I. and O.A. Beath, 1954, "Effect of Selenium on Reproduction in Rats," ***Proceedings Society of Experimental Biology and Medicine***, Vol., 87, pp. 295-297.

Roy F. Weston, Inc. (Weston), 1990, Final USATHAMA Task Order 11***, Enhanced Preliminary Assessment, Fort McClellan, Anniston, Alabama***, prepared for the U.S. Army Toxic and Hazardous Materials Agency, Aberdeen Proving Grounds, Maryland, December.

Sample, B.E., D.M. Opresko, and G.W Suter, 1996, ***Toxicological Benchmarks for Wildlife: 1996 Revision***, Risk Assessment Program, Office of Environmental Management, U.S. Department of Energy, Oak Ridge, Tennessee, ES/ER/TM-86/R3.

Schlicker, S.A. and D.H. Cox, 1968, "Maternal Dietary Zinc and Development and Zinc, Iron, and Copper Content of the Rat Fetus," ***Journal of Nutrition***, Vol. 95, pp. 287-294.

Schroeder, H.A., J.J. Balassa, and W.H. Vinton, 1964, "Chromium, Lead, Cadmium, Nickel, and Titanium in Mice: Effects on Mortality, Tumors, and Tissue Levels," ***Journal of Nutrition***, Vol. 83, pp. 239-250.

Schroeder, H.A. and M. Mitchener, 1975, "Life-Term Studies in Rats: Effects of Aluminum, Barium, Beryllium, and Tungsten," ***Journal of Nutrition***, Vol.105, pp. 421-427.

Schubauer-Berigan, M.K., J.R. Dierkes, P.D. Monson, and G.T. Ankley, 1993, "pH-Dependent Toxicity of Cd, Cu, Ni, Pb, and Zn to *Ceriodaphnia dubia, Pimephales promelas, Hyallela azteca,* and *Lumbriculus variegatus,*" ***Environmental Contamination and Toxicology***, Vol. 12, pp. 1261-1266.

Science Applications International Corporation (SAIC), 2000, ***Final Remedial Investigation/Baseline Risk Assessment Report***, Fort McClellan, Alabama.

Science Applications International Corporation (SAIC), 1998, ***Final Background Metals Survey Report, Fort McClellan, Alabama***, July.

Science Applications International Corporation (SAIC), 1993, ***Site Investigation Report, Fort McClellan, Alabama,*** prepared for U.S. Army Environmental Center, Installation Restoration Division, Aberdeen Proving Ground, Maryland, August.

Scott, J.C., W.F. Harris, and R.H. Cobb, 1987, ***Geohydrology and Susceptibility of Coldwater Spring and Jackson Fault Areas to Surface Contamination in Calhoun County, Alabama***, U.S. Geological Survey Water Resources Investigations Report 87-4031.

Shepard, T. H., 1986, ***Catalog of Teratogenic Agents***, 5th edition, Baltimore, Maryland, The Johns Hopkins University Press.

Shugart, L. R., 1991, ***Dinitrotoluene in Deer Tissue***, Oak Ridge National Laboratory, Final Report, ORNL/M-1765, September.

Sims, R. C. and M.R. Overcash, 1983, "Fate of Polynuclear Aromatic Compounds (PNAs) in Soil-Plant Systems," ***Resource Review***, Vol. 88, pp. 1-68.

Smith, I. C. and B.L. Carson, 1981, ***Trace Metals in the Environment. Volume 6: Cobalt and Appraisal of Environmental Exposure***, Ann Arbor, Michigan, Ann Arbor Science Publishers, Inc.

Spann, J.W., G.H. Heinz, and C.S. Hulse, 1986, "Reproduction and Health in Mallards Fed Endrin," ***Environmental Toxicology and Chemistry***, Vol.5, pp.755-759.

Sprague, J. B., 1968, "Avoidance Reactions of Rainbow Trout to Zinc Sulfate Solutions," ***Water Resources***, Vol. 2, pp. 367.

Stahl, J.L., J.L. Greger, and M.E. Cook, 1990. "Breeding Hen and Progeny Performance When Hens are Fed Excessive Dietary Zinc," ***Poultry Science***, Vol. 69, pp. 259-263.

Suter, G. W., and C.L. Tsao, 1996, ***Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Aquatic Biota: 1996 Revision***, Risk Assessment Program, U. S. Department of Energy, Oak Ridge, Tennessee, ES/ER/TM-96/R2.

Talmage, S. S., D.M. Opresko, C.J. Maxwell, C. Welsh, F. Cretella, P.H. Reno, and F.B. Daniel, 1999, "Nitroaromatic Munition Compounds: Environmental Effects and Screening Values," ***Reviews in Environmental Contaminant Toxicology***, Vol. 161, pp.1-156.

Talmage, S.S., and B.T. Walton, 1991, "Small Mammals as Monitors of Environmental Contaminants," ***Reviews in Environmental Contaminant Toxicology***, Vol. 119, pp. 47-145.

Thomas, W.A., and J.A. Drahovzal, 1974, ***The Coosa Deformed Belt in the Alabama Appalachians***, Alabama Geological Society, 12th Annual Field Trip Guidebook.

Thomas, W.A., and T.L. Neathery, 1982, ***Appalachian Thrust Belts in Alabama: Tectonics and Sedimentation***, Geologic Society of America, 1982 Annual Meeting, New Orleans, Louisiana, Field Trip, Alabama Geological Society, Guidebook 19A.

Treon, J.F., F.P. Cleveland, and J. Cappel, 1955, "Toxicity of Endrin for Laboratory Animals," ***Agricultural and Food Chemistry***, Vol. 3, pp. 842-848.

U.S. Army Corps of Engineers (USACE), 1994, ***Requirements for the Preparation of Sampling and Analysis Plans***, Engineer Manual EM 200-1-3, September.

U.S. Army Corps of Engineers (USACE), 1992, ***Preliminary Wetland Survey, Fort McClellan and Pelham Range, Anniston, Alabama***, Mobile, Alabama.

U.S. Army Environmental Hygiene Agency (USAEHA) 1994, ***Health Risk Assessment for Consumption of Deer Muscle and Liver from Joliet Army Ammunition Plant***, Toxicology Division.

U.S. Census Bureau, 2000 decennial U.S. Census data, online, www.census.gov.

U.S. Census Bureau, 1990 decennial U.S. Census data, online, www.census.gov.

U.S. Department of Agriculture, 1961, ***Soil Survey, Calhoun County, Alabama***, Soil Conservation Service, Series 1958, No. 9, September.

U.S. Environmental Protection Agency (EPA), 2002, ***Integrated Risk Information System (IRIS)***, on-line.

U.S. Environmental Protection Agency (EPA), 1999a, ***Screening Level Ecological Risk Assessment Protocol for Hazardous Waste Combustion Facilities***, Office of Solid Waste and Emergency Response, Washington, DC, EPA530-D-99-001.

U.S. Environmental Protection Agency (EPA), 1999b, ***National Recommended Water Quality Criteria for Priority Toxic Pollutants***, EPA/822-Z-99-001, Office of Water, Washington, DC.

U.S. Environmental Protection Agency (EPA), 1996, ***Soil Screening Guidance: Technical Background Document***, Office of Solid Waste and Emergency Response, EPA/540/R-95/128, NTIS No. PB96-963502.

U.S. Environmental Protection Agency (EPA), 1995a, ***Supplemental Guidance to RAGS: Region 4 Bulletins, Human Health Risk Assessment***, Region 4, Atlanta, Georgia.

U.S. Environmental Protection Agency (EPA), 1995b, ***Final Water Quality Guidance for the Great Lakes System***, Office of Water, Washington, DC.

U.S. Environmental Protection Agency (EPA), 1993, ***Wildlife Exposure Factors Handbook***, Office of Research and Development, Washington, DC., EPA/600-R-93/187.

U.S. Environmental Protection Agency (EPA), 1990, 40 CFR Part 300, "National Oil and Hazardous Substances Pollution Contingency Plan; Final Rule," ***Federal Register*** 55 (46): 8666-8865.

U.S. Environmental Protection Agency (EPA), 1989, ***Risk Assessment Guidance for Superfund, Vol. I: Human Health Evaluation Manual***, Office of Emergency and Remedial Response, Washington, DC, EPA/540/1-89/002.

U.S. Environmental Protection Agency (EPA), 1985a, ***Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Beryllium***, Office of Water Regulations and Standards, Washington, DC.

U.S. Environmental Protection Agency (EPA), 1985b, ***Drinking Water Criteria Document on Copper***, Office of Drinking Water, Washington, DC.

U.S. Environmental Protection Agency (EPA), 1984, ***Health Effects Assessment for Zinc (and Compounds)***, Cincinnati, Ohio.

U.S. Environmental Protection Agency (EPA), 1980, ***Ambient Water Quality Criteria for Zinc***, Office of Water Regulations and Standards, Washington, DC, EPA 440/5-80-079.

Venugopal, B. and T.D. Luckey, 1978, ***Metal Toxicity in Mammals, Volume 2***, New York, New York, Plenum Press.

Verschueren, K., 1983, ***Handbook of Environmental Data on Organic Chemicals, Second Edition***, Van Nostrand Reinhold, New York, NY.

Warman, J. C, and L. V. Causey, 1962, ***Geology and Ground-water Resources of Calhoun County, Alabama, Geological Survey of Alabama***, County Report 7.

Zander, M., 1983, "Physical and Chemical Properties of Polycyclic Aromatic Hydrocarbons," ***Handbook of Polycyclic Aromatic Hydrocarbons***, A. Bjorseth, ed., Marcel Dekker, Inc., New York, New York, pp. 1-25.

ATTACHMENT 1

LIST OF ABBREVIATIONS AND ACRONYMS

List of Abbreviations and Acronyms

2,4-D	2,4-dichlorophenoxyacetic acid
2,4,5-T	2,4,5-trichlorophenoxyacetic acid
2,4,5-TP	silvex
3D	3D International Environmental Group
AB	ambient blank
AbB3	Anniston gravelly clay loam, 2 to 6 percent slopes, severely eroded
AbC3	Anniston gravelly clay loam, 6 to 10 percent slopes, severely eroded
AbD3	Anniston and Allen gravelly clay loams, 10 to 15 percent slopes, eroded
Abs	skin absorption
ABS	dermal absorption factor
AC	hydrogen cyanide
ACAD	AutoCadd
AcB2	Anniston and Allen gravelly loams, 2 to 6 percent slopes, eroded
AcC2	Anniston and Allen gravelly loams, 6 to 10 percent slopes, eroded
AcD2	Anniston and Allen gravelly loams, 10 to 15 percent slopes, eroded
AcE2	Anniston and Allen gravelly loams, 15 to 25 percent slopes, eroded
ACGIH	American Conference of Governmental Industrial Hygienists
AdE	Anniston and Allen stony loam, 10 to 25 percent slope
ADEM	Alabama Department of Environmental Management
ADPH	Alabama Department of Public Health
AEC	U.S. Army Environmental Center
AEL	airborne exposure limit
AET	adverse effect threshold
AF	soil-to-skin adherence factor
AHA	ammunition holding area
AL	Alabama
ALAD	-aminolevulinic acid dehydratase
amb.	Amber
amsl	above mean sea level
ANAD	Anniston Army Depot
AOC	area of concern
APEC	areas of potential ecological concern
APT	armor-piercing tracer
AR	analysis request
ARAR	applicable or relevant and appropriate requirement
AREE	area requiring environmental evaluation
ASP	Ammunition Supply Point
ASR	Archives Search Report
AST	aboveground storage tank
ASTM	American Society for Testing and Materials
AT	averaging time
ATSDR	Agency for Toxic Substances and Disease Registry
ATV	all-terrain vehicle
AWARE	Associated Water and Air Resources Engineers, Inc.
AWWSB	Anniston Water Works and Sewer Board
'B'	Analyte detected in laboratory or field blank at concentration greater than the reporting limit (and greater than zero)
BCF	blank correction factor; bioconcentration factor
BCT	BRAC Cleanup Team
BERA	baseline ecological risk assessment
BEHP	bis(2-ethylhexyl)phthalate
BFB	bromofluorobenzene
BFE	base flood elevation
BG	Bacillus globigii
bgs	below ground surface
BHC	betahexachlorocyclohexane
BHHRA	baseline human health risk assessment
BIRTC	Branch Immaterial Replacement Training Center
bkg	background
bls	below land surface
BOD	biological oxygen demand
Bp	soil-to-plant biotransfer factors
BRAC	Base Realignment and Closure
Braun	Braun Intertec Corporation
BSAF	biota-to-sediment accumulation factors
BSC	background screening criterion
BTAG	Biological Technical Assistance Group
BTEX	benzene, toluene, ethyl benzene, and xylenes
BTOC	below top of casing
BTV	background threshold value
BW	biological warfare; body weight
BZ	breathing zone; 3-quinuclidinyl benzilate
C	ceiling limit value
Ca	carcinogen
CAB	chemical warfare agent breakdown products
CAMU	corrective action management unit
CBR	chemical, biological and radiological
CCAL	continuing calibration
CCB	continuing calibration blank
CCV	continuing calibration verification
CD	compact disc
CDTF	Chemical Defense Training Facility
CEHNC	U.S. Army Engineering and Support Center, Huntsville
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CERFA	Community Environmental Response Facilitation Act
CESAS	Corps of Engineers South Atlantic Savannah
CF	conversion factor
CFC	chlorofluorocarbon
CFDP	Center for Domestic Preparedness
CFR	Code of Federal Regulations
CG	carbonyl chloride (phosgene)
CGI	combustible gas indicator
ch	inorganic clays of high plasticity
CHPPM	U.S. Army Center for Health Promotion and Preventive Medicine
CK	cyanogen chloride
cl	inorganic clays of low to medium plasticity
Cl	chlorinated
CLP	Contract Laboratory Program
cm	centimeter
CN	chloroacetophenone
CNB	chloroacetophenone, benzene, and carbon tetrachloride
CNS	chloroacetophenone, chloropicrin, and chloroform
CO	carbon monoxide
Co-60	cobalt-60
CoA	Code of Alabama
COC	chain of custody; contaminant of concern
COE	Corps of Engineers
Con	skin or eye contact
COPC	chemical(s) of potential concern
COPEC	chemical(s) of potential ecological concern
CPSS	chemicals present in site samples
CQCSM	Contract Quality Control System Manager
CRDL	contract-required detection limit
CRL	certified reporting limit
CRQL	contract-required quantitation limit
CRZ	contamination reduction zone
Cs-137	cesium-137
CS	ortho-chlorobenzylidene-malononitrile
CSEM	conceptual site exposure model
CSM	conceptual site model
CT	central tendency
ctr.	container
CWA	chemical warfare agent
CWM	chemical warfare material; clear, wide mouth
CX	dichloroformoxime
'D'	duplicate; dilution
D&I	detection and identification
DAF	dilution-attenuation factor
DANC	decontamination agent, non-corrosive
°C	degrees Celsius
°F	degrees Fahrenheit
DCA	dichloroethane
DCE	dichloroethene
DDD	dichlorodiphenyldichloroethane
DDE	dichlorodiphenyldichloroethene
DDT	dichlorodiphenyltrichloroethane
DEH	Directorate of Engineering and Housing
DEP	depositional soil
DFTPP	decafluorotriphenylphosphine
DI	deionized
DID	data item description
DIMP	di-isopropylmethylphosphonate
DM	dry matter
DMBA	dimethylbenz(a)anthracene

DMMP	dimethylmethylphosphonate
DOD	U.S. Department of Defense
DOJ	U.S. Department of Justice
DOT	U.S. Department of Transportation
DP	direct-push
DPDO	Defense Property Disposal Office
DPT	direct-push technology
DQO	data quality objective
DRMO	Defense Reutilization and Marketing Office
DRO	diesel range organics
DS	deep (subsurface) soil
DS2	Decontamination Solution Number 2
DWEL	drinking water equivalent level
E&E	Ecology and Environment, Inc.
EB	equipment blank
EBS	environmental baseline survey
EC_{50}	effects concentration for 50 percent of a population
ECBC	Edgewood Chemical/Biological Command
ED	exposure duration
EDD	electronic data deliverable
EF	exposure frequency
EDQL	ecological data quality level
EE/CA	engineering evaluation and cost analysis
Elev.	elevation
EM	electromagnetic
EMI	Environmental Management Inc.
EM31	Geonics Limited EM31 Terrain Conductivity Meter
EM61	Geonics Limited EM61 High-Resolution Metal Detector
EOD	explosive ordnance disposal
EODT	explosive ordnance disposal team
EPA	U.S. Environmental Protection Agency
EPC	exposure point concentration
EPIC	Environmental Photographic Interpretation Center
EPRI	Electrical Power Research Institute
ER	equipment rinsate
ERA	ecological risk assessment
ER-L	effects range-low
ER-M	effects range-medium
ESE	Environmental Science and Engineering, Inc.
ESMP	Endangered Species Management Plan
ESN	Environmental Services Network, Inc.
ESV	ecological screening value
ET	exposure time
EU	exposure unit
Exp.	explosives
E-W	east to west
EZ	exclusion zone
FAR	Federal Acquisition Regulations
FB	field blank
FD	field duplicate
FDA	U.S. Food and Drug Administration
FedEx	Federal Express, Inc.
FEMA	Federal Emergency Management Agency
FFCA	Federal Facilities Compliance Act
FFE	field flame expedient
FFS	focused feasibility study
FI	fraction of exposure
Fil	filtered
Flt	filtered
FMDC	Fort McClellan Development Commission
FML	flexible membrane liner
FMP 1300	Former Motor Pool 1300
FOMRA	Former Ordnance Motor Repair Area
Foster Wheeler	Foster Wheeler Environmental Corporation
Frtn	fraction
FS	field split; feasibility study
FSP	field sampling plan
ft	feet
ft/ft	feet per foot
FTA	Fire Training Area
FTMC	Fort McClellan
FTRRA	FTMC Reuse & Redevelopment Authority
g	gram
g/m^3	gram per cubic meter
G-856	Geometrics, Inc. G-856 magnetometer
G-858G	Geometrics, Inc. G-858G magnetic gradiometer
GAF	gastrointestinal absorption factor
gal	gallon
gal/min	gallons per minute
GB	sarin
gc	clay gravels; gravel-sand-clay mixtures
GC	gas chromatograph
GCL	geosynthetic clay liner
GC/MS	gas chromatograph/mass spectrometer
GCR	geosynthetic clay liner
GFAA	graphite furnace atomic absorption
GIS	Geographic Information System
gm	silty gravels; gravel-sand-silt mixtures
gp	poorly graded gravels; gravel-sand mixtures
gpm	gallons per minute
GPR	ground-penetrating radar
GPS	global positioning system
GS	ground scar
GSA	General Services Administration; Geologic Survey of Alabama
GSBP	Ground Scar Boiler Plant
GSSI	Geophysical Survey Systems, Inc.
GST	ground stain
GW	groundwater
gw	well-graded gravels; gravel-sand mixtures
HA	hand auger
HCl	hydrochloric acid
HD	distilled mustard
HDPE	high-density polyethylene
HEAST	Health Effects Assessment Summary Tables
Herb.	herbicides
HHRA	human health risk assessment
HI	hazard index
HPLC	high performance liquid chromatography
HNO_3	nitric acid
HQ	hazard quotient
HQ_{screen}	screening-level hazard quotient
hr	hour
H&S	health and safety
HSA	hollow-stem auger
HTRW	hazardous, toxic, and radioactive waste
'I'	out of control, data rejected due to low recovery
IATA	International Air Transport Authority
ICAL	initial calibration
ICB	initial calibration blank
ICP	inductively-coupled plasma
ICRP	International Commission on Radiological Protection
ICS	interference check sample
ID	inside diameter
IDL	instrument detection limit
IDLH	immediately dangerous to life or health
IDM	investigative-derived media
IDW	investigation-derived waste
IEUBK	Integrated Exposure Uptake Biokinetic
IF	ingestion factor; inhalation factor
ILCR	incremental lifetime cancer risk
IMPA	isopropylmethyl phosphonic acid
IMR	Iron Mountain Road
in.	inch
Ing	ingestion
Inh	inhalation
IP	ionization potential
IPS	International Pipe Standard
IR	ingestion rate
IRDMIS	Installation Restoration Data Management Information System
IRIS	Integrated Risk Information Service
IRP	Installation Restoration Program
IS	internal standard
ISCP	Installation Spill Contingency Plan
IT	IT Corporation

ITEMS	IT Environmental Management System™
'J'	estimated concentration
JeB2	Jefferson gravelly fine sandy loam, 2 to 6 percent slopes, eroded
JeC2	Jefferson gravelly fine sandy loam, 6 to 10 percent slopes, eroded
JfB	Jefferson stony fine sandy loam, 0 to 10 percent slopes have strong slopes
JPA	Joint Powers Authority
K	conductivity
K_{ow}	octonal-water partition coefficient
L	lewisite; liter
l	liter
LBP	lead-based paint
LC	liquid chromatography
LCS	laboratory control sample
LC_{50}	lethal concentration for 50 percent population tested
LD_{50}	lethal dose for 50 percent population tested
LEL	lower explosive limit
LOAEL	lowest-observed-advserse-effects-level
LT	less than the certified reporting limit
LUC	land-use control
LUCAP	land-use control assurance plan
LUCIP	land-use control implementation plan
max	maximum
MB	method blank
MCL	maximum contaminant level
MCLG	maximum contaminant level goal
MCPA	4-chloro-2-methylphenoxyacetic acid
MCS	media cleanup standard
MD	matrix duplicate
MDC	maximum detected concentration
MDCC	maximum detected constituent concentration
MDL	method detection limit
mg	milligrams
mg/kg	milligrams per kilogram
mg/kg/day	milligram per kilogram per day
mg/kgbw/day	milligrams per kilogram of body weight per day
mg/L	milligrams per liter
mg/m^3	milligrams per cubic meter
mh	inorganic silts, micaceous or diatomaceous fine, sandy or silt soils
MHz	megahertz
µg/g	micrograms per gram
µg/kg	micrograms per kilogram
µg/L	micrograms per liter
µmhos/cm	micromhos per centimeter
min	minimum
MINICAMS	miniature continuous air monitoring system
ml	inorganic silts and very fine sands
mL	milliliter
mm	millimeter
MM	mounded material
MMBtu/hr	million Btu per hour
MOGAS	motor vehicle gasoline
MP	Military Police
MPA	methyl phosphonic acid
MPM	most probable munition
MQL	method quantitation limit
MR	molasses residue
MRL	method reporting limit
MS	matrix spike
mS/cm	millisiemens per centimeter
mS/m	millisiemens per meter
MSD	matrix spike duplicate
MTBE	methyl tertiary butyl ether
msl	mean sea level
MtD3	Montevallo shaly, silty clay loam, 10 to 40 percent slopes , severely eroded
mV	millivolts
MW	monitoring well
MWI&P	Monitoring Well Installation and Management Plan
Na	sodium
NA	not applicable; not available
NAD	North American Datum
NAD83	North American Datum of 1983
NAVD88	North American Vertical Datum of 1988
NAS	National Academy of Sciences
NCEA	National Center for Environmental Assessment
NCP	National Contingency Plan
NCRP	National Council on Radiation Protection and Measurements
ND	not detected
NE	no evidence; northeast
ne	not evaluated
NEW	net explosive weight
NFA	No Further Action
NG	National Guard
NGP	National Guardsperson
ng/L	nanograms per liter
NGVD	National Geodetic Vertical Datum
Ni	nickel
NIC	notice of intended change
NIOSH	National Institute for Occupational Safety and Health
NIST	National Institute of Standards and Technology
NLM	National Library of Medicine
NPDES	National Pollutant Discharge Elimination System
NPW	net present worth
No.	number
NOAA	National Oceanic and Atmospheric Administration
NOAEL	no-observed-adverse-effects-level
NR	not requested; not recorded; no risk
NRC	National Research Council
NRCC	National Research Council of Canada
NRHP	National Register of Historic Places
ns	nanosecond
N-S	north to south
NS	not surveyed
NSA	New South Associates, Inc.
nT	nanotesla
nT/m	nanoteslas per meter
NTU	nephelometric turbidity unit
nv	not validated
O_2	oxygen
O&G	oil and grease
O&M	operation and maintenance
OB/OD	open burning/open detonation
OD	outside diameter
OE	ordnance and explosives
oh	organic clays of medium to high plasticity
ol	organic silts and organic silty clays of low plasticity
OP	organophosphorus
ORP	oxidation-reduction potential
OSHA	Occupational Safety and Health Administration
OSWER	Office of Solid Waste and Emergency Response
OVM-PID/FID	organic vapor meter-photoionization detector/flame ionization detector
OWS	oil/water separator
oz	ounce
PA	preliminary assessment
PAH	polynuclear aromatic hydrocarbon
PARCCS	precision, accuracy, representativeness, comparability, completeness, and sensitivity
Parsons	Parsons Engineering Science, Inc.
Pb	lead
PBMS	performance-based measurement system
PC	permeability coefficient
PCB	polychlorinated biphenyl
PCDD	polychlorinated dibenzo-p-dioxins
PCDF	polychlorinated dibenzofurans
PCE	perchloroethene
PCP	pentachlorophenol
PDS	Personnel Decontamination Station
PEF	particulate emission factor
PEL	permissible exposure limit
PES	potential explosive site
Pest.	pesticides
PETN	pentarey thritol tetranitrate
PFT	portable flamethrower
PG	professional geologist
PID	photoionization detector

PkA	Philo and Stendal soils local alluvium, 0 to 2 percent slopes
PM	project manager
POC	point of contact
POL	petroleum, oils, and lubricants
POW	prisoner of war
PP	peristaltic pump; Proposed Plan
ppb	parts per billion
PPE	personal protective equipment
ppm	parts per million
PPMP	Print Plant Motor Pool
ppt	parts per thousand
PR	potential risk
PRA	preliminary risk assessment
PRG	preliminary remediation goal
PSSC	potential site-specific chemical
pt	peat or other highly organic silts
PVC	polyvinyl chloride
QA	quality assurance
QA/QC	quality assurance/quality control
QAM	quality assurance manual
QAO	quality assurance officer
QAP	installation-wide quality assurance plan
QC	quality control
QST	QST Environmental, Inc.
qty	quantity
Qual	qualifier
'R'	rejected data; resample
R&A	relevant and appropriate
RA	remedial action
RAO	removal action objective
RBC	risk-based concentration
RCRA	Resource Conservation and Recovery Act
RD	remedial design
RDX	cyclonite
ReB3	Rarden silty clay loams
REG	regular field sample
REL	recommended exposure limit
RFA	request for analysis
RfC	reference concentration
RfD	reference dose
RGO	remedial goal option
RI	remedial investigation
RL	reporting limit
RME	reasonable maximum exposure
ROD	Record of Decision
RPD	relative percent difference
RRF	relative response factor
RSD	relative standard deviation
RTC	Recruiting Training Center
RTECS	Registry of Toxic Effects of Chemical Substances
RTK	real-time kinematic
SA	exposed skin surface area
SAD	South Atlantic Division
SAE	Society of Automotive Engineers
SAIC	Science Applications International Corporation
SAP	installation-wide sampling and analysis plan
sc	clayey sands; sand-clay mixtures
Sch.	Schedule
SCM	site conceptual model
SD	sediment
SDG	sample delivery group
SDZ	safe distance zone; surface danger zone
SEMS	Southern Environmental Management & Specialties, Inc.
SF	cancer slope factor
SFSP	site-specific field sampling plan
SGF	standard grade fuels
SHP	installation-wide safety and health plan
SI	site investigation
SINA	Special Interest Natural Area
SL	standing liquid
SLERA	screening-level ecological risk assessment
sm	silty sands; sand-silt mixtures
SM	Serratia marcescens
SMDP	Scientific Management Decision Point
s/n	signal-to-noise ratio
SOP	standard operating procedure
SOPQAM	U.S. EPA's *Standard Operating Procedure/Quality Assurance Manual*
sp	poorly graded sands; gravelly sands
SP	submersible pump
SPCC	system performance calibration compound
SPCS	State Plane Coordinate System
SPM	sample planning module
SQRT	screening quick reference tables
Sr-90	strontium-90
SRA	streamlined human health risk assessment
SRM	standard reference material
Ss	stony rough land, sandstone series
SS	surface soil
SSC	site-specific chemical
SSHO	site safety and health officer
SSHP	site-specific safety and health plan
SSL	soil screening level
SSSL	site-specific screening level
SSSSL	site-specific soil screening level
STB	supertropical bleach
STC	source-term concentration
STD	standard deviation
STEL	short-term exposure limit
STL	Severn-Trent Laboratories
STOLS	Surface Towed Ordnance Locator System®
Std. units	standard units
SU	standard unit
SUXOS	senior UXO supervisor
SVOC	semivolatile organic compound
SW	surface water
SW-846	U.S. EPA's *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods*
SWMU	solid waste management unit
SWPP	storm water pollution prevention plan
SZ	support zone
TAL	target analyte list
TAT	turn around time
TB	trip blank
TBC	to be considered
TCA	trichloroethane
TCDD	2,3,7,8-tetrachlorodibenzo-p-dioxin
TCDF	tetrachlorodibenzofurans
TCE	trichloroethene
TCL	target compound list
TCLP	toxicity characteristic leaching procedure
TDEC	Tennessee Department of Environment and Conservation
TDGCL	thiodiglycol
TDGCLA	thiodiglycol chloroacetic acid
TERC	Total Environmental Restoration Contract
THI	target hazard index
TIC	tentatively identified compound
TLV	threshold limit value
TN	Tennessee
TNT	trinitrotoluene
TOC	top of casing; total organic carbon
TPH	total petroleum hydrocarbons
TR	target cancer risk
TRADOC	U.S. Army Training and Doctrine Command
TRPH	total recoverable petroleum hydrocarbons
TSCA	Toxic Substances Control Act
TSDF	treatment, storage, and disposal facility
TWA	time-weighted average
UCL	upper confidence limit
UCR	upper certified range
'U'	not detected above reporting limit
UF	uncertainty factor
USACE	U.S. Army Corps of Engineers
USACHPPM	U.S. Army Center for Health Promotion and Preventive Medicine
USAEC	U.S. Army Environmental Center
USAEHA	U.S. Army Environmental Hygiene Agency

USACMLS	U.S. Army Chemical School
USAMPS	U.S. Army Military Police School
USATCES	U.S. Army Technical Center for Explosive Safety
USATEU	U.S. Army Technical Escort Unit
USATHAMA	U.S. Army Toxic and Hazardous Material Agency
USC	United States Code
USCS	Unified Soil Classification System
USDA	U.S. Department of Agriculture
USEPA	U.S. Environmental Protection Agency
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey
UST	underground storage tank
UTL	upper tolerance level; upper tolerance limit
UXO	unexploded ordnance
UXOQCS	UXO Quality Control Supervisor
UXOSO	UXO safety officer
V	vanadium
VOA	volatile organic analyte
VOC	volatile organic compound
VOH	volatile organic hydrocarbon
VQlfr	validation qualifier
VQual	validation qualifier
VX	nerve agent (O-ethyl-S-[diisopropylaminoethyl]-methylphosphonothiolate)
WAC	Women's Army Corps
Weston	Roy F. Weston, Inc.
WP	installation-wide work plan
WRS	Wilcoxon rank sum
WS	watershed
WSA	Watershed Screening Assessment
WWI	World War I
WWII	World War II
XRF	x-ray fluorescence
yd^3	cubic yards

SAIC – Data Qualifiers, Codes and Footnotes, 1995 Remedial Investigation

N/A – Not analyzed

ND – Not detected

Boolean Codes

- LT – Less than the certified reporting limit

Flagging Codes

- 9 – Non-demonstrated/validated method performed for USAEC
- B – Analyte found in the method blank or QC blank
- C – Analysis was confirmed
- D – Duplicate analysis
- I – Interfaces in sample make quantitation and/or identification to be suspicious
- J – Value is estimated
- K – Reported results are affected by interfaces or high background
- N – Tentatively identified compound (match greater than 70%)
- Q – Sample interference obscured peak of interest
- R – Non-target compound analyzed for but not detected (GC/MS methods)
- S – Non-target compound analyzed for and detected (GC/MS methods)
- T – Non-target compound analyzed for but not detected (non GC/MS methods)
- U – Analysis in unconfirmed
- Z – Non-target compound analyzed for and detected (non-GC/MS methods)

Qualifiers

- J – The low-spike recovery is low
- N – The high-spike recovery is low
- R – Data is rejected