		Location Code:		T24A-G03			T24A-G03			T24A-G03			T24A-G03		
		Associated Site:		Background			Background			Background			Background		
		Sample No:		MCBW*98			UB06050			MCBW*106			UC00385		
		Sample Date:		23-OCT-94			23-OCT-94			01-FEB-95			01-FEB-95		
User Test Group / Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UM25															
	Dieldrin		mg/L				.026						.026		
	Endosulfan I		mg/L				.023						.023		
	Endosulfan II		mg/L				.042						.042		
	Endosulfan sulfate		mg/L				.05						.05		
	Endrin		mg/L				.018						.018		
	Endrin aldehyde		mg/L				.005						.005		
	Endrin ketone		mg/L				.006	R					.006	R	
	Heptachlor		mg/L				.038						.038		
	Heptachlor epoxide		mg/L				.028						.028		
	Methoxychlor		mg/L				.011						.011		
	PCB 1221		mg/L				.0091	R					.0091	R	
	Toxaphene		mg/L				.017	R					.017	R	
	alpha-BHC		mg/L				.0053						.0053		
	beta-BHC		mg/L				.017						.017		
	delta-BHC		mg/L				.003	R					.003	R	
	gamma-BHC (Lindane)		mg/L				.0072						.0072		
TCL_VOA															
8010															
	Vinyl chloride		mg/L				.001						.001		
UM21															
	1,1,1-Trichloroethane		mg/L				.001						.001		
	1,1,2,2-Tetrachloroethane		mg/L				.0015						.0015		
	1,1,2-Trichloroethane		mg/L				.001						.001		
	1,1-Dichloroethane		mg/L				.001						.001		
	1,1-Dichloroethene		mg/L				.001						.001		
	1,2-Dichloroethane		mg/L				.001						.001		
	1,2-Dichloroethene		mg/L				.005						.005		
	1,2-Dichloropropane		mg/L				.001						.001		
	2-Butanone		mg/L				.01						.01		
	2-Chloroethyl Vinyl Ether		mg/L				.0035						.0035		

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		T24A-S02			T24A-S02			T24A-S02A			T24A-S02A		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*96			UB05755			MCBW*93			UB05756		
		Sample Date:		13-SEP-94			13-SEP-94			13-SEP-94			13-SEP-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UM25															
	Dieldrin		mg/L				.026						.026		
	Endosulfan I		mg/L				.023						.023		
	Endosulfan II		mg/L				.042						.042		
	Endosulfan sulfate		mg/L				.05						.05		
	Endrin		mg/L				.018						.018		
	Endrin aldehyde		mg/L				.005						.005		
	Endrin ketone		mg/L				.006	R					.006	R	
	Heptachlor		mg/L				.038						.038		
	Heptachlor epoxide		mg/L				.028						.028		
	Methoxychlor		mg/L				.011						.011		
	PCB 1221		mg/L				.0091	R					.0091	R	
	Toxaphene		mg/L				.017	R					.017	R	
	alpha-BHC		mg/L				.0053						.0053		
	beta-BHC		mg/L				.017						.017		
	delta-BHC		mg/L				.003	R					.003	R	
	gamma-BHC (Lindane)		mg/L				.0072						.0072		
TCL_VOA															
8010															
	Vinyl chloride		mg/L				.001						.001		
UM21															
	1,1,1-Trichloroethane		mg/L				.001						.001		
	1,1,2,2-Tetrachloroethane		mg/L				.0015						.0015		
	1,1,2-Trichloroethane		mg/L				.001						.001		
	1,1-Dichloroethane		mg/L				.001						.001		
	1,1-Dichloroethene		mg/L				.001						.001		
	1,2-Dichloroethane		mg/L				.001						.001		
	1,2-Dichloroethene		mg/L				.005						.005		
	1,2-Dichloropropane		mg/L				.001						.001		
	2-Butanone		mg/L				.01						.01		
	2-Chloroethyl Vinyl Ether		mg/L				.0035						.0035		

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-BK-G06			FTA-108-BK-G06			FTA-108-GP01			FTA-108-GP01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:		FT3013			FT3015			FT3001			FT3002		
		Sample Date:		16-NOV-99			16-NOV-99			10-NOV-99			10-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Dibromochloromethane		mg/L												
	Ethylbenzene		mg/L												
	Methylene chloride		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Vinyl chloride		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	trans-1,3-Dichloropropene		mg/L												
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-108-GP02			FTA-108-GP03			FTA-108-GP04			FTA-108-GP05		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:		FT3004			FT3005			FT3006			FT3007		
		Sample Date:		10-NOV-99			10-NOV-99			09-NOV-99			09-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Dibromochloromethane		mg/L												
	Ethylbenzene		mg/L												
	Methylene chloride		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Vinyl chloride		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	trans-1,3-Dichloropropene		mg/L												
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-GP06			FTA-108-GP07			FTA-108-GP08			FTA-108-GP09		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:		FT3008			FT3009			FT3010			FT3011		
		Sample Date:		12-NOV-99			15-NOV-99			15-NOV-99			15-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Dibromochloromethane		mg/L												
	Ethylbenzene		mg/L												
	Methylene chloride		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Vinyl chloride		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	trans-1,3-Dichloropropene		mg/L												
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

		Location Code:		FTA-108-GP10			FTA-108-T24A-G01			FTA-108-T24A-G02			FTA-108-T24A-G03		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:		FT3012			FT3014			FT3017			FT3018		
		Sample Date:		16-NOV-99			11-NOV-99			17-NOV-99			17-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Dibromochloromethane		mg/L												
	Ethylbenzene		mg/L												
	Methylene chloride		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Vinyl chloride		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	trans-1,3-Dichloropropene		mg/L												
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
	1,1,1-Trichloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
	1,1,2-Trichloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U

		Location Code:		FTA-88-GP01			FTA-88-GP02			FTA-88-GP03			FTA-88-GP04		
		Associated Site:		FTA-88			FTA-88			FTA-88			FTA-88		
		Sample No:		FR3001			FR3002			FR3003			FR3004		
		Sample Date:		09-NOV-99			09-NOV-99			08-NOV-99			08-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Dibromochloromethane		mg/L												
	Ethylbenzene		mg/L												
	Methylene chloride		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Vinyl chloride		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	trans-1,3-Dichloropropene		mg/L												
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	UJ

		Location Code:	FTA-88-GP04			T24A-G01			T24A-G01			T24A-G01		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR3005			MCBW*97			UB06049			MCBW*103		
		Sample Date:	08-NOV-99			23-OCT-94			23-OCT-94			01-FEB-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L							.001	R				
	2-Propenenitrile		mg/L							.0084					
	4-Methyl-2-pentanone		mg/L							.0014					
	Acetone		mg/L							.008					
	Benzene		mg/L							.1					
	Bromodichloromethane		mg/L							.001					
	Bromoform		mg/L							.011					
	Bromomethane		mg/L							.014					
	Carbon disulfide		mg/L							.005	R				
	Carbon tetrachloride		mg/L							.001					
	Chlorobenzene		mg/L							.001					
	Chloroethane		mg/L							.008					
	Chloroform		mg/L							.001					
	Chloromethane		mg/L							.0012					
	Dibromochloromethane		mg/L							.001					
	Ethylbenzene		mg/L							.001					
	Methylene chloride		mg/L							.001					
	Styrene		mg/L							.005	R				
	Tetrachloroethene		mg/L							.001					
	Toluene		mg/L							.001					
	Trichloroethene		mg/L							.001					
	Vinyl chloride		mg/L							.012					
	cis-1,3-Dichloropropene		mg/L							.005	R				
	trans-1,3-Dichloropropene		mg/L							.005	R				
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U									
	1,1,1-Trichloroethane		mg/L	.001	U	U									
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U									
	1,1,2-Trichloroethane		mg/L	.001	U	UJ									

		Location Code:		T24A-G01			T24A-G01			T24A-G01			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*104			UC00382			UC00383			MCBW*105		
		Sample Date:		01-FEB-95			01-FEB-95			01-FEB-95			01-FEB-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L				.005	R		.005	DR				
	2-Propenenitrile		mg/L				.04			.04	D				
	4-Methyl-2-pentanone		mg/L				.007			.007	D				
	Acetone		mg/L				.04			.04	D				
	Benzene		mg/L				.2			.2	D				
	Bromodichloromethane		mg/L				.005			.005	D				
	Bromoform		mg/L				.06			.06	D				
	Bromomethane		mg/L				.07			.07	D				
	Carbon disulfide		mg/L				.02	R		.02	DR				
	Carbon tetrachloride		mg/L				.005			.005	D				
	Chlorobenzene		mg/L				.005			.005	D				
	Chloroethane		mg/L				.04			.04	D				
	Chloroform		mg/L				.005			.005	D				
	Chloromethane		mg/L				.006			.006	D				
	Dibromochloromethane		mg/L				.005			.005	D				
	Ethylbenzene		mg/L				.005			.005	D				
	Methylene chloride		mg/L				.005			.005	D				
	Styrene		mg/L				.02	R		.02	DR				
	Tetrachloroethene		mg/L				.005			.005	D				
	Toluene		mg/L				.005			.005	D				
	Trichloroethene		mg/L				.005			.005	D				
	Vinyl chloride		mg/L				.06			.06	D				
	cis-1,3-Dichloropropene		mg/L				.02	R		.02	DR				
	trans-1,3-Dichloropropene		mg/L				.02	R		.02	DR				
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L												
	1,1,1-Trichloroethane		mg/L												
	1,1,2,2-Tetrachloroethane		mg/L												
	1,1,2-Trichloroethane		mg/L												

		Location Code:		T24A-G02			T24A-G02			T24A-G02			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		UC00384			UC00384M			MCBW*133			UC00899		
		Sample Date:		01-FEB-95			01-FEB-95			24-APR-95			24-APR-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L	.001	R										
	2-Propenenitrile		mg/L	.0084											
	4-Methyl-2-pentanone		mg/L	.0014											
	Acetone		mg/L	.008											
	Benzene		mg/L	.001											
	Bromodichloromethane		mg/L	.001											
	Bromoform		mg/L	.011											
	Bromomethane		mg/L	.014											
	Carbon disulfide		mg/L	.005	R										
	Carbon tetrachloride		mg/L	.001											
	Chlorobenzene		mg/L	.001											
	Chloroethane		mg/L	.008											
	Chloroform		mg/L	.001											
	Chloromethane		mg/L	.0012											
	Dibromochloromethane		mg/L	.001											
	Ethylbenzene		mg/L	.001											
	Methylene chloride		mg/L	.001											
	Styrene		mg/L	.005	R										
	Tetrachloroethene		mg/L	.001											
	Toluene		mg/L	.001											
	Trichloroethene		mg/L	.001											
	Vinyl chloride		mg/L	.012											
	cis-1,3-Dichloropropene		mg/L	.005	R										
	trans-1,3-Dichloropropene		mg/L	.005	R										
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L												
	1,1,1-Trichloroethane		mg/L												
	1,1,2,2-Tetrachloroethane		mg/L												
	1,1,2-Trichloroethane		mg/L												

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		T24A-G03			T24A-G03			T24A-G03			T24A-G03		
		Associated Site:		Background			Background			Background			Background		
		Sample No:		MCBW*98			UB06050			MCBW*106			UC00385		
		Sample Date:		23-OCT-94			23-OCT-94			01-FEB-95			01-FEB-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L				.001	R					.001	R	
	2-Propenenitrile		mg/L				.0084						.0084		
	4-Methyl-2-pentanone		mg/L				.0014						.0014		
	Acetone		mg/L				.008						.008		
	Benzene		mg/L				.001						.001		
	Bromodichloromethane		mg/L				.001						.001		
	Bromoform		mg/L				.011						.011		
	Bromomethane		mg/L				.014						.014		
	Carbon disulfide		mg/L				.005	R					.005	R	
	Carbon tetrachloride		mg/L				.001						.001		
	Chlorobenzene		mg/L				.001						.001		
	Chloroethane		mg/L				.008						.008		
	Chloroform		mg/L				.001						.001		
	Chloromethane		mg/L				.0012						.0012		
	Dibromochloromethane		mg/L				.001						.001		
	Ethylbenzene		mg/L				.001						.001		
	Methylene chloride		mg/L				.001						.001		
	Styrene		mg/L				.005	R					.005	R	
	Tetrachloroethene		mg/L				.001						.001		
	Toluene		mg/L				.001						.001		
	Trichloroethene		mg/L				.001						.001		
	Vinyl chloride		mg/L				.012						.012		
	cis-1,3-Dichloropropene		mg/L				.005	R					.005	R	
	trans-1,3-Dichloropropene		mg/L				.005	R					.005	R	
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L												
	1,1,1-Trichloroethane		mg/L												
	1,1,2,2-Tetrachloroethane		mg/L												
	1,1,2-Trichloroethane		mg/L												

		Location Code:		T24A-S02			T24A-S02			T24A-S02A			T24A-S02A		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*96			UB05755			MCBW*93			UB05756		
		Sample Date:		13-SEP-94			13-SEP-94			13-SEP-94			13-SEP-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	2-Hexanone		mg/L				.001	R					.001	R	
	2-Propenenitrile		mg/L				.0084						.0084		
	4-Methyl-2-pentanone		mg/L				.0014						.0014		
	Acetone		mg/L				.008						.008		
	Benzene		mg/L				.001						.001		
	Bromodichloromethane		mg/L				.001						.001		
	Bromoform		mg/L				.011						.011		
	Bromomethane		mg/L				.014						.014		
	Carbon disulfide		mg/L				.005	R					.005	R	
	Carbon tetrachloride		mg/L				.001						.001		
	Chlorobenzene		mg/L				.001						.001		
	Chloroethane		mg/L				.008						.008		
	Chloroform		mg/L				.001						.001		
	Chloromethane		mg/L				.0012						.0012		
	Dibromochloromethane		mg/L				.001						.001		
	Ethylbenzene		mg/L				.001						.001		
	Methylene chloride		mg/L				.001						.001		
	Styrene		mg/L				.005	R					.005	R	
	Tetrachloroethene		mg/L				.001						.001		
	Toluene		mg/L				.001						.001		
	Trichloroethene		mg/L				.001						.001		
	Vinyl chloride		mg/L				.012						.012		
	cis-1,3-Dichloropropene		mg/L				.005	R					.005	R	
	trans-1,3-Dichloropropene		mg/L				.005	R					.005	R	
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L												
	1,1,1-Trichloroethane		mg/L												
	1,1,2,2-Tetrachloroethane		mg/L												
	1,1,2-Trichloroethane		mg/L												

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-108-BK-G06			FTA-108-BK-G06			FTA-108-GP01			FTA-108-GP01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
	Sample No:		FT3013			FT3015			FT3001			FT3002		
	Sample Date:		16-NOV-99			16-NOV-99			10-NOV-99			10-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R	.002	U	R
1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3,5-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
2-Butanone		mg/L	.005	U	R	.005	U	R	.005	U	R	.005	U	R
2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
Acetone		mg/L	.01	U	R	.01	U	R	.01	U	R	.01	U	R
Benzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromochloromethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Bromodichloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Carbon disulfide		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-108-GP02			FTA-108-GP03			FTA-108-GP04			FTA-108-GP05		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
	Sample No:		FT3004			FT3005			FT3006			FT3007		
	Sample Date:		10-NOV-99			10-NOV-99			09-NOV-99			09-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R	.002	U	R
1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3,5-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
2-Butanone		mg/L	.0022	J B	B	.005	U	R	.005	U	R	.005	U	R
2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
Acetone		mg/L	.0015	J B	B	.01	U	R	.01	U	R	.01	U	R
Benzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromochloromethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Bromodichloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Carbon disulfide		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U

		Location Code:	FTA-108-GP06			FTA-108-GP07			FTA-108-GP08			FTA-108-GP09			
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-108			
		Sample No:	FT3008			FT3009			FT3010			FT3011			
		Sample Date:	12-NOV-99			15-NOV-99			15-NOV-99			15-NOV-99			
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2,3-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2,4-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R	.002	U	R
	1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,2-Dimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,3,5-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	2-Butanone		mg/L	.0056		J	.005	U	R	.005	U	R	.005	U	R
	2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
	4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
	Acetone		mg/L	.0059	J	B	.01	U	R	.01	U	R	.01	U	R
	Benzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Bromochloromethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
	Bromodichloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
	Carbon disulfide		mg/L	.00013	J	J	.001	U	U	.001	U	U	.001	U	U
	Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-108-GP10			FTA-108-T24A-G01			FTA-108-T24A-G02			FTA-108-T24A-G03		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
	Sample No:		FT3012			FT3014			FT3017			FT3018		
	Sample Date:		16-NOV-99			11-NOV-99			17-NOV-99			17-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,1-Dichloroethene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,1-Dichloropropene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2,3-Trichlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	UJ	.001	U	UJ
1,2,3-Trichloropropane		mg/L	.001	U	U	.01	U	UJ	.001	U	U	.001	U	U
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2,4-Trimethylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.02	U	R	.002	U	R	.002	U	R
1,2-Dibromoethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2-Dichlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2-Dichloroethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2-Dichloropropane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,2-Dimethylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,3,5-Trimethylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,3-Dichlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,3-Dichloropropane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
1,4-Dichlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
2-Butanone		mg/L	.005	U	R	.05	U	R	.005	U	R	.005	U	R
2-Hexanone		mg/L	.005	U	U	.05	U	U	.005	U	U	.005	U	U
4-Methyl-2-pentanone		mg/L	.005	U	U	.05	U	U	.005	U	U	.005	U	U
Acetone		mg/L	.01	U	R	.1	U	R	.01	U	R	.01	U	R
Benzene		mg/L	.001	U	U	.28			.001	U	U	.001	U	U
Bromobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Bromochloromethane		mg/L	.001	U	R	.01	U	R	.001	U	R	.001	U	R
Bromodichloromethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Bromoform		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Bromomethane		mg/L	.002	U	U	.02	U	UJ	.002	U	U	.002	U	U
Carbon disulfide		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Carbon tetrachloride		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Chlorobenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Chloroethane		mg/L	.002	U	U	.02	U	U	.002	U	U	.002	U	U

	Location Code:		FTA-88-GP01			FTA-88-GP02			FTA-88-GP03			FTA-88-GP04		
	Associated Site:		FTA-88			FTA-88			FTA-88			FTA-88		
	Sample No:		FR3001			FR3002			FR3003			FR3004		
	Sample Date:		09-NOV-99			09-NOV-99			08-NOV-99			08-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	UJ
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trimethylbenzene		mg/L	.0072			.001	U	U	.001	U	U	.001	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R	.002	U	R
1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dimethylbenzene		mg/L	.0033		U	.001	U	U	.001	U	U	.001	U	U
1,3,5-Trimethylbenzene		mg/L	.00069	J	J	.001	U	U	.001	U	U	.001	U	U
1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
2-Butanone		mg/L	.005	U	R	.005	U	R	.005	U	R	.005	U	R
2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
Acetone		mg/L	.0031	J B	B	.01	U	R	.01	U	R	.01	U	R
Benzene		mg/L	.00026	J	J	.001	U	U	.001	U	U	.001	U	U
Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromochloromethane		mg/L	.001	U	R	.001	U	U	.001	U	R	.001	U	R
Bromodichloromethane		mg/L	.001	U	U	.001	U	R	.001	U	U	.001	U	UJ
Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Carbon disulfide		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-88-GP04			T24A-G01			T24A-G01			T24A-G01		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR3005			MCBW*97			UB06049			MCBW*103		
		Sample Date:		08-NOV-99			23-OCT-94			23-OCT-94			01-FEB-95		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L	.001	U	U									
1,1-Dichloroethene		mg/L	.001	U	U									
1,1-Dichloropropene		mg/L	.001	U	U									
1,2,3-Trichlorobenzene		mg/L	.001	U	U									
1,2,3-Trichloropropane		mg/L	.001	U	UJ									
1,2,4-Trichlorobenzene		mg/L	.001	U	U									
1,2,4-Trimethylbenzene		mg/L	.001	U	U									
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R									
1,2-Dibromoethane		mg/L	.001	U	U									
1,2-Dichlorobenzene		mg/L	.001	U	U									
1,2-Dichloroethane		mg/L	.001	U	U									
1,2-Dichloropropane		mg/L	.001	U	U									
1,2-Dimethylbenzene		mg/L	.001	U	U									
1,3,5-Trimethylbenzene		mg/L	.001	U	U									
1,3-Dichlorobenzene		mg/L	.001	U	U									
1,3-Dichloropropane		mg/L	.001	U	U									
1,4-Dichlorobenzene		mg/L	.001	U	U									
2-Butanone		mg/L	.005	U	R									
2-Hexanone		mg/L	.005	U	U									
4-Methyl-2-pentanone		mg/L	.005	U	U									
Acetone		mg/L	.01	U	R									
Benzene		mg/L	.001	U	U									
Bromobenzene		mg/L	.001	U	U									
Bromochloromethane		mg/L	.001	U	R									
Bromodichloromethane		mg/L	.001	U	UJ									
Bromoform		mg/L	.001	U	U									
Bromomethane		mg/L	.002	U	U									
Carbon disulfide		mg/L	.001	U	U									
Carbon tetrachloride		mg/L	.001	U	U									
Chlorobenzene		mg/L	.001	U	U									
Chloroethane		mg/L	.002	U	U									

		Location Code:		T24A-G01			T24A-G01			T24A-G01			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*104			UC00382			UC00383			MCBW*105		
		Sample Date:		01-FEB-95			01-FEB-95			01-FEB-95			01-FEB-95		
User Test Group															
Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	1,1-Dichloroethane		mg/L												
	1,1-Dichloroethene		mg/L												
	1,1-Dichloropropene		mg/L												
	1,2,3-Trichlorobenzene		mg/L												
	1,2,3-Trichloropropane		mg/L												
	1,2,4-Trichlorobenzene		mg/L												
	1,2,4-Trimethylbenzene		mg/L												
	1,2-Dibromo-3-Chloropropane		mg/L												
	1,2-Dibromoethane		mg/L												
	1,2-Dichlorobenzene		mg/L												
	1,2-Dichloroethane		mg/L												
	1,2-Dichloropropane		mg/L												
	1,2-Dimethylbenzene		mg/L												
	1,3,5-Trimethylbenzene		mg/L												
	1,3-Dichlorobenzene		mg/L												
	1,3-Dichloropropane		mg/L												
	1,4-Dichlorobenzene		mg/L												
	2-Butanone		mg/L												
	2-Hexanone		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromobenzene		mg/L												
	Bromochloromethane		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												

Summary of Validated Groundwater Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		T24A-G02			T24A-G02			T24A-G02			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		UC00384			UC00384M			MCBW*133			UC00899		
		Sample Date:		01-FEB-95			01-FEB-95			24-APR-95			24-APR-95		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L												
1,1-Dichloroethene		mg/L												
1,1-Dichloropropene		mg/L												
1,2,3-Trichlorobenzene		mg/L												
1,2,3-Trichloropropane		mg/L												
1,2,4-Trichlorobenzene		mg/L												
1,2,4-Trimethylbenzene		mg/L												
1,2-Dibromo-3-Chloropropane		mg/L												
1,2-Dibromoethane		mg/L												
1,2-Dichlorobenzene		mg/L												
1,2-Dichloroethane		mg/L												
1,2-Dichloropropane		mg/L												
1,2-Dimethylbenzene		mg/L												
1,3,5-Trimethylbenzene		mg/L												
1,3-Dichlorobenzene		mg/L												
1,3-Dichloropropane		mg/L												
1,4-Dichlorobenzene		mg/L												
2-Butanone		mg/L												
2-Hexanone		mg/L												
4-Methyl-2-pentanone		mg/L												
Acetone		mg/L												
Benzene		mg/L												
Bromobenzene		mg/L												
Bromochloromethane		mg/L												
Bromodichloromethane		mg/L												
Bromoform		mg/L												
Bromomethane		mg/L												
Carbon disulfide		mg/L												
Carbon tetrachloride		mg/L												
Chlorobenzene		mg/L												
Chloroethane		mg/L												

Summary of Validated Groundwater Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		T24A-G03			T24A-G03			T24A-G03			T24A-G03		
		Associated Site:		Background			Background			Background			Background		
		Sample No:		MCBW*98			UB06050			MCBW*106			UC00385		
		Sample Date:		23-OCT-94			23-OCT-94			01-FEB-95			01-FEB-95		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,1-Dichloroethane		mg/L												
1,1-Dichloroethene		mg/L												
1,1-Dichloropropene		mg/L												
1,2,3-Trichlorobenzene		mg/L												
1,2,3-Trichloropropane		mg/L												
1,2,4-Trichlorobenzene		mg/L												
1,2,4-Trimethylbenzene		mg/L												
1,2-Dibromo-3-Chloropropane		mg/L												
1,2-Dibromoethane		mg/L												
1,2-Dichlorobenzene		mg/L												
1,2-Dichloroethane		mg/L												
1,2-Dichloropropane		mg/L												
1,2-Dimethylbenzene		mg/L												
1,3,5-Trimethylbenzene		mg/L												
1,3-Dichlorobenzene		mg/L												
1,3-Dichloropropane		mg/L												
1,4-Dichlorobenzene		mg/L												
2-Butanone		mg/L												
2-Hexanone		mg/L												
4-Methyl-2-pentanone		mg/L												
Acetone		mg/L												
Benzene		mg/L												
Bromobenzene		mg/L												
Bromochloromethane		mg/L												
Bromodichloromethane		mg/L												
Bromoform		mg/L												
Bromomethane		mg/L												
Carbon disulfide		mg/L												
Carbon tetrachloride		mg/L												
Chlorobenzene		mg/L												
Chloroethane		mg/L												

		Location Code:		T24A-S02			T24A-S02			T24A-S02A			T24A-S02A		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*96			UB05755			MCBW*93			UB05756		
		Sample Date:		13-SEP-94			13-SEP-94			13-SEP-94			13-SEP-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	1,1-Dichloroethane		mg/L												
	1,1-Dichloroethene		mg/L												
	1,1-Dichloropropene		mg/L												
	1,2,3-Trichlorobenzene		mg/L												
	1,2,3-Trichloropropane		mg/L												
	1,2,4-Trichlorobenzene		mg/L												
	1,2,4-Trimethylbenzene		mg/L												
	1,2-Dibromo-3-Chloropropane		mg/L												
	1,2-Dibromoethane		mg/L												
	1,2-Dichlorobenzene		mg/L												
	1,2-Dichloroethane		mg/L												
	1,2-Dichloropropane		mg/L												
	1,2-Dimethylbenzene		mg/L												
	1,3,5-Trimethylbenzene		mg/L												
	1,3-Dichlorobenzene		mg/L												
	1,3-Dichloropropane		mg/L												
	1,4-Dichlorobenzene		mg/L												
	2-Butanone		mg/L												
	2-Hexanone		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromobenzene		mg/L												
	Bromochloromethane		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:		FTA-108-BK-G06			FTA-108-BK-G06			FTA-108-GP01			FTA-108-GP01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
	Sample No:		FT3013			FT3015			FT3001			FT3002		
	Sample Date:		16-NOV-99			16-NOV-99			10-NOV-99			10-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Chloroform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloromethane		mg/L	.002	U	U	.002	U	U	.00015	J	J	.00014	J	J
Cumene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Dichlorodifluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Ethylbenzene		mg/L	.001	U	U	.001	U	U	.00025	J	J	.0003	J	J
Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ	.001	U	UJ
Naphthalene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Toluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
m,p-Xylenes		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Propylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Cymene		mg/L	.001	U	U	.001	U	U	.0026			.0031		
sec-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

		Location Code:	FTA-108-GP02			FTA-108-GP03			FTA-108-GP04			FTA-108-GP05		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:	FT3004			FT3005			FT3006			FT3007		
		Sample Date:	10-NOV-99			10-NOV-99			09-NOV-99			09-NOV-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	Chloroform		mg/L	.001	U	U	.001	U	U	.001			.001	U	U
	Chloromethane		mg/L	.00011	J	J	.00017	J	J	.00011	J	J	.002	U	U
	Cumene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
	Dichlorodifluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
	Ethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ	.001	U	UJ
	Naphthalene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Toluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
	Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
	cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	m,p-Xylenes		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	n-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	n-Propylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	p-Cymene		mg/L	.019			.001	U	U	.001	U	U	.001	U	U
	sec-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
	trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-108-GP06			FTA-108-GP07			FTA-108-GP08			FTA-108-GP09		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-108		
	Sample No:		FT3008			FT3009			FT3010			FT3011		
	Sample Date:		12-NOV-99			15-NOV-99			15-NOV-99			15-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Chloroform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.00031	J	J
Cumene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Dichlorodifluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Ethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ	.001	U	UJ
Naphthalene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Toluene		mg/L	.0022			.001	U	U	.001	U	U	.001	U	U
Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
m,p-Xylenes		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Propylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Cymene		mg/L	.006			.001	U	U	.001	U	U	.001	U	U
sec-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-108-GP10			FTA-108-T24A-G01			FTA-108-T24A-G02			FTA-108-T24A-G03		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-108		
		Sample No:	FT3012			FT3014			FT3017			FT3018		
		Sample Date:	16-NOV-99			11-NOV-99			17-NOV-99			17-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Chloroform		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Chloromethane		mg/L	.00016	J	J	.02	U	U	.00011	J	B	.00013	J	B
Cumene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Dibromochloromethane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Dibromomethane		mg/L	.001	U	R	.01	U	R	.001	U	R	.001	U	R
Dichlorodifluoromethane		mg/L	.002	U	U	.02	U	U	.002	U	U	.002	U	U
Ethylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Hexachlorobutadiene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Methylene chloride		mg/L	.001	U	UJ	.0038	J B	B	.001	U	UJ	.001	U	UJ
Naphthalene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Styrene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Tetrachloroethene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Toluene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Trichloroethene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
Trichlorofluoromethane		mg/L	.002	U	U	.02	U	U	.002	U	U	.002	U	U
Vinyl chloride		mg/L	.002	U	U	.02	U	U	.002	U	U	.002	U	U
cis-1,2-Dichloroethene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
cis-1,3-Dichloropropene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
m,p-Xylenes		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
n-Butylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
n-Propylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
o-Chlorotoluene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
p-Chlorotoluene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
p-Cymene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
sec-Butylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
sec-Dichloropropane		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
tert-Butylbenzene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
trans-1,2-Dichloroethene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U
trans-1,3-Dichloropropene		mg/L	.001	U	U	.01	U	U	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-88-GP01			FTA-88-GP02			FTA-88-GP03			FTA-88-GP04		
	Associated Site:		FTA-88			FTA-88			FTA-88			FTA-88		
	Sample No:		FR3001			FR3002			FR3003			FR3004		
	Sample Date:		09-NOV-99			09-NOV-99			08-NOV-99			08-NOV-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Chloroform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloromethane		mg/L	.00012	J	J	.002	U	U	.002	U	U	.002	U	U
Cumene		mg/L	.00056	J	J	.001	U	U	.001	U	U	.001	U	U
Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Dichlorodifluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Ethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ	.001	U	UJ
Naphthalene		mg/L	.0014		U	.00015	J	J	.001	U	U	.001	U	UJ
Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Toluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
m,p-Xylenes		mg/L	.0018		U	.001	U	U	.001	U	U	.001	U	U
n-Butylbenzene		mg/L	.00035	J	J	.001	U	U	.001	U	U	.001	U	U
n-Propylbenzene		mg/L	.00033	J	J	.001	U	U	.001	U	U	.001	U	U
o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Cymene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
sec-Butylbenzene		mg/L	.00018	J	J	.001	U	U	.001	U	U	.001	U	U
sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

	Location Code:		FTA-88-GP04			T24A-G01			T24A-G01			T24A-G01		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR3005			MCBW*97			UB06049			MCBW*103		
	Sample Date:		08-NOV-99			23-OCT-94			23-OCT-94			01-FEB-95		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Chloroform		mg/L	.001	U	U									
Chloromethane		mg/L	.002	U	U									
Cumene		mg/L	.001	U	U									
Dibromochloromethane		mg/L	.001	U	U									
Dibromomethane		mg/L	.001	U	R									
Dichlorodifluoromethane		mg/L	.002	U	U									
Ethylbenzene		mg/L	.001	U	U									
Hexachlorobutadiene		mg/L	.001	U	U									
Methylene chloride		mg/L	.001	U	UJ									
Naphthalene		mg/L	.001	U	UJ									
Styrene		mg/L	.001	U	U									
Tetrachloroethene		mg/L	.001	U	U									
Toluene		mg/L	.001	U	U									
Trichloroethene		mg/L	.001	U	U									
Trichlorofluoromethane		mg/L	.002	U	U									
Vinyl chloride		mg/L	.002	U	U									
cis-1,2-Dichloroethene		mg/L	.001	U	U									
cis-1,3-Dichloropropene		mg/L	.001	U	U									
m,p-Xylenes		mg/L	.001	U	U									
n-Butylbenzene		mg/L	.001	U	U									
n-Propylbenzene		mg/L	.001	U	U									
o-Chlorotoluene		mg/L	.001	U	U									
p-Chlorotoluene		mg/L	.001	U	U									
p-Cymene		mg/L	.001	U	U									
sec-Butylbenzene		mg/L	.001	U	U									
sec-Dichloropropane		mg/L	.001	U	U									
tert-Butylbenzene		mg/L	.001	U	U									
trans-1,2-Dichloroethene		mg/L	.001	U	U									
trans-1,3-Dichloropropene		mg/L	.001	U	U									

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		T24A-G01			T24A-G01			T24A-G01			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		MCBW*104			UC00382			UC00383			MCBW*105		
		Sample Date:		01-FEB-95			01-FEB-95			01-FEB-95			01-FEB-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Cumene		mg/L												
	Dibromochloromethane		mg/L												
	Dibromomethane		mg/L												
	Dichlorodifluoromethane		mg/L												
	Ethylbenzene		mg/L												
	Hexachlorobutadiene		mg/L												
	Methylene chloride		mg/L												
	Naphthalene		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Trichlorofluoromethane		mg/L												
	Vinyl chloride		mg/L												
	cis-1,2-Dichloroethene		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	m,p-Xylenes		mg/L												
	n-Butylbenzene		mg/L												
	n-Propylbenzene		mg/L												
	o-Chlorotoluene		mg/L												
	p-Chlorotoluene		mg/L												
	p-Cymene		mg/L												
	sec-Butylbenzene		mg/L												
	sec-Dichloropropane		mg/L												
	tert-Butylbenzene		mg/L												
	trans-1,2-Dichloroethene		mg/L												
	trans-1,3-Dichloropropene		mg/L												

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		T24A-G02			T24A-G02			T24A-G02			T24A-G02		
		Associated Site:		FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:		UC00384			UC00384M			MCBW*133			UC00899		
		Sample Date:		01-FEB-95			01-FEB-95			24-APR-95			24-APR-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Cumene		mg/L												
	Dibromochloromethane		mg/L												
	Dibromomethane		mg/L												
	Dichlorodifluoromethane		mg/L												
	Ethylbenzene		mg/L												
	Hexachlorobutadiene		mg/L												
	Methylene chloride		mg/L												
	Naphthalene		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Trichlorofluoromethane		mg/L												
	Vinyl chloride		mg/L												
	cis-1,2-Dichloroethene		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	m,p-Xylenes		mg/L												
	n-Butylbenzene		mg/L												
	n-Propylbenzene		mg/L												
	o-Chlorotoluene		mg/L												
	p-Chlorotoluene		mg/L												
	p-Cymene		mg/L												
	sec-Butylbenzene		mg/L												
	sec-Dichloropropane		mg/L												
	tert-Butylbenzene		mg/L												
	trans-1,2-Dichloroethene		mg/L												
	trans-1,3-Dichloropropene		mg/L												

		Location Code:		T24A-G03			T24A-G03			T24A-G03			T24A-G03		
		Associated Site:		Background			Background			Background			Background		
		Sample No:		MCBW*98			UB06050			MCBW*106			UC00385		
		Sample Date:		23-OCT-94			23-OCT-94			01-FEB-95			01-FEB-95		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Cumene		mg/L												
	Dibromochloromethane		mg/L												
	Dibromomethane		mg/L												
	Dichlorodifluoromethane		mg/L												
	Ethylbenzene		mg/L												
	Hexachlorobutadiene		mg/L												
	Methylene chloride		mg/L												
	Naphthalene		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Trichlorofluoromethane		mg/L												
	Vinyl chloride		mg/L												
	cis-1,2-Dichloroethene		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	m,p-Xylenes		mg/L												
	n-Butylbenzene		mg/L												
	n-Propylbenzene		mg/L												
	o-Chlorotoluene		mg/L												
	p-Chlorotoluene		mg/L												
	p-Cymene		mg/L												
	sec-Butylbenzene		mg/L												
	sec-Dichloropropane		mg/L												
	tert-Butylbenzene		mg/L												
	trans-1,2-Dichloroethene		mg/L												
	trans-1,3-Dichloropropene		mg/L												

Summary of Validated Groundwater Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:			T24A-S02			T24A-S02			T24A-S02A			T24A-S02A		
		Associated Site:			FTA-187			FTA-187			FTA-187			FTA-187		
		Sample No:			MCBW*96			UB05755			MCBW*93			UB05756		
		Sample Date:			13-SEP-94			13-SEP-94			13-SEP-94			13-SEP-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260_W															
	Chloroform		mg/L												
	Chloromethane		mg/L												
	Cumene		mg/L												
	Dibromochloromethane		mg/L												
	Dibromomethane		mg/L												
	Dichlorodifluoromethane		mg/L												
	Ethylbenzene		mg/L												
	Hexachlorobutadiene		mg/L												
	Methylene chloride		mg/L												
	Naphthalene		mg/L												
	Styrene		mg/L												
	Tetrachloroethene		mg/L												
	Toluene		mg/L												
	Trichloroethene		mg/L												
	Trichlorofluoromethane		mg/L												
	Vinyl chloride		mg/L												
	cis-1,2-Dichloroethene		mg/L												
	cis-1,3-Dichloropropene		mg/L												
	m,p-Xylenes		mg/L												
	n-Butylbenzene		mg/L												
	n-Propylbenzene		mg/L												
	o-Chlorotoluene		mg/L												
	p-Chlorotoluene		mg/L												
	p-Cymene		mg/L												
	sec-Butylbenzene		mg/L												
	sec-Dichloropropane		mg/L												
	tert-Butylbenzene		mg/L												
	trans-1,2-Dichloroethene		mg/L												
	trans-1,3-Dichloropropene		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
AROMATICS															
UM21															
	1,3-Dimethylbenzene		mg/L												
	Xylene, Total		mg/L												
UT03															
	FLUOROACETIC ACID		mg/L												
CA BREAKDOWN															
T8															
	Diisopropylmethylphosphonic Acid		mg/L												
	Dimethylmethylphosphonic Acid		mg/L												
UM25															
	Diisopropylmethylphosphonic Acid		mg/L												
	Dimethylmethylphosphonic Acid		mg/L												
UT02															
	Isopropylmethylphosphonic Acid		mg/L												
	METHYLPHOSPHONIC ACID		mg/L												
UT03															
	Isopropylmethylphosphonic Acid		mg/L												
	METHYLPHOSPHONIC ACID		mg/L												
UW22															
	Thiodiglycol		mg/L												
CL HERBICIDE															
SW8151_W															
	2,2-Dichloropropanoic Acid		mg/L	.002	U	U	.002	U	U	.002	U	U			
	2,4,5-T		mg/L	.001	U	U	.001	U	U	.001	U	U			
	2,4,5-TP		mg/L	.001	U	U	.001	U	U	.001	U	U			
	2,4-D		mg/L	.004	U	U	.004	U	U	.004	U	U			

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
AROMATICS															
UM21															
	1,3-Dimethylbenzene		mg/L										.001		
	Xylene, Total		mg/L										.002		
UT03															
	FLUOROACETIC ACID		mg/L							.025					
CA BREAKDOWN															
T8															
	Diisopropylmethylphosphonic Acid		mg/L				.0105			.0105					
	Dimethylmethylphosphonic Acid		mg/L				.0152			.0152					
UM25															
	Diisopropylmethylphosphonic Acid		mg/L										.021		
	Dimethylmethylphosphonic Acid		mg/L										.13		
UT02															
	Isopropylmethylphosphonic Acid		mg/L				.1								
	METHYLPHOSPHONIC ACID		mg/L				.128								
UT03															
	Isopropylmethylphosphonic Acid		mg/L							.025					
	METHYLPHOSPHONIC ACID		mg/L							.05					
UW22															
	Thiodiglycol		mg/L				.0488			.0488					
CL HERBICIDE															
SW8151_W															
	2,2-Dichloropropanoic Acid		mg/L												
	2,4,5-T		mg/L												
	2,4,5-TP		mg/L												
	2,4-D		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method / Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE														
SW8151_W														
2,4-DB		mg/L	.004	U	U	.004	U	U	.004	U	U			
Dicamba		mg/L	.002	U	U	.002	U	U	.002	U	U			
Dichloroprop		mg/L	.004	U	U	.004	U	U	.004	U	U			
Dinoseb		mg/L	.0006	U	U	.0006	U	U	.0006	U	U			
MCPA		mg/L	.4	U	U	.4	U	U	.4	U	U			
MCPP		mg/L	.4	U	U	.4	U	U	.4	U	U			
UM25														
BROMACIL		mg/L												
UT03														
CHLOROACETIC ACID		mg/L												
CL PESTICIDES														
SW8081_W														
4,4'-DDD		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
4,4'-DDE		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
4,4'-DDT		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Aldrin		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Chlordane		mg/L	.0005	U	U	.0005	U	U	.0005	U	U			
Dieldrin		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endosulfan I		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endosulfan II		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endosulfan sulfate		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endrin		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endrin aldehyde		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Endrin ketone		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Heptachlor		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Heptachlor epoxide		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
Methoxychlor		mg/L	.0001	U	U	.0001	U	U	.0001	U	U			
Toxaphene		mg/L	.002	U	U	.002	U	U	.002	U	U			
alpha-BHC		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

	Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE														
SW8151_W														
2,4-DB		mg/L												
Dicamba		mg/L												
Dichloroprop		mg/L												
Dinoseb		mg/L												
MCPA		mg/L												
MCPP		mg/L												
UM25														
BROMACIL		mg/L										.0029		
UT03														
CHLOROACETIC ACID		mg/L							.025					
CL PESTICIDES														
SW8081_W														
4,4'-DDD		mg/L												
4,4'-DDE		mg/L												
4,4'-DDT		mg/L												
Aldrin		mg/L												
Chlordane		mg/L												
Dieldrin		mg/L												
Endosulfan I		mg/L												
Endosulfan II		mg/L												
Endosulfan sulfate		mg/L												
Endrin		mg/L												
Endrin aldehyde		mg/L												
Endrin ketone		mg/L												
Heptachlor		mg/L												
Heptachlor epoxide		mg/L												
Methoxychlor		mg/L												
Toxaphene		mg/L												
alpha-BHC		mg/L												

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL PESTICIDES															
SW8081_W															
	beta-BHC		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
	delta-BHC		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
	gamma-BHC (Lindane)		mg/L	.00005	U	U	.00005	U	U	.00005	U	U			
EXPLOSIVES															
UW25															
	1,3,5-Trinitrobenzene		mg/L												
	1,3-Dinitrobenzene		mg/L												
	2,4,6-Trinitrotoluene		mg/L												
	HMX		mg/L												
	RDX		mg/L												
	Tetryl		mg/L												
UW27															
	NITROGLYCERINE		mg/L												
	PETN		mg/L												
METALS															
6010															
	Cadmium		mg/L												
	Thallium		mg/L												
7041															
	Antimony		mg/L												
AX8															
	Arsenic		mg/L												
CC8															
	Mercury		mg/L												

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL PESTICIDES														
SW8081_W														
beta-BHC		mg/L												
delta-BHC		mg/L												
gamma-BHC (Lindane)		mg/L												
EXPLOSIVES														
UW25														
1,3,5-Trinitrobenzene		mg/L										.00021		
1,3-Dinitrobenzene		mg/L										.000458		
2,4,6-Trinitrotoluene		mg/L										.000426		
HMX		mg/L										.000533		
RDX		mg/L										.000416		
Tetryl		mg/L										.000631		
UW27														
NITROGLYCERINE		mg/L										.00149		
PETN		mg/L										.002		
METALS														
6010														
Cadmium		mg/L										.005		
Thallium		mg/L										.002		
7041														
Antimony		mg/L										.01		
AX8														
Arsenic		mg/L										.00235		
CC8														
Mercury		mg/L										.0001		

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS															
SD18															
	Lead		mg/L												
SD25															
	Selenium		mg/L												
SS12															
	Aluminum		mg/L												
	Barium		mg/L												
	Beryllium		mg/L												
	Boron		mg/L												
	Calcium		mg/L												
	Chromium		mg/L												
	Cobalt		mg/L												
	Copper		mg/L												
	Iron		mg/L												
	Magnesium		mg/L												
	Manganese		mg/L												
	Molybdenum		mg/L												
	Nickel		mg/L												
	Potassium		mg/L												
	Silver		mg/L												
	Sodium		mg/L												
	TELLURIUM		mg/L												
	Tin		mg/L												
	Vanadium		mg/L												
	Zinc		mg/L												
METALS-W															
SW6010_W															
	Aluminum		mg/L	.211		B	.118	B	B	.146	B	B	.107	B	J
	Antimony		mg/L	.06	U	U	.06	U	UJ	.06	U	U	.06	U	U
	Arsenic		mg/L	.01	U	U	.01	U	UJ	.01	U	U	.01	U	U

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS															
SD18															
	Lead		mg/L										.00882		
SD25															
	Selenium		mg/L										.00253		
SS12															
	Aluminum		mg/L										.209		
	Barium		mg/L										.0235		
	Beryllium		mg/L										.00112		
	Boron		mg/L										.23		
	Calcium		mg/L										1.9		
	Chromium		mg/L										.0168		
	Cobalt		mg/L										.025		
	Copper		mg/L										.0188		
	Iron		mg/L										.409		
	Magnesium		mg/L										1.11		
	Manganese		mg/L										.0195		
	Molybdenum		mg/L										.0527		
	Nickel		mg/L										.0321		
	Potassium		mg/L										1.89		
	Silver		mg/L										.01		
	Sodium		mg/L										1.1		
	TELLURIUM		mg/L										.118		
	Tin		mg/L										.0599		
	Vanadium		mg/L										.0276		
	Zinc		mg/L										.018		
METALS-W															
SW6010_W															
	Aluminum		mg/L	2.79											
	Antimony		mg/L	.06	U	U									
	Arsenic		mg/L	.01	U	U									

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT2001			FT2002			FT2003			FR2001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS-W														
SW6010_W														
Barium		mg/L	.0214	B	J	.0185	B	J	.028	B	J	.0131	B	J
Beryllium		mg/L	.005	U	U	.005	U	UJ	.005	U	U	.005	U	U
Cadmium		mg/L	.005	U	U	.005	U	UJ	.005	U	U	.005	U	U
Calcium		mg/L	1.37	B	J	.294	B	J	1.83	B	J	1.18	B	J
Chromium		mg/L	.01	U	U	.01	U	UJ	.01	U	U	.01	U	U
Cobalt		mg/L	.05	U	U	.05	U	UJ	.05	U	U	.05	U	U
Copper		mg/L	.025	U	U	.025	U	UJ	.025	U	U	.025	U	U
Iron		mg/L	.26		J	.146		J	.14			.461		
Lead		mg/L	.003	U	U	.003	U	UJ	.003	U	U	.003	U	U
Magnesium		mg/L	.833	B	J	.341	B	J	1.19	B	J	.344	B	J
Manganese		mg/L	.0096	B	J	.0082	B	J	.0058	B	J	.0578		J
Nickel		mg/L	.04	U	U	.04	U	UJ	.04	U	U	.04	U	U
Potassium		mg/L	1.98	B	J	1.4	B	J	1.84	B	J	5	U	U
Selenium		mg/L	.005	U	U	.005	U	UJ	.005	U	U	.005	U	U
Silver		mg/L	.01	U	U	.01	U	UJ	.01	U	U	.01	U	U
Sodium		mg/L	1.31	B	J	1.48	B	J	1.23	B	J	1.01	B	B
Thallium		mg/L	.005	B	B	.01	U	UJ	.0049	B	B	.0067	B	B
Vanadium		mg/L	.05	U	U	.05	U	UJ	.05	U	U	.05	U	U
Zinc		mg/L	.0024	B	B	.0027	B	B	.0025	B	B	.0042	B	B
SW7470_W														
Mercury		mg/L	.000063	B	J	.000063	B	J	.0002	U	U	.0002	U	U
NITROAROMATI														
SW8330_W														
1,3,5-Trinitrobenzene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
1,3-Dinitrobenzene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
2,4,6-Trinitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
2,4-Dinitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
2,6-Dinitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
2-Amino-4,6-dinitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
2-Nitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:	FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:	29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS-W														
SW6010_W														
Barium		mg/L	.0536	B	J									
Beryllium		mg/L	.005	U	U									
Cadmium		mg/L	.005	U	U									
Calcium		mg/L	87.5											
Chromium		mg/L	.0197											
Cobalt		mg/L	.05	U	U									
Copper		mg/L	.0038	B	B									
Iron		mg/L	2.23											
Lead		mg/L	.003	U	U									
Magnesium		mg/L	8.1											
Manganese		mg/L	.0381											
Nickel		mg/L	.04	U	U									
Potassium		mg/L	10											
Selenium		mg/L	.005	U	U									
Silver		mg/L	.01	U	U									
Sodium		mg/L	3.97	B	J									
Thallium		mg/L	.01	U	U									
Vanadium		mg/L	.0052	B	J									
Zinc		mg/L	.0134	B	B									
SW7470_W														
Mercury		mg/L	.000066	B	J									
NITROAROMATI														
SW8330_W														
1,3,5-Trinitrobenzene		mg/L												
1,3-Dinitrobenzene		mg/L												
2,4,6-Trinitrotoluene		mg/L												
2,4-Dinitrotoluene		mg/L												
2,6-Dinitrotoluene		mg/L												
2-Amino-4,6-dinitrotoluene		mg/L												
2-Nitrotoluene		mg/L												

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
NITROAROMATI														
SW8330_W														
3-Nitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
4-Amino-2,6-dinitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
HMX		mg/L	.0005	U	U	.0005	U	U	.0005	U	U			
Nitrobenzene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
RDX		mg/L	.0005	U	U	.0005	U	U	.0005	U	U			
Tetryl		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
p-Nitrotoluene		mg/L	.0002	U	U	.0002	U	U	.0002	U	U			
NOT CLASSI														
UH20														
Isodrin		mg/L												
UM21														
1,3-Dichloropropane		mg/L												
DICHLOROBENZENES		mg/L												
Trichlorofluoromethane		mg/L												
UM25														
1,2,3-Trichlorobenzene		mg/L												
2,6-DINITROANILINE		mg/L												
3,5-DINITROANILINE		mg/L												
DIBROMOCHLOROPROPANE		mg/L												
DICYCLOPENTADIENE		mg/L												
Isodrin		mg/L												
Mirex		mg/L												
OP PESTICIDES														
SW8141_W														
Azinphosmethyl		mg/L	.001	U	U	.001	U	U	.001	U	U			
Bolstar		mg/L	.001	U	U	.001	U	U	.001	U	U			
Chlorpyrifos		mg/L	.001	U	U	.001	U	U	.001	U	U			
Coumaphos		mg/L	.001	U	U	.001	U	U	.001	U	U			

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:	FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:	29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
NITROAROMATI														
SW8330_W														
3-Nitrotoluene		mg/L												
4-Amino-2,6-dinitrotoluene		mg/L												
HMX		mg/L												
Nitrobenzene		mg/L												
RDX		mg/L												
Tetryl		mg/L												
p-Nitrotoluene		mg/L												
NOT CLASSI														
UH20														
Isodrin		mg/L										.0000025		
UM21														
1,3-Dichloropropane		mg/L										.0048		
DICHLOROBENZENES		mg/L										.002		
Trichlorofluoromethane		mg/L										.001		
UM25														
1,2,3-Trichlorobenzene		mg/L										.0058		
2,6-DINITROANILINE		mg/L										.0088		
3,5-DINITROANILINE		mg/L										.021		
DIBROMOCHLOROPROPANE		mg/L										.012		
DICYCLOPENTADIENE		mg/L										.0055		
Isodrin		mg/L										.0078		
Mirex		mg/L										.024		
OP PESTICIDES														
SW8141_W														
Azinphosmethyl		mg/L												
Bolstar		mg/L												
Chlorpyrifos		mg/L												
Coumaphos		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:			FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:			FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:			FT2001			FT2002			FT2003			FR2001		
	Sample Date:			29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
OP PESTICIDES														
SW8141_W														
Demeton		mg/L	.001	U	U	.001	U	U	.001	U	U			
Diazinon		mg/L	.001	U	U	.001	U	U	.001	U	U			
Dichlorvos		mg/L	.001	U	U	.001	U	U	.001	U	U			
Dimethoate		mg/L	.001	U	U	.001	U	U	.001	U	U			
Disulfoton		mg/L	.001	U	U	.001	U	U	.001	U	U			
Ethoprop		mg/L	.001	U	U	.001	U	U	.001	U	U			
Famphur		mg/L	.001	U	U	.001	U	U	.001	U	U			
Fensulfothion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Fenthion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Malathion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Merphos		mg/L	.001	U	U	.001	U	U	.001	U	U			
Methyl Parathion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Mevinphos		mg/L	.001	U	U	.001	U	U	.001	U	U			
Naled		mg/L	.001	U	U	.001	U	U	.001	U	U			
Parathion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Phorate		mg/L	.001	U	U	.001	U	U	.001	U	U			
Ronnel		mg/L	.001	U	U	.001	U	U	.001	U	U			
Stirophos		mg/L	.001	U	U	.001	U	U	.001	U	U			
Sulfotep		mg/L	.001	U	U	.001	U	U	.001	U	U			
Thionazin		mg/L	.001	U	U	.001	U	U	.001	U	U			
Tokuthion		mg/L	.001	U	U	.001	U	U	.001	U	U			
Trichloronate		mg/L	.001	U	U	.001	U	U	.001	U	U			
UM25														
Atrazine		mg/L												
Chlorfenvinphos		mg/L												
Dichlorvos		mg/L												
Malathion		mg/L												
Parathion		mg/L												

	Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
OP PESTICIDES														
SW8141_W														
Demeton		mg/L												
Diazinon		mg/L												
Dichlorvos		mg/L												
Dimethoate		mg/L												
Disulfoton		mg/L												
Ethoprop		mg/L												
Famphur		mg/L												
Fensulfothion		mg/L												
Fenthion		mg/L												
Malathion		mg/L												
Merphos		mg/L												
Methyl Parathion		mg/L												
Mevinphos		mg/L												
Naled		mg/L												
Parathion		mg/L												
Phorate		mg/L												
Ronnel		mg/L												
Stirophos		mg/L												
Sulfotep		mg/L												
Thionazin		mg/L												
Tokuthion		mg/L												
Trichloronate		mg/L												
UM25														
Atrazine		mg/L										.0059		
Chlorfenvinphos		mg/L										.019		
Dichlorvos		mg/L										.0085		
Malathion		mg/L										.021		
Parathion		mg/L										.037		

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT2001			FT2002			FT2003			FR2001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
ORGANOSULF														
UL04														
1,4-Oxathiane		mg/L												
Benxothiazole		mg/L												
DITHIANE		mg/L												
Disulfide, Dimethyl		mg/L												
p-Chlorophenylmethylsulfide		mg/L												
p-Chlorophenylmethylsulfone		mg/L												
p-Chlorophenylmethylsulfoxide		mg/L												
UM25														
1,4-Oxathiane		mg/L												
DITHIANE		mg/L												
p-Chlorophenylmethylsulfide		mg/L												
p-Chlorophenylmethylsulfone		mg/L												
p-Chlorophenylmethylsulfoxide		mg/L												
PCBS														
SW8082_W														
Aroclor 1016		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1221		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1232		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1242		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1248		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1254		mg/L	.001	U	U	.001	U	U	.001	U	U			
Aroclor 1260		mg/L	.001	U	U	.001	U	U	.001	U	U			
PHENOLS														
UM25														
2,3,6-TRICHLOROPHENOL		mg/L												
SEMIVOLATILES														
SW8270_W														
1,2,4-Trichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
ORGANOSULF														
UL04														
1,4-Oxathiane		mg/L				.00198			.00198					
Benxothiazole		mg/L							.00211					
DITHIANE		mg/L				.00111			.00111					
Disulfide, Dimethyl		mg/L							.00114					
p-Chlorophenylmethylsulfide		mg/L							.00126					
p-Chlorophenylmethylsulfone		mg/L				.00472			.00472					
p-Chlorophenylmethylsulfoxide		mg/L				.00423			.00423					
UM25														
1,4-Oxathiane		mg/L										.027		
DITHIANE		mg/L										.0033		
p-Chlorophenylmethylsulfide		mg/L										.01		
p-Chlorophenylmethylsulfone		mg/L										.0053		
p-Chlorophenylmethylsulfoxide		mg/L										.015		
PCBS														
SW8082_W														
Aroclor 1016		mg/L												
Aroclor 1221		mg/L												
Aroclor 1232		mg/L												
Aroclor 1242		mg/L												
Aroclor 1248		mg/L												
Aroclor 1254		mg/L												
Aroclor 1260		mg/L												
PHENOLS														
UM25														
2,3,6-TRICHLOROPHENOL		mg/L										.0017		
SEMIVOLATILES														
SW8270_W														
1,2,4-Trichlorobenzene		mg/L	.01	U	U									

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT2001			FT2002			FT2003			FR2001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
1,2-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
1,3-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
1,4-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,4,5-Trichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,4,6-Trichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,4-Dichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,4-Dimethylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,4-Dinitrophenol		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
2,4-Dinitrotoluene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2,6-Dinitrotoluene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2-Chloronaphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2-Chlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2-Methylnaphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2-Methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
2-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
2-Nitrophenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
3,3'-Dichlorobenzidine		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
3-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
4,6-Dinitro-2-methylphenol		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
4-Bromophenyl phenyl ether		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
4-Chloro-3-methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
4-Chloroaniline		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
4-Chlorophenyl phenyl ether		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
4-Methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
4-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
4-Nitrophenol		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
Acenaphthene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Acenaphthylene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Benzo(a)anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Benzo(a)pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
1,2-Dichlorobenzene		mg/L	.01	U	U									
1,3-Dichlorobenzene		mg/L	.01	U	U									
1,4-Dichlorobenzene		mg/L	.01	U	U									
2,4,5-Trichlorophenol		mg/L	.01	U	U									
2,4,6-Trichlorophenol		mg/L	.01	U	U									
2,4-Dichlorophenol		mg/L	.01	U	U									
2,4-Dimethylphenol		mg/L	.01	U	U									
2,4-Dinitrophenol		mg/L	.05	U	U									
2,4-Dinitrotoluene		mg/L	.01	U	U									
2,6-Dinitrotoluene		mg/L	.01	U	U									
2-Chloronaphthalene		mg/L	.01	U	U									
2-Chlorophenol		mg/L	.01	U	U									
2-Methylnaphthalene		mg/L	.01	U	U									
2-Methylphenol		mg/L	.01	U	U									
2-Nitroaniline		mg/L	.05	U	U									
2-Nitrophenol		mg/L	.01	U	U									
3,3'-Dichlorobenzidine		mg/L	.05	U	U									
3-Nitroaniline		mg/L	.05	U	U									
4,6-Dinitro-2-methylphenol		mg/L	.05	U	U									
4-Bromophenyl phenyl ether		mg/L	.01	U	U									
4-Chloro-3-methylphenol		mg/L	.01	U	U									
4-Chloroaniline		mg/L	.01	U	U									
4-Chlorophenyl phenyl ether		mg/L	.01	U	U									
4-Methylphenol		mg/L	.01	U	U									
4-Nitroaniline		mg/L	.05	U	U									
4-Nitrophenol		mg/L	.05	U	U									
Acenaphthene		mg/L	.01	U	U									
Acenaphthylene		mg/L	.01	U	U									
Anthracene		mg/L	.01	U	U									
Benzo(a)anthracene		mg/L	.01	U	U									
Benzo(a)pyrene		mg/L	.01	U	U									

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
Benzo(b)fluoranthene		mg/L	.01	U	UJ	.01	U	UJ	.01	U	UJ	.01	U	UJ
Benzo(ghi)perylene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Benzo(k)fluoranthene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Butyl benzyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Carbazole		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Chrysene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Di-n-butyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Di-n-octyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Dibenz(a,h)anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Dibenzofuran		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Diethyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Dimethyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Fluoranthene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Fluorene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Hexachlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Hexachlorobutadiene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Hexachlorocyclopentadiene		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
Hexachloroethane		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Indeno(1,2,3-cd)pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Isophorone		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Naphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Nitrobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Pentachlorophenol		mg/L	.05	U	U	.05	U	U	.05	U	U	.05	U	U
Phenanthrene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Phenol		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
Pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
bis(2-Chloroethoxy)methane		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
bis(2-Chloroethyl)ether		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
bis(2-Chloroisopropyl)ether		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
bis(2-Ethylhexyl)phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
n-Nitroso-di-n-propylamine		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
Benzo(b)fluoranthene		mg/L	.01	U	UJ									
Benzo(ghi)perylene		mg/L	.01	U	U									
Benzo(k)fluoranthene		mg/L	.01	U	U									
Butyl benzyl phthalate		mg/L	.01	U	U									
Carbazole		mg/L	.01	U	U									
Chrysene		mg/L	.01	U	U									
Di-n-butyl phthalate		mg/L	.01	U	U									
Di-n-octyl phthalate		mg/L	.01	U	U									
Dibenz(a,h)anthracene		mg/L	.01	U	U									
Dibenzofuran		mg/L	.01	U	U									
Diethyl phthalate		mg/L	.01	U	U									
Dimethyl phthalate		mg/L	.01	U	U									
Fluoranthene		mg/L	.01	U	U									
Fluorene		mg/L	.01	U	U									
Hexachlorobenzene		mg/L	.01	U	U									
Hexachlorobutadiene		mg/L	.01	U	U									
Hexachlorocyclopentadiene		mg/L	.05	U	U									
Hexachloroethane		mg/L	.01	U	U									
Indeno(1,2,3-cd)pyrene		mg/L	.01	U	U									
Isophorone		mg/L	.01	U	U									
Naphthalene		mg/L	.01	U	U									
Nitrobenzene		mg/L	.01	U	U									
Pentachlorophenol		mg/L	.05	U	U									
Phenanthrene		mg/L	.01	U	U									
Phenol		mg/L	.01	U	U									
Pyrene		mg/L	.01	U	U									
bis(2-Chloroethoxy)methane		mg/L	.01	U	U									
bis(2-Chloroethyl)ether		mg/L	.01	U	U									
bis(2-Chloroisopropyl)ether		mg/L	.01	U	U									
bis(2-Ethylhexyl)phthalate		mg/L	.01	U	U									
n-Nitroso-di-n-propylamine		mg/L	.01	U	U									

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES															
SW8270_W															
	n-Nitrosodiphenylamine		mg/L	.01	U	U	.01	U	U	.01	U	U	.01	U	U
TCLP_ORGAN															
99															
	ISOPROPYLAMINE														
UM21															
	Vinyl Acetate														
UM25															
	3-Nitrotoluene														
	Benzoic Acid														
	Benzyl Alcohol														
TCL_BNA															
8040															
	Pentachlorophenol		mg/L												
8310															
	Benzo(a)anthracene		mg/L												
	Benzo(a)pyrene		mg/L												
	Benzo(b)fluoranthene		mg/L												
	Benzo(k)fluoranthene		mg/L												
	Chrysene		mg/L												
	Dibenz(a,h)anthracene		mg/L												
	Indeno(1,2,3-cd)pyrene		mg/L												
KK8															
	Hexachlorobenzene		mg/L												
	Hexachlorocyclopentadiene		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES															
SW8270_W															
	n-Nitrosodiphenylamine		mg/L	.01	U	U									
TCLP_ORGAN															
99															
	ISOPROPYLAMINE														
UM21															
	Vinyl Acetate													R	
UM25															
	3-Nitrotoluene														
	Benzoic Acid													R	
	Benzyl Alcohol														
TCL_BNA															
8040															
	Pentachlorophenol		mg/L										.001		
8310															
	Benzo(a)anthracene		mg/L										.0000196		
	Benzo(a)pyrene		mg/L										.0000206		
	Benzo(b)fluoranthene		mg/L										.0000402		
	Benzo(k)fluoranthene		mg/L										.0000193		
	Chrysene		mg/L										.0000195		
	Dibenz(a,h)anthracene		mg/L										.0000396		
	Indeno(1,2,3-cd)pyrene		mg/L										.0000196		
KK8															
	Hexachlorobenzene		mg/L										.000031	T	
	Hexachlorocyclopentadiene		mg/L										.000048		

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM21															
	1,3-Dichlorobenzene		mg/L												
UM25															
	1,2,4-Trichlorobenzene		mg/L												
	1,2-Dichlorobenzene		mg/L												
	1,2-Diphenylhydrazine		mg/L												
	1,3-Dichlorobenzene		mg/L												
	1,4-Dichlorobenzene		mg/L												
	2,4,5-Trichlorophenol		mg/L												
	2,4,6-Trichlorophenol		mg/L												
	2,4-Dichlorophenol		mg/L												
	2,4-Dimethylphenol		mg/L												
	2,4-Dinitrophenol		mg/L												
	2,4-Dinitrotoluene		mg/L												
	2,6-Dinitrotoluene		mg/L												
	2-Chloronaphthalene		mg/L												
	2-Chlorophenol		mg/L												
	2-Methylnaphthalene		mg/L												
	2-Methylphenol		mg/L												
	2-Nitroaniline		mg/L												
	2-Nitrophenol		mg/L												
	3,3'-Dichlorobenzidine		mg/L												
	3-Nitroaniline		mg/L												
	4,6-Dinitro-2-methylphenol		mg/L												
	4-Bromophenyl phenyl ether		mg/L												
	4-Chloro-3-methylphenol		mg/L												
	4-Chloroaniline		mg/L												
	4-Chlorophenyl phenyl ether		mg/L												
	4-Methylphenol		mg/L												
	4-Nitroaniline		mg/L												
	4-Nitrophenol		mg/L												
	Acenaphthene		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM21															
	1,3-Dichlorobenzene		mg/L										.001		
UM25															
	1,2,4-Trichlorobenzene		mg/L										.0024		
	1,2-Dichlorobenzene		mg/L										.0012		
	1,2-Diphenylhydrazine		mg/L										.013		
	1,3-Dichlorobenzene		mg/L										.0034		
	1,4-Dichlorobenzene		mg/L										.0015		
	2,4,5-Trichlorophenol		mg/L										.0028		
	2,4,6-Trichlorophenol		mg/L										.0036		
	2,4-Dichlorophenol		mg/L										.0084		
	2,4-Dimethylphenol		mg/L										.0044		
	2,4-Dinitrophenol		mg/L										.18		
	2,4-Dinitrotoluene		mg/L										.0058		
	2,6-Dinitrotoluene		mg/L										.0067		
	2-Chloronaphthalene		mg/L										.0026		
	2-Chlorophenol		mg/L										.0028		
	2-Methylnaphthalene		mg/L										.0013		
	2-Methylphenol		mg/L										.0036		
	2-Nitroaniline		mg/L										.031	R	
	2-Nitrophenol		mg/L										.0082		
	3,3'-Dichlorobenzidine		mg/L										.005		
	3-Nitroaniline		mg/L										.015		
	4,6-Dinitro-2-methylphenol		mg/L										.05	R	
	4-Bromophenyl phenyl ether		mg/L										.022		
	4-Chloro-3-methylphenol		mg/L										.0085		
	4-Chloroaniline		mg/L										.001	R	
	4-Chlorophenyl phenyl ether		mg/L										.023		
	4-Methylphenol		mg/L										.0028		
	4-Nitroaniline		mg/L										.031	R	
	4-Nitrophenol		mg/L										.096		
	Acenaphthene		mg/L										.0058		

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM25															
	Acenaphthylene		mg/L												
	Anthracene		mg/L												
	Benzo(a)anthracene		mg/L												
	Benzo(a)pyrene		mg/L												
	Benzo(b)fluoranthene		mg/L												
	Benzo(ghi)perylene		mg/L												
	Benzo(k)fluoranthene		mg/L												
	Butyl benzyl phthalate		mg/L												
	Chrysene		mg/L												
	Di-n-butyl phthalate		mg/L												
	Di-n-octyl phthalate		mg/L												
	Dibenz(a,h)anthracene		mg/L												
	Dibenzofuran		mg/L												
	Diethyl phthalate		mg/L												
	Dimethyl phthalate		mg/L												
	Fluoranthene		mg/L												
	Fluorene		mg/L												
	Hexachlorobenzene		mg/L												
	Hexachlorobutadiene		mg/L												
	Hexachlorocyclopentadiene		mg/L												
	Hexachloroethane		mg/L												
	Indeno(1,2,3-cd)pyrene		mg/L												
	Isophorone		mg/L												
	N-Nitrosodimethylamine		mg/L												
	Naphthalene		mg/L												
	Nitrobenzene		mg/L												
	Pentachlorophenol		mg/L												
	Phenanthrene		mg/L												
	Phenol		mg/L												
	Pyrene		mg/L												
	bis(2-Chloroethoxy)methane		mg/L												

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM25															
	Acenaphthylene		mg/L										.0051		
	Anthracene		mg/L										.0052		
	Benzo(a)anthracene		mg/L										.0098		
	Benzo(a)pyrene		mg/L										.014		
	Benzo(b)fluoranthene		mg/L										.01		
	Benzo(ghi)perylene		mg/L										.015		
	Benzo(k)fluoranthene		mg/L										.01		
	Butyl benzyl phthalate		mg/L										.028		
	Chrysene		mg/L										.0074		
	Di-n-butyl phthalate		mg/L										.033		
	Di-n-octyl phthalate		mg/L										.0015		
	Dibenz(a,h)anthracene		mg/L										.012		
	Dibenzofuran		mg/L										.0051		
	Diethyl phthalate		mg/L										.0059		
	Dimethyl phthalate		mg/L										.0022		
	Fluoranthene		mg/L										.024		
	Fluorene		mg/L										.0092		
	Hexachlorobenzene		mg/L										.012		
	Hexachlorobutadiene		mg/L										.0087		
	Hexachlorocyclopentadiene		mg/L										.054		
	Hexachloroethane		mg/L										.0083		
	Indeno(1,2,3-cd)pyrene		mg/L										.021		
	Isophorone		mg/L										.0024		
	N-Nitrosodimethylamine		mg/L										.0097		
	Naphthalene		mg/L										.0005		
	Nitrobenzene		mg/L										.0037		
	Pentachlorophenol		mg/L										.0091		
	Phenanthrene		mg/L										.0099		
	Phenol		mg/L										.0022		
	Pyrene		mg/L										.017		
	bis(2-Chloroethoxy)methane		mg/L										.0068		

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM25															
	bis(2-Chloroethyl)ether		mg/L												
	bis(2-Chloroisopropyl)ether		mg/L												
	bis(2-Ethylhexyl)phthalate		mg/L												
	n-Nitroso-di-n-propylamine		mg/L												
	n-Nitrosodiphenylamine		mg/L												
UW25															
	2,4-Dinitrotoluene		mg/L												
	2,6-Dinitrotoluene		mg/L												
	Nitrobenzene		mg/L												
TCL_PEST															
UH20															
	4,4'-DDD		mg/L												
	4,4'-DDE		mg/L												
	4,4'-DDT		mg/L												
	Aldrin		mg/L												
	Aroclor 1016		mg/L												
	Aroclor 1232		mg/L												
	Aroclor 1242		mg/L												
	Aroclor 1248		mg/L												
	Aroclor 1254		mg/L												
	Aroclor 1260		mg/L												
	Chlordane		mg/L												
	Dieldrin		mg/L												
	Endosulfan I		mg/L												
	Endosulfan II		mg/L												
	Endrin		mg/L												
	Endrin aldehyde		mg/L												
	Heptachlor		mg/L												
	Heptachlor epoxide		mg/L												
	Methoxychlor		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA															
UM25															
	bis(2-Chloroethyl)ether		mg/L										.00068		
	bis(2-Chloroisopropyl)ether		mg/L										.005		
	bis(2-Ethylhexyl)phthalate		mg/L										.0077		
	n-Nitroso-di-n-propylamine		mg/L										.0068		
	n-Nitrosodiphenylamine		mg/L										.0037		
UW25															
	2,4-Dinitrotoluene		mg/L										.000397	7	J
	2,6-Dinitrotoluene		mg/L										.0006		
	Nitrobenzene		mg/L										.000682		
TCL_PEST															
UH20															
	4,4'-DDD		mg/L										.0000081		
	4,4'-DDE		mg/L										.0000039		
	4,4'-DDT		mg/L										.0000025	H	M
	Aldrin		mg/L										.0000074		
	Aroclor 1016		mg/L										.000385		
	Aroclor 1232		mg/L										.000385	T	
	Aroclor 1242		mg/L										.000385	T	
	Aroclor 1248		mg/L										.000385	T	
	Aroclor 1254		mg/L										.000176	T	
	Aroclor 1260		mg/L										.000176		
	Chlordane		mg/L										.0000312		
	Dieldrin		mg/L										.0000074		M
	Endosulfan I		mg/L										.0000025		
	Endosulfan II		mg/L										.0000077		
	Endrin		mg/L										.0000176	7	
	Endrin aldehyde		mg/L										.0000504		
	Heptachlor		mg/L										.0000025	H	M
	Heptachlor epoxide		mg/L										.0000063		
	Methoxychlor		mg/L										.000075	H	M

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UH20															
	PCB 1221		mg/L												
	Toxaphene		mg/L												
	alpha-BHC		mg/L												
	beta-BHC		mg/L												
	delta-BHC		mg/L												
	gamma-BHC (Lindane)		mg/L												
UM25															
	4,4'-DDD		mg/L												
	4,4'-DDE		mg/L												
	4,4'-DDT		mg/L												
	Aldrin		mg/L												
	Aroclor 1016		mg/L												
	Aroclor 1232		mg/L												
	Aroclor 1242		mg/L												
	Aroclor 1248		mg/L												
	Aroclor 1254		mg/L												
	Aroclor 1260		mg/L												
	Chlordane		mg/L												
	Dieldrin		mg/L												
	Endosulfan I		mg/L												
	Endosulfan II		mg/L												
	Endosulfan sulfate		mg/L												
	Endrin		mg/L												
	Endrin aldehyde		mg/L												
	Endrin ketone		mg/L												
	Heptachlor		mg/L												
	Heptachlor epoxide		mg/L												
	Methoxychlor		mg/L												
	PCB 1221		mg/L												
	Toxaphene		mg/L												
	alpha-BHC		mg/L												

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UH20															
	PCB 1221		mg/L										.000385	T	
	Toxaphene		mg/L										.00164		
	alpha-BHC		mg/L										.0000025		
	beta-BHC		mg/L										.0000099		
	delta-BHC		mg/L										.0000034		
	gamma-BHC (Lindane)		mg/L										.0000025		
UM25															
	4,4'-DDD		mg/L										.018		
	4,4'-DDE		mg/L										.014		
	4,4'-DDT		mg/L										.018		
	Aldrin		mg/L										.013		
	Aroclor 1016		mg/L										.0091	R	
	Aroclor 1232		mg/L										.0091	R	
	Aroclor 1242		mg/L										.0091	R	
	Aroclor 1248		mg/L										.0091	R	
	Aroclor 1254		mg/L										.0091	R	
	Aroclor 1260		mg/L										.013	R	
	Chlordane		mg/L										.037		
	Dieldrin		mg/L										.026		
	Endosulfan I		mg/L										.023		
	Endosulfan II		mg/L										.042		
	Endosulfan sulfate		mg/L										.05		
	Endrin		mg/L										.018		
	Endrin aldehyde		mg/L										.005		
	Endrin ketone		mg/L										.006	R	
	Heptachlor		mg/L										.038		
	Heptachlor epoxide		mg/L										.028		
	Methoxychlor		mg/L										.011		
	PCB 1221		mg/L										.0091	R	
	Toxaphene		mg/L										.017	R	
	alpha-BHC		mg/L										.0053		

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:		FT2001			FT2002			FT2003			FR2001		
		Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UM25															
	beta-BHC		mg/L												
	delta-BHC		mg/L												
	gamma-BHC (Lindane)		mg/L												
TCL_VOA															
8010															
	Vinyl chloride		mg/L												
UM21															
	1,1,1-Trichloroethane		mg/L												
	1,1,2,2-Tetrachloroethane		mg/L												
	1,1,2-Trichloroethane		mg/L												
	1,1-Dichloroethane		mg/L												
	1,1-Dichloroethene		mg/L												
	1,2-Dichloroethane		mg/L												
	1,2-Dichloroethene		mg/L												
	1,2-Dichloropropane		mg/L												
	2-Butanone		mg/L												
	2-Chloroethyl Vinyl Ether		mg/L												
	2-Hexanone		mg/L												
	2-Propenenitrile		mg/L												
	4-Methyl-2-pentanone		mg/L												
	Acetone		mg/L												
	Benzene		mg/L												
	Bromodichloromethane		mg/L												
	Bromoform		mg/L												
	Bromomethane		mg/L												
	Carbon disulfide		mg/L												
	Carbon tetrachloride		mg/L												
	Chlorobenzene		mg/L												
	Chloroethane		mg/L												
	Chloroform		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

		Location Code:		FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:		FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:		29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST															
UM25															
	beta-BHC		mg/L										.017		
	delta-BHC		mg/L										.003	R	
	gamma-BHC (Lindane)		mg/L										.0072		
TCL_VOA															
8010															
	Vinyl chloride		mg/L										.001		
UM21															
	1,1,1-Trichloroethane		mg/L										.001		
	1,1,2,2-Tetrachloroethane		mg/L										.0015		
	1,1,2-Trichloroethane		mg/L										.001		
	1,1-Dichloroethane		mg/L										.001		
	1,1-Dichloroethene		mg/L										.001		
	1,2-Dichloroethane		mg/L										.001		
	1,2-Dichloroethene		mg/L										.005		
	1,2-Dichloropropane		mg/L										.001		
	2-Butanone		mg/L										.01		
	2-Chloroethyl Vinyl Ether		mg/L										.0035		
	2-Hexanone		mg/L										.001	R	
	2-Propenenitrile		mg/L										.0084		
	4-Methyl-2-pentanone		mg/L										.0014		
	Acetone		mg/L										.008		
	Benzene		mg/L										.001		
	Bromodichloromethane		mg/L										.001		
	Bromoform		mg/L										.011		
	Bromomethane		mg/L										.014		
	Carbon disulfide		mg/L										.005	R	
	Carbon tetrachloride		mg/L										.001		
	Chlorobenzene		mg/L										.001		
	Chloroethane		mg/L										.008		
	Chloroform		mg/L										.001		

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA														
UM21														
Chloromethane		mg/L												
Dibromochloromethane		mg/L												
Ethylbenzene		mg/L												
Methylene chloride		mg/L												
Styrene		mg/L												
Tetrachloroethene		mg/L												
Toluene		mg/L												
Trichloroethene		mg/L												
Vinyl chloride		mg/L												
cis-1,3-Dichloropropene		mg/L												
trans-1,3-Dichloropropene		mg/L												
VOLATILES														
SW8260_W														
1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,3-Trichlorobenzene		mg/L	.001	U	UJ	.001	U	U	.001	U	UJ	.001	U	UJ
1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2,4-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R	.002	U	R
1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,2-Dimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR2002			MCSAW*10			MCBW*55			UB04323		
		Sample Date:	29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_VOA															
UM21															
	Chloromethane		mg/L										.0012		
	Dibromochloromethane		mg/L										.001		
	Ethylbenzene		mg/L										.001		
	Methylene chloride		mg/L										.001		
	Styrene		mg/L										.005	R	
	Tetrachloroethene		mg/L										.001		
	Toluene		mg/L										.001		
	Trichloroethene		mg/L										.001		
	Vinyl chloride		mg/L										.012		
	cis-1,3-Dichloropropene		mg/L										.005	R	
	trans-1,3-Dichloropropene		mg/L										.005	R	
VOLATILES															
SW8260_W															
	1,1,1,2-Tetrachloroethane		mg/L	.001	U	U									
	1,1,1-Trichloroethane		mg/L	.001	U	U									
	1,1,2,2-Tetrachloroethane		mg/L	.001	U	U									
	1,1,2-Trichloroethane		mg/L	.001	U	U									
	1,1-Dichloroethane		mg/L	.001	U	U									
	1,1-Dichloroethene		mg/L	.001	U	U									
	1,1-Dichloropropene		mg/L	.001	U	U									
	1,2,3-Trichlorobenzene		mg/L	.001	U	UJ									
	1,2,3-Trichloropropane		mg/L	.001	U	U									
	1,2,4-Trichlorobenzene		mg/L	.001	U	U									
	1,2,4-Trimethylbenzene		mg/L	.001	U	U									
	1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R									
	1,2-Dibromoethane		mg/L	.001	U	U									
	1,2-Dichlorobenzene		mg/L	.001	U	U									
	1,2-Dichloroethane		mg/L	.001	U	U									
	1,2-Dichloropropane		mg/L	.001	U	U									
	1,2-Dimethylbenzene		mg/L	.001	U	U									

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,3,5-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
2-Butanone		mg/L	.005	U	R	.005	U	R	.005	U	R	.005	U	R
2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U	.005	U	U
Acetone		mg/L	.01	U	R	.01	U	R	.01	U	R	.0013	J B	B
Benzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromochloromethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Bromodichloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Carbon disulfide		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Chloroform		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Chloromethane		mg/L	.00013	J B	B	.002	U	U	.002	U	U	.00016	J B	B
Cumene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R	.001	U	R
Dichlorodifluoromethane		mg/L	.002	U	UJ	.002	U	U	.002	U	UJ	.002	U	UJ
Ethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ	.001	U	UJ
Naphthalene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Toluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U

Summary of Validated Surface Water Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:			FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:			FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:			FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:			29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,3,5-Trimethylbenzene		mg/L	.001	U	U									
1,3-Dichlorobenzene		mg/L	.001	U	U									
1,3-Dichloropropane		mg/L	.001	U	U									
1,4-Dichlorobenzene		mg/L	.001	U	U									
2-Butanone		mg/L	.005	U	R									
2-Hexanone		mg/L	.005	U	U									
4-Methyl-2-pentanone		mg/L	.005	U	U									
Acetone		mg/L	.0038	J B	B									
Benzene		mg/L	.001	U	U									
Bromobenzene		mg/L	.001	U	U									
Bromochloromethane		mg/L	.001	U	R									
Bromodichloromethane		mg/L	.001	U	U									
Bromoform		mg/L	.001	U	U									
Bromomethane		mg/L	.002	U	U									
Carbon disulfide		mg/L	.001	U	U									
Carbon tetrachloride		mg/L	.001	U	U									
Chlorobenzene		mg/L	.001	U	U									
Chloroethane		mg/L	.002	U	U									
Chloroform		mg/L	.001	U	U									
Chloromethane		mg/L	.00057	J B	B									
Cumene		mg/L	.001	U	U									
Dibromochloromethane		mg/L	.001	U	U									
Dibromomethane		mg/L	.001	U	R									
Dichlorodifluoromethane		mg/L	.002	U	UJ									
Ethylbenzene		mg/L	.001	U	U									
Hexachlorobutadiene		mg/L	.001	U	U									
Methylene chloride		mg/L	.001	U	UJ									
Naphthalene		mg/L	.001	U	U									
Styrene		mg/L	.001	U	U									
Tetrachloroethene		mg/L	.001	U	U									
Toluene		mg/L	.001	U	U									

	Location Code:		FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:		FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:		FT2001			FT2002			FT2003			FR2001		
	Sample Date:		29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U	.002	U	U
cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
m,p-Xylenes		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
n-Propylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
p-Cymene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
sec-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U	.001	U	U
WET_CHEM														
4051														
BIOLOGICAL OXYGEN DEMAND		mg/L												

Summary of Validated Surface Water Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:			FTA-88-SW/SD02			T24A-W01			T24A-W02			T24A-W02		
	Associated Site:			FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:			FR2002			MCSAW*10			MCBW*55			UB04323		
	Sample Date:			29-SEP-99			24-APR-92			23-JUN-94			23-JUN-94		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Trichloroethene		mg/L	.001	U	U									
Trichlorofluoromethane		mg/L	.002	U	U									
Vinyl chloride		mg/L	.002	U	U									
cis-1,2-Dichloroethene		mg/L	.001	U	U									
cis-1,3-Dichloropropene		mg/L	.001	U	U									
m,p-Xylenes		mg/L	.001	U	U									
n-Butylbenzene		mg/L	.001	U	U									
n-Propylbenzene		mg/L	.001	U	U									
o-Chlorotoluene		mg/L	.001	U	U									
p-Chlorotoluene		mg/L	.001	U	U									
p-Cymene		mg/L	.001	U	U									
sec-Butylbenzene		mg/L	.001	U	U									
sec-Dichloropropane		mg/L	.001	U	U									
tert-Butylbenzene		mg/L	.001	U	U									
trans-1,2-Dichloroethene		mg/L	.001	U	U									
trans-1,3-Dichloropropene		mg/L	.001	U	U									
WET_CHEM														
4051														
BIOLOGICAL OXYGEN DEMAND		mg/L										4		

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
AROMATICS														
LM23														
	1,3-Dimethylbenzene	mg/kg												
	Xylene, Total	mg/kg												
LT03														
	FLUOROACETIC ACID	mg/kg												
CA BREAKDOWN														
AAA9														
	Isopropylmethylphosphonic Acid	mg/kg												
	METHYLPHOSPHONIC ACID	mg/kg												
LT03														
	Isopropylmethylphosphonic Acid	mg/kg												
	METHYLPHOSPHONIC ACID	mg/kg												
LW18														
	Thiodiglycol	mg/kg												
TT9														
	Diisopropylmethylphosphonic Acid	mg/kg												
	Dimethylmethylphosphonic Acid	mg/kg												
CL HERBICIDE														
LT03														
	CHLOROACETIC ACID	mg/kg												
SW8151_S														
	2,2-Dichloropropanoic Acid	mg/kg	.04	U	U	.04	U	U	.04	U	U			
	2,4,5-T	mg/kg	.02	U	UJ	.02	U	UJ	.02	U	UJ			
	2,4,5-TP	mg/kg	.02	U	UJ	.02	U	UJ	.02	U	UJ			
	2,4-D	mg/kg	.08	U	UJ	.08	U	UJ	.08	U	UJ			
	2,4-DB	mg/kg	.08	U	U	.08	U	U	.08	U	U			

Summary of Validated Sediment Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
		Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group		*Sample Depth:*	0 - .5			0 -			0 -			0 -		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
AROMATICS														
LM23														
	1,3-Dimethylbenzene	mg/kg										.23		
	Xylene, Total	mg/kg										.78		
LT03														
	FLUOROACETIC ACID	mg/kg							.182					
CA BREAKDOWN														
AAA9														
	Isopropylmethylphosphonic Acid	mg/kg				2.11								
	METHYLPHOSPHONIC ACID	mg/kg				2								
LT03														
	Isopropylmethylphosphonic Acid	mg/kg							.5					
	METHYLPHOSPHONIC ACID	mg/kg							.5					
LW18														
	Thiodiglycol	mg/kg				3.94			3.94					
TT9														
	Diisopropylmethylphosphonic Acid	mg/kg				.114			.114					
	Dimethylmethylphosphonic Acid	mg/kg				.133			.133					
CL HERBICIDE														
LT03														
	CHLOROACETIC ACID	mg/kg							.5					
SW8151_S														
	2,2-Dichloropropanoic Acid	mg/kg												
	2,4,5-T	mg/kg												
	2,4,5-TP	mg/kg												
	2,4-D	mg/kg												
	2,4-DB	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group	*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method													
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE													
SW8151_S													
Dicamba	mg/kg	.04	U	U	.04	U	U	.04	U	U			
Dichloroprop	mg/kg	.08	U	U	.08	U	U	.08	U	U			
Dinoseb	mg/kg	.012	U	U	.012	U	U	.012	U	U			
MCPA	mg/kg	8	U	U	8	U	U	8	U	U			
MCPP	mg/kg	8	U	U	8	U	U	8	U	U			
CL PESTICIDES													
SW8081_S													
4,4'-DDD	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
4,4'-DDE	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
4,4'-DDT	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Aldrin	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Chlordane	mg/kg	.022	U	U	.072	U	U	.1	U	U			
Dieldrin	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endosulfan I	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endosulfan II	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endosulfan sulfate	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endrin	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endrin aldehyde	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Endrin ketone	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Heptachlor	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Heptachlor epoxide	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
Methoxychlor	mg/kg	.0043	U	U	.014	U	U	.02	U	U			
Toxaphene	mg/kg	.088	U	U	.29	U	U	.41	U	U			
alpha-BHC	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
beta-BHC	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
delta-BHC	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
gamma-BHC (Lindane)	mg/kg	.0022	U	U	.0072	U	U	.01	U	U			
EXPLOSIVES													
LW23													
1,3,5-Trinitrobenzene	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group	*Sample Depth:*	0 - .5			0 -			0 -			0 -		
Lab Method													
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE													
SW8151_S													
Dicamba	mg/kg												
Dichloroprop	mg/kg												
Dinoseb	mg/kg												
MCPA	mg/kg												
MCPP	mg/kg												
CL PESTICIDES													
SW8081_S													
4,4'-DDD	mg/kg												
4,4'-DDE	mg/kg												
4,4'-DDT	mg/kg												
Aldrin	mg/kg												
Chlordane	mg/kg												
Dieldrin	mg/kg												
Endosulfan I	mg/kg												
Endosulfan II	mg/kg												
Endosulfan sulfate	mg/kg												
Endrin	mg/kg												
Endrin aldehyde	mg/kg												
Endrin ketone	mg/kg												
Heptachlor	mg/kg												
Heptachlor epoxide	mg/kg												
Methoxychlor	mg/kg												
Toxaphene	mg/kg												
alpha-BHC	mg/kg												
beta-BHC	mg/kg												
delta-BHC	mg/kg												
gamma-BHC (Lindane)	mg/kg												
EXPLOSIVES													
LW23													
1,3,5-Trinitrobenzene	mg/kg										.922		

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
EXPLOSIVES														
LW23														
	1,3-Dinitrobenzene	mg/kg												
	2,4,6-Trinitrotoluene	mg/kg												
	HMX	mg/kg												
	RDX	mg/kg												
	Tetryl	mg/kg												
LW27														
	NITROGLYCERINE	mg/kg												
	PETN	mg/kg												
METALS														
7041														
	Antimony	mg/kg												
B9														
	Arsenic	mg/kg												
JD20														
	Selenium	mg/kg												
JD21														
	Lead	mg/kg												
JS12														
	Aluminum	mg/kg												
	Barium	mg/kg												
	Beryllium	mg/kg												
	Boron	mg/kg												
	Cadmium	mg/kg												
	Calcium	mg/kg												
	Chromium	mg/kg												
	Cobalt	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02			
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187			
		Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170			
		Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94			
User Test Group		*Sample Depth:*	0 - .5			0 -			0 -			0 -			
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	
EXPLOSIVES															
LW23															
	1,3-Dinitrobenzene	mg/kg										.504			
	2,4,6-Trinitrotoluene	mg/kg										2			
	HMX	mg/kg										2			
	RDX	mg/kg										1.28			
	Tetryl	mg/kg										2.11			
LW27															
	NITROGLYCERINE	mg/kg										.51			
	PETN	mg/kg										1			
METALS															
7041															
	Antimony	mg/kg										1			
B9															
	Arsenic	mg/kg										5.38			
JD20															
	Selenium	mg/kg										.449			
JD21															
	Lead	mg/kg										11.6			
JS12															
	Aluminum	mg/kg										9810			
	Barium	mg/kg										130			
	Beryllium	mg/kg										.825			
	Boron	mg/kg										6.64			
	Cadmium	mg/kg										1.2			
	Calcium	mg/kg										8140			
	Chromium	mg/kg										27			
	Cobalt	mg/kg										3.77			

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS														
JS12														
	Copper	mg/kg												
	Iron	mg/kg												
	Magnesium	mg/kg												
	Manganese	mg/kg												
	Molybdenum	mg/kg												
	Nickel	mg/kg												
	Potassium	mg/kg												
	Silver	mg/kg												
	Sodium	mg/kg												
	TELLURIUM	mg/kg												
	Thallium	mg/kg												
	Tin	mg/kg												
	Vanadium	mg/kg												
	Zinc	mg/kg												
Y9														
	Mercury	mg/kg												
METALS-S														
SW6010_S														
	Aluminum	mg/kg	5560			9660			8610			9250		
	Antimony	mg/kg	7.9	U	UJ	8.5	U	UJ	12.1	U	UJ	30.8	U	U
	Arsenic	mg/kg	4.3			9.2			3.8			6.7		
	Barium	mg/kg	109			102			126			69.3	B	J
	Beryllium	mg/kg	0.89			2.4			1.2			1.1	B	J
	Cadmium	mg/kg	0.65	U	U	0.71	U	U	1.0	U	U	2.6	U	U
	Calcium	mg/kg	184	B	J	180	B	J	647	B	J	1680	B	J
	Chromium	mg/kg	8.0			24.9			17.0			13.4		
	Cobalt	mg/kg	9.4			11.1			5.4	B	J	25.6	U	U
	Copper	mg/kg	16.4			13.4			14.2			14.0		
	Iron	mg/kg	26800			74400			22700			19100		
	Lead	mg/kg	24.8			15.7			34.8			22.5		

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
		Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group		*Sample Depth:*	0 - .5			0 -			0 -			0 -		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS														
JS12														
	Copper	mg/kg										12.1		
	Iron	mg/kg										50400		
	Magnesium	mg/kg										4950		
	Manganese	mg/kg										521		
	Molybdenum	mg/kg										14.3		
	Nickel	mg/kg										6.25		
	Potassium	mg/kg										1720		
	Silver	mg/kg										.803		
	Sodium	mg/kg										38.7		
	TELLURIUM	mg/kg										14.9		
	Thallium	mg/kg										34.3		
	Tin	mg/kg										7.43		
	Vanadium	mg/kg										31.8		
	Zinc	mg/kg										20.2		
Y9														
	Mercury	mg/kg										.05		
METALS-S														
SW6010_S														
	Aluminum	mg/kg	5970											
	Antimony	mg/kg	7.3	U	U									
	Arsenic	mg/kg	4.7											
	Barium	mg/kg	41.3											
	Beryllium	mg/kg	0.70											
	Cadmium	mg/kg	0.61	U	U									
	Calcium	mg/kg	10300											
	Chromium	mg/kg	15.8											
	Cobalt	mg/kg	4.4	B	J									
	Copper	mg/kg	23.1											
	Iron	mg/kg	25900											
	Lead	mg/kg	12.7											

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
METALS-S													
SW6010_S													
Magnesium	mg/kg	449	B	J	547	B	J	522	B	J	451	B	J
Manganese	mg/kg	617			396			68.6			293		
Nickel	mg/kg	9.7			27.7			8.8			20.5	U	U
Potassium	mg/kg	2160			3410			2110			1360	B	J
Selenium	mg/kg	0.52	B	J	1.0			1.0	U	U	2.6	U	U
Silver	mg/kg	1.3	U	U	1.4	U	U	2.0	U	U	5.1	U	U
Sodium	mg/kg	63.0	B	B	68.4	B	B	91.7	B	B	227	B	J
Thallium	mg/kg	1.2	B	J	1.4	U	U	2.0	U	U	5.1	U	U
Vanadium	mg/kg	12.3			24.1			20.9			18.4	B	J
Zinc	mg/kg	32.4		J	44.4		J	81.3		J	57.1		
SW7471_S													
Mercury	mg/kg	0.058		B	0.040	B	B	0.069		B	0.21		
MOISTURE													
D2216_S													
% Moisture													
NITROAROMATI													
SW8330_S													
1,3,5-Trinitrobenzene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
1,3-Dinitrobenzene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
2,4,6-Trinitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
2,4-Dinitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
2,6-Dinitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
2-Amino-4,6-dinitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
2-Nitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
3-Nitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
4-Amino-2,6-dinitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
HMX	mg/kg	0.50	U	U	0.50	U	U	0.50	U	U			
Nitrobenzene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
RDX	mg/kg	0.50	U	U	0.50	U	U	0.50	U	U			

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:		FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:		29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group	*Sample Depth:*		0 - .5			0 -			0 -			0 -		
Lab Method *Parameter*	*Units*		*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS-S														
SW6010_S														
Magnesium	mg/kg		5210											
Manganese	mg/kg		487											
Nickel	mg/kg		7.6											
Potassium	mg/kg		575	B	J									
Selenium	mg/kg		0.61	U	U									
Silver	mg/kg		1.2	U	U									
Sodium	mg/kg		62.6	B	B									
Thallium	mg/kg		1.2	U	U									
Vanadium	mg/kg		23.7											
Zinc	mg/kg		186											
SW7471_S														
Mercury	mg/kg		0.044		B									
MOISTURE														
D2216_S														
% Moisture														
NITROAROMATI														
SW8330_S														
1,3,5-Trinitrobenzene	mg/kg													
1,3-Dinitrobenzene	mg/kg													
2,4,6-Trinitrotoluene	mg/kg													
2,4-Dinitrotoluene	mg/kg													
2,6-Dinitrotoluene	mg/kg													
2-Amino-4,6-dinitrotoluene	mg/kg													
2-Nitrotoluene	mg/kg													
3-Nitrotoluene	mg/kg													
4-Amino-2,6-dinitrotoluene	mg/kg													
HMX	mg/kg													
Nitrobenzene	mg/kg													
RDX	mg/kg													

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
NITROAROMATI													
SW8330_S													
Tetryl	mg/kg	0.65	U	U	0.65	U	U	0.65	U	U			
p-Nitrotoluene	mg/kg	0.25	U	U	0.25	U	U	0.25	U	U			
NOT CLASSI													
LM23													
1,3-Dichloropropane	mg/kg												
DICHLOROBENZENES	mg/kg												
Trichlorofluoromethane	mg/kg												
LM25													
1,2,3-Trichlorobenzene	mg/kg												
2,6-DINITROANILINE	mg/kg												
3,5-DINITROANILINE	mg/kg												
DIBROMOCHLOROPROPANE	mg/kg												
DICYCLOPENTADIENE	mg/kg												
Isodrin	mg/kg												
Mirex	mg/kg												
PCB 1262	mg/kg												
OP PESTICIDES													
LM25													
Atrazine	mg/kg												
Chlorfenvinphos	mg/kg												
Dichlorvos	mg/kg												
Malathion	mg/kg												
Parathion	mg/kg												
SW8141_S													
Azinphosmethyl	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Bolstar	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Chlorpyrifos	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Coumaphos	mg/kg	.043	U	U	.047	U	U	.067	U	U			

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
NITROAROMATI													
SW8330_S													
Tetryl	mg/kg												
p-Nitrotoluene	mg/kg												
NOT CLASSI													
LM23													
1,3-Dichloropropane	mg/kg										.2		
DICHLOROBENZENES	mg/kg										.2		
Trichlorofluoromethane	mg/kg										.23		
LM25													
1,2,3-Trichlorobenzene	mg/kg										.032		
2,6-DINITROANILINE	mg/kg										.57		
3,5-DINITROANILINE	mg/kg										1.6		
DIBROMOCHLOROPROPANE	mg/kg										.071		
DICYCLOPENTADIENE	mg/kg										.57		
Isodrin	mg/kg										.48		
Mirex	mg/kg										.14		
PCB 1262	mg/kg										6.3		
OP PESTICIDES													
LM25													
Atrazine	mg/kg										.065		
Chlorfenvinphos	mg/kg										.92		
Dichlorvos	mg/kg										.068		
Malathion	mg/kg										.18		
Parathion	mg/kg										1.7		
SW8141_S													
Azinphosmethyl	mg/kg												
Bolstar	mg/kg												
Chlorpyrifos	mg/kg												
Coumaphos	mg/kg												

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
OP PESTICIDES													
SW8141_S													
Demeton	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Diazinon	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Dichlorvos	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Dimethoate	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Disulfoton	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Ethoprop	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Famphur	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Fensulfothion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Fenthion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Malathion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Merphos	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Methyl Parathion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Mevinphos	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Naled	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Parathion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Phorate	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Ronnel	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Stirophos	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Sulfotep	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Thionazin	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Tokuthion	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Trichloronate	mg/kg	.043	U	U	.047	U	U	.067	U	U			
ORGANOSULF													
LL03													
1,4-Oxathiane	mg/kg												
Benxothiazole	mg/kg												
DITHIANE	mg/kg												
Disulfide, Dimethyl	mg/kg												
p-Chlorophenylmethylsulfide	mg/kg												
p-Chlorophenylmethylsulfone	mg/kg												

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
OP PESTICIDES													
SW8141_S													
Demeton	mg/kg												
Diazinon	mg/kg												
Dichlorvos	mg/kg												
Dimethoate	mg/kg												
Disulfoton	mg/kg												
Ethoprop	mg/kg												
Famphur	mg/kg												
Fensulfothion	mg/kg												
Fenthion	mg/kg												
Malathion	mg/kg												
Merphos	mg/kg												
Methyl Parathion	mg/kg												
Mevinphos	mg/kg												
Naled	mg/kg												
Parathion	mg/kg												
Phorate	mg/kg												
Ronnel	mg/kg												
Stirophos	mg/kg												
Sulfotep	mg/kg												
Thionazin	mg/kg												
Tokuthion	mg/kg												
Trichloronate	mg/kg												
ORGANOSULF													
LL03													
1,4-Oxathiane	mg/kg				.856			.856					
Benxothiazole	mg/kg							1.08					
DITHIANE	mg/kg				1.47			1.47					
Disulfide, Dimethyl	mg/kg							.692					
p-Chlorophenylmethylsulfide	mg/kg							1.08					
p-Chlorophenylmethylsulfone	mg/kg				2.37			2.37					

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
ORGANOSULF													
LL03													
p-Chlorophenylmethylsulfoxide	mg/kg												
LM25													
1,4-Oxathiane	mg/kg												
DITHIANE	mg/kg												
p-Chlorophenylmethylsulfide	mg/kg												
p-Chlorophenylmethylsulfone	mg/kg												
p-Chlorophenylmethylsulfoxide	mg/kg												
PCBS													
SW8082_S													
Aroclor 1016	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1221	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1232	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1242	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1248	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1254	mg/kg	.043	U	U	.047	U	U	.067	U	U			
Aroclor 1260	mg/kg	.043	U	U	.047	U	U	.067	U	U			
PHENOLS													
LM25													
2,3,6-TRICHLOROPHENOL	mg/kg												
SEMIVOLATILES													
SW8270_S													
1,2,4-Trichlorobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
1,2-Dichlorobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
1,3-Dichlorobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
1,4-Dichlorobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2,4,5-Trichlorophenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2,4,6-Trichlorophenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2,4-Dichlorophenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
ORGANOSULF													
LL03													
p-Chlorophenylmethylsulfoxide	mg/kg				2.25			2.25					
LM25													
1,4-Oxathiane	mg/kg										.075		
DITHIANE	mg/kg										.065		
p-Chlorophenylmethylsulfide	mg/kg										.097		
p-Chlorophenylmethylsulfone	mg/kg										.066		
p-Chlorophenylmethylsulfoxide	mg/kg										.32		
PCBS													
SW8082_S													
Aroclor 1016	mg/kg												
Aroclor 1221	mg/kg												
Aroclor 1232	mg/kg												
Aroclor 1242	mg/kg												
Aroclor 1248	mg/kg												
Aroclor 1254	mg/kg												
Aroclor 1260	mg/kg												
PHENOLS													
LM25													
2,3,6-TRICHLOROPHENOL	mg/kg										.62		
SEMIVOLATILES													
SW8270_S													
1,2,4-Trichlorobenzene	mg/kg	.4	U	U									
1,2-Dichlorobenzene	mg/kg	.4	U	U									
1,3-Dichlorobenzene	mg/kg	.4	U	U									
1,4-Dichlorobenzene	mg/kg	.4	U	U									
2,4,5-Trichlorophenol	mg/kg	.4	U	U									
2,4,6-Trichlorophenol	mg/kg	.4	U	U									
2,4-Dichlorophenol	mg/kg	.4	U	U									

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
SEMIVOLATILES													
SW8270_S													
2,4-Dimethylphenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2,4-Dinitrophenol	mg/kg	2.1	U	U	2.3	U	UJ	3.2	U	UJ	8.2	U	U
2,4-Dinitrotoluene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2,6-Dinitrotoluene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2-Chloronaphthalene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2-Chlorophenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2-Methylnaphthalene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2-Methylphenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
2-Nitroaniline	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
2-Nitrophenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
3,3'-Dichlorobenzidine	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
3-Nitroaniline	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
4,6-Dinitro-2-methylphenol	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
4-Bromophenyl phenyl ether	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
4-Chloro-3-methylphenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
4-Chloroaniline	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
4-Chlorophenyl phenyl ether	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
4-Methylphenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
4-Nitroaniline	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
4-Nitrophenol	mg/kg	2.1	U	U	2.3	U	UJ	3.2	U	UJ	8.2	U	U
Acenaphthene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Acenaphthylene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Anthracene	mg/kg	.068	J	J	.47	U	U	.67	U	U	1.7	U	U
Benzo(a)anthracene	mg/kg	.99			.47	U	U	.67	U	U	1.7	U	U
Benzo(a)pyrene	mg/kg	.34	J	J	.47	U	U	.67	U	U	1.7	U	U
Benzo(b)fluoranthene	mg/kg	.68		J	.47	U	U	.67	U	U	1.7	U	UJ
Benzo(ghi)perylene	mg/kg	.1	J	J	.47	U	UJ	.67	U	UJ	1.7	U	U
Benzo(k)fluoranthene	mg/kg	.58			.47	U	UJ	.67	U	UJ	1.7	U	U
Butyl benzyl phthalate	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Carbazole	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Chrysene	mg/kg	.98			.47	U	U	.67	U	U	1.7	U	U

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group	*Sample Depth:*	0 - .5			0 -			0 -			0 -		
Lab Method													
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES													
SW8270_S													
2,4-Dimethylphenol	mg/kg	.4	U	U									
2,4-Dinitrophenol	mg/kg	2	U	U									
2,4-Dinitrotoluene	mg/kg	.4	U	U									
2,6-Dinitrotoluene	mg/kg	.4	U	U									
2-Chloronaphthalene	mg/kg	.4	U	U									
2-Chlorophenol	mg/kg	.4	U	U									
2-Methylnaphthalene	mg/kg	.4	U	U									
2-Methylphenol	mg/kg	.4	U	U									
2-Nitroaniline	mg/kg	2	U	U									
2-Nitrophenol	mg/kg	.4	U	U									
3,3'-Dichlorobenzidine	mg/kg	2	U	U									
3-Nitroaniline	mg/kg	2	U	U									
4,6-Dinitro-2-methylphenol	mg/kg	2	U	U									
4-Bromophenyl phenyl ether	mg/kg	.4	U	U									
4-Chloro-3-methylphenol	mg/kg	.4	U	U									
4-Chloroaniline	mg/kg	.4	U	U									
4-Chlorophenyl phenyl ether	mg/kg	.4	U	U									
4-Methylphenol	mg/kg	.4	U	U									
4-Nitroaniline	mg/kg	2	U	U									
4-Nitrophenol	mg/kg	2	U	U									
Acenaphthene	mg/kg	.4	U	U									
Acenaphthylene	mg/kg	.041	J	J									
Anthracene	mg/kg	.065	J	J									
Benzo(a)anthracene	mg/kg	.22	J	J									
Benzo(a)pyrene	mg/kg	.17	J	J									
Benzo(b)fluoranthene	mg/kg	.24	J	J									
Benzo(ghi)perylene	mg/kg	.12	J	J									
Benzo(k)fluoranthene	mg/kg	.21	J	J									
Butyl benzyl phthalate	mg/kg	.4	U	U									
Carbazole	mg/kg	.4	U	U									
Chrysene	mg/kg	.42											

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*	*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES													
SW8270_S													
Di-n-butyl phthalate	mg/kg	.43	U	U	.47	U	U	.19	J	J	1.7	U	U
Di-n-octyl phthalate	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Dibenz(a,h)anthracene	mg/kg	.066	J	J	.47	U	UJ	.67	U	UJ	1.7	U	U
Dibenzofuran	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Diethyl phthalate	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Dimethyl phthalate	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Fluoranthene	mg/kg	1.5			.47	U	U	.67	U	U	1.7	U	U
Fluorene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Hexachlorobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Hexachlorobutadiene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Hexachlorocyclopentadiene	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
Hexachloroethane	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Indeno(1,2,3-cd)pyrene	mg/kg	.12	J	J	.47	U	UJ	.67	U	UJ	1.7	U	U
Isophorone	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Naphthalene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Nitrobenzene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Pentachlorophenol	mg/kg	2.1	U	U	2.3	U	U	3.2	U	U	8.2	U	U
Phenanthrene	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Phenol	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
Pyrene	mg/kg	2			.47	U	U	.67	U	U	1.7	U	U
bis(2-Chloroethoxy)methane	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
bis(2-Chloroethyl)ether	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
bis(2-Chloroisopropyl)ether	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
bis(2-Ethylhexyl)phthalate	mg/kg	.079	J B	B	.15	J B	B	.23	J B	B	1.7	U	U
n-Nitroso-di-n-propylamine	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
n-Nitrosodiphenylamine	mg/kg	.43	U	U	.47	U	U	.67	U	U	1.7	U	U
TCLP_ORGAN													
LM23													
Vinyl Acetate													

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
SEMIVOLATILES													
SW8270_S													
Di-n-butyl phthalate	mg/kg	.4	U	U									
Di-n-octyl phthalate	mg/kg	.4	U	U									
Dibenz(a,h)anthracene	mg/kg	.05	J	J									
Dibenzofuran	mg/kg	.4	U	U									
Diethyl phthalate	mg/kg	.4	U	U									
Dimethyl phthalate	mg/kg	.4	U	U									
Fluoranthene	mg/kg	.3	J	J									
Fluorene	mg/kg	.4	U	U									
Hexachlorobenzene	mg/kg	.4	U	U									
Hexachlorobutadiene	mg/kg	.4	U	U									
Hexachlorocyclopentadiene	mg/kg	2	U	U									
Hexachloroethane	mg/kg	.4	U	U									
Indeno(1,2,3-cd)pyrene	mg/kg	.11	J	J									
Isophorone	mg/kg	.4	U	U									
Naphthalene	mg/kg	.4	U	U									
Nitrobenzene	mg/kg	.4	U	U									
Pentachlorophenol	mg/kg	2	U	U									
Phenanthrene	mg/kg	.067	J	J									
Phenol	mg/kg	.4	U	U									
Pyrene	mg/kg	.31	J	J									
bis(2-Chloroethoxy)methane	mg/kg	.4	U	U									
bis(2-Chloroethyl)ether	mg/kg	.4	U	U									
bis(2-Chloroisopropyl)ether	mg/kg	.4	U	U									
bis(2-Ethylhexyl)phthalate	mg/kg	.08	J B	B									
n-Nitroso-di-n-propylamine	mg/kg	.4	U	U									
n-Nitrosodiphenylamine	mg/kg	.4	U	U									
TCLP_ORGAN													
LM23													
Vinyl Acetate													R

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCLP_ORGAN														
LM25														
	3-Nitrotoluene													
	Benzoic Acid													
	Benzyl Alcohol													
TCL_BNA														
LM23														
	1,3-Dichlorobenzene	mg/kg												
LM25														
	1,2,4-Trichlorobenzene	mg/kg												
	1,2-Dichlorobenzene	mg/kg												
	1,2-Diphenylhydrazine	mg/kg												
	1,3-Dichlorobenzene	mg/kg												
	1,4-Dichlorobenzene	mg/kg												
	2,4,5-Trichlorophenol	mg/kg												
	2,4,6-Trichlorophenol	mg/kg												
	2,4-Dichlorophenol	mg/kg												
	2,4-Dimethylphenol	mg/kg												
	2,4-Dinitrophenol	mg/kg												
	2,4-Dinitrotoluene	mg/kg												
	2,6-Dinitrotoluene	mg/kg												
	2-Chloronaphthalene	mg/kg												
	2-Chlorophenol	mg/kg												
	2-Methylnaphthalene	mg/kg												
	2-Methylphenol	mg/kg												
	2-Nitroaniline	mg/kg												
	2-Nitrophenol	mg/kg												
	3,3'-Dichlorobenzidine	mg/kg												
	3-Nitroaniline	mg/kg												
	4,6-Dinitro-2-methylphenol	mg/kg												
	4-Bromophenyl phenyl ether	mg/kg												
	4-Chloro-3-methylphenol	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

User Test Group / Lab Method	Parameter	Units	Location Code: FTA-88-SW/SD02			Location Code: T24A-D01			Location Code: T24A-D02			Location Code: T24A-D02		
	Associated Site:		FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:		FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:		29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
	Sample Depth:		0 - .5			0 -			0 -			0 -		
			Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
TCLP_ORGAN														
LM25														
	3-Nitrotoluene													
	Benzoic Acid												R	
	Benzyl Alcohol													
TCL_BNA														
LM23														
	1,3-Dichlorobenzene	mg/kg										.14		
LM25														
	1,2,4-Trichlorobenzene	mg/kg										.22		
	1,2-Dichlorobenzene	mg/kg										.042		
	1,2-Diphenylhydrazine	mg/kg										.52		
	1,3-Dichlorobenzene	mg/kg										.042		
	1,4-Dichlorobenzene	mg/kg										.034		
	2,4,5-Trichlorophenol	mg/kg										.49		
	2,4,6-Trichlorophenol	mg/kg										.061		
	2,4-Dichlorophenol	mg/kg										.065		
	2,4-Dimethylphenol	mg/kg										3		
	2,4-Dinitrophenol	mg/kg										4.7		
	2,4-Dinitrotoluene	mg/kg										1.4		
	2,6-Dinitrotoluene	mg/kg										.32		
	2-Chloronaphthalene	mg/kg										.24		
	2-Chlorophenol	mg/kg										.055		
	2-Methylnaphthalene	mg/kg										.032		
	2-Methylphenol	mg/kg										.098		
	2-Nitroaniline	mg/kg										3.1	R	
	2-Nitrophenol	mg/kg										1.1		
	3,3'-Dichlorobenzidine	mg/kg										1.6		
	3-Nitroaniline	mg/kg										3		
	4,6-Dinitro-2-methylphenol	mg/kg										.8		
	4-Bromophenyl phenyl ether	mg/kg										.041		
	4-Chloro-3-methylphenol	mg/kg										.93		

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method		Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
	Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
TCL_BNA														
LM25														
	4-Chloroaniline	mg/kg												
	4-Chlorophenyl phenyl ether	mg/kg												
	4-Methylphenol	mg/kg												
	4-Nitroaniline	mg/kg												
	4-Nitrophenol	mg/kg												
	Acenaphthene	mg/kg												
	Acenaphthylene	mg/kg												
	Anthracene	mg/kg												
	Benzo(a)anthracene	mg/kg												
	Benzo(a)pyrene	mg/kg												
	Benzo(b)fluoranthene	mg/kg												
	Benzo(ghi)perylene	mg/kg												
	Benzo(k)fluoranthene	mg/kg												
	Butyl benzyl phthalate	mg/kg												
	Chrysene	mg/kg												
	Di-n-butyl phthalate	mg/kg												
	Di-n-octyl phthalate	mg/kg												
	Dibenz(a,h)anthracene	mg/kg												
	Dibenzofuran	mg/kg												
	Diethyl phthalate	mg/kg												
	Dimethyl phthalate	mg/kg												
	Fluoranthene	mg/kg												
	Fluorene	mg/kg												
	Hexachlorobenzene	mg/kg												
	Hexachlorobutadiene	mg/kg												
	Hexachlorocyclopentadiene	mg/kg												
	Hexachloroethane	mg/kg												
	Indeno(1,2,3-cd)pyrene	mg/kg												
	Isophorone	mg/kg												
	N-Nitrosodimethylamine	mg/kg												
	Naphthalene	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group	Sample Depth:	0 - .5			0 -			0 -			0 -		
Lab Method / Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
TCL_BNA													
LM25													
4-Chloroaniline	mg/kg										.63	R	
4-Chlorophenyl phenyl ether	mg/kg										.17		
4-Methylphenol	mg/kg										.24		
4-Nitroaniline	mg/kg										3.1	R	
4-Nitrophenol	mg/kg										3.3		
Acenaphthene	mg/kg										.041		
Acenaphthylene	mg/kg										.033		
Anthracene	mg/kg										.71		
Benzo(a)anthracene	mg/kg										.041		
Benzo(a)pyrene	mg/kg										1.2		
Benzo(b)fluoranthene	mg/kg										.31		
Benzo(ghi)perylene	mg/kg										.18		
Benzo(k)fluoranthene	mg/kg										.13		
Butyl benzyl phthalate	mg/kg										1.8		
Chrysene	mg/kg										.032		
Di-n-butyl phthalate	mg/kg										1.3		
Di-n-octyl phthalate	mg/kg										.23		
Dibenz(a,h)anthracene	mg/kg										.31		
Dibenzofuran	mg/kg										.38		
Diethyl phthalate	mg/kg										.24		
Dimethyl phthalate	mg/kg										.063		
Fluoranthene	mg/kg										.032		
Fluorene	mg/kg										.065		
Hexachlorobenzene	mg/kg										.08		
Hexachlorobutadiene	mg/kg										.97		
Hexachlorocyclopentadiene	mg/kg										.52		
Hexachloroethane	mg/kg										1.8		
Indeno(1,2,3-cd)pyrene	mg/kg										2.4		
Isophorone	mg/kg										.39		
N-Nitrosodimethylamine	mg/kg										.46		
Naphthalene	mg/kg										.74		

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / *Lab Method*		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
	Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA														
LM25														
	Nitrobenzene	mg/kg												
	Pentachlorophenol	mg/kg												
	Phenanthrene	mg/kg												
	Phenol	mg/kg												
	Pyrene	mg/kg												
	bis(2-Chloroethoxy)methane	mg/kg												
	bis(2-Chloroethyl)ether	mg/kg												
	bis(2-Chloroisopropyl)ether	mg/kg												
	bis(2-Ethylhexyl)phthalate	mg/kg												
	n-Nitroso-di-n-propylamine	mg/kg												
	n-Nitrosodiphenylamine	mg/kg												
LW23														
	2,4-Dinitrotoluene	mg/kg												
	2,6-Dinitrotoluene	mg/kg												
	Nitrobenzene	mg/kg												
TCL_PEST														
LM25														
	4,4'-DDD	mg/kg												
	4,4'-DDE	mg/kg												
	4,4'-DDT	mg/kg												
	Aldrin	mg/kg												
	Aroclor 1016	mg/kg												
	Aroclor 1232	mg/kg												
	Aroclor 1242	mg/kg												
	Aroclor 1248	mg/kg												
	Aroclor 1254	mg/kg												
	Aroclor 1260	mg/kg												
	Chlordane	mg/kg												
	Dieldrin	mg/kg												
	Endosulfan I	mg/kg												

Summary of Validated Sediment Data

Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)

Fort McClellan, Alabama

		Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
		Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
		Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group		*Sample Depth:*	0 - .5			0 -			0 -			0 -		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_BNA														
LM25														
	Nitrobenzene	mg/kg										1.8		
	Pentachlorophenol	mg/kg										.76		
	Phenanthrene	mg/kg										.032		
	Phenol	mg/kg										.052		
	Pyrene	mg/kg										.083		
	bis(2-Chloroethoxy)methane	mg/kg										.19		
	bis(2-Chloroethyl)ether	mg/kg										.36		
	bis(2-Chloroisopropyl)ether	mg/kg										.44		
	bis(2-Ethylhexyl)phthalate	mg/kg										.48		
	n-Nitroso-di-n-propylamine	mg/kg										1.1		
	n-Nitrosodiphenylamine	mg/kg										.29		
LW23														
	2,4-Dinitrotoluene	mg/kg										2.5		
	2,6-Dinitrotoluene	mg/kg										2		
	Nitrobenzene	mg/kg										1.14		
TCL_PEST														
LM25														
	4,4'-DDD	mg/kg										.064		
	4,4'-DDE	mg/kg										.068		
	4,4'-DDT	mg/kg										.1		
	Aldrin	mg/kg										1.3		
	Aroclor 1016	mg/kg										.32		
	Aroclor 1232	mg/kg										.32	R	
	Aroclor 1242	mg/kg										.32	R	
	Aroclor 1248	mg/kg										.32	R	
	Aroclor 1254	mg/kg										.32	R	
	Aroclor 1260	mg/kg										.79		
	Chlordane	mg/kg										.68		
	Dieldrin	mg/kg										.079		
	Endosulfan I	mg/kg										.4		

		Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
		Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
		Sample No:	FT1001			FT1002			FT1003			FR1001		
		Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group		*Sample Depth:*	0 - .5			0 - .25			0 - 0			0 - .5		
Lab Method	*Parameter*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
TCL_PEST														
LM25														
	Endosulfan II	mg/kg												
	Endosulfan sulfate	mg/kg												
	Endrin	mg/kg												
	Endrin aldehyde	mg/kg												
	Endrin ketone	mg/kg												
	Heptachlor	mg/kg												
	Heptachlor epoxide	mg/kg												
	Methoxychlor	mg/kg												
	PCB 1221	mg/kg												
	Toxaphene	mg/kg												
	alpha-BHC	mg/kg												
	beta-BHC	mg/kg												
	delta-BHC	mg/kg												
	gamma-BHC (Lindane)	mg/kg												
TCL_VOA														
LM23														
	1,1,1-Trichloroethane	mg/kg												
	1,1,2,2-Tetrachloroethane	mg/kg												
	1,1,2-Trichloroethane	mg/kg												
	1,1-Dichloroethane	mg/kg												
	1,1-Dichloroethene	mg/kg												
	1,2-Dichloroethane	mg/kg												
	1,2-Dichloroethene	mg/kg												
	1,2-Dichloropropane	mg/kg												
	2-Butanone	mg/kg												
	2-Chloroethyl Vinyl Ether	mg/kg												
	2-Hexanone	mg/kg												
	2-Propenenitrile	mg/kg												
	4-Methyl-2-pentanone	mg/kg												
	Acetone	mg/kg												

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

		Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02			
		Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187			
		Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170			
		Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94			
User Test Group	*Lab Method*	*Sample Depth:*	0 - .5			0 -			0 -			0 -			
	Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	
TCL_PEST															
	LM25														
	Endosulfan II	mg/kg										2.4			
	Endosulfan sulfate	mg/kg										1.2			
	Endrin	mg/kg										1.3			
	Endrin aldehyde	mg/kg										1.8			
	Endrin ketone	mg/kg										.28	R		
	Heptachlor	mg/kg										.24			
	Heptachlor epoxide	mg/kg										.48			
	Methoxychlor	mg/kg										.26			
	PCB 1221	mg/kg										.32	R		
	Toxaphene	mg/kg										12			
	alpha-BHC	mg/kg										1.3			
	beta-BHC	mg/kg										1.3			
	delta-BHC	mg/kg										.21			
	gamma-BHC (Lindane)	mg/kg										.1			
TCL_VOA															
	LM23														
	1,1,1-Trichloroethane	mg/kg										.2			
	1,1,2,2-Tetrachloroethane	mg/kg										.2			
	1,1,2-Trichloroethane	mg/kg										.33			
	1,1-Dichloroethane	mg/kg										.49			
	1,1-Dichloroethene	mg/kg										.27			
	1,2-Dichloroethane	mg/kg										.32			
	1,2-Dichloroethene	mg/kg										.32			
	1,2-Dichloropropane	mg/kg										.53			
	2-Butanone	mg/kg										4.3			
	2-Chloroethyl Vinyl Ether	mg/kg										.5			
	2-Hexanone	mg/kg										1	R		
	2-Propenenitrile	mg/kg										2			
	4-Methyl-2-pentanone	mg/kg										.63			
	Acetone	mg/kg										3.3			

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
TCL_VOA													
LM23													
Benzene	mg/kg												
Bromodichloromethane	mg/kg												
Bromoform	mg/kg												
Bromomethane	mg/kg												
Carbon disulfide	mg/kg												
Carbon tetrachloride	mg/kg												
Chlorobenzene	mg/kg												
Chloroethane	mg/kg												
Chloroform	mg/kg												
Chloromethane	mg/kg												
Dibromochloromethane	mg/kg												
Ethylbenzene	mg/kg												
Methylene chloride	mg/kg												
Styrene	mg/kg												
Tetrachloroethene	mg/kg												
Toluene	mg/kg												
Trichloroethene	mg/kg												
Vinyl chloride	mg/kg												
cis-1,3-Dichloropropene	mg/kg												
trans-1,3-Dichloropropene	mg/kg												
TOC													
SW9060_S													
Total Organic Carbon	mg/kg	5130			29600			24200			83700		
VOLATILES													
SW8260_S													
1,1,1,2-Tetrachloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,1,1-Trichloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,1,2,2-Tetrachloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,1,2-Trichloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,1-Dichloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
TCL_VOA													
LM23													
Benzene	mg/kg										.1		
Bromodichloromethane	mg/kg										.2		
Bromoform	mg/kg										.2		
Bromomethane	mg/kg										.26		
Carbon disulfide	mg/kg										.6	R	
Carbon tetrachloride	mg/kg										.31		
Chlorobenzene	mg/kg										.1		
Chloroethane	mg/kg										.64		
Chloroform	mg/kg										.24		
Chloromethane	mg/kg										.96		
Dibromochloromethane	mg/kg										.25		
Ethylbenzene	mg/kg										.19		
Methylene chloride	mg/kg										4.4		
Styrene	mg/kg										.6	R	
Tetrachloroethene	mg/kg										.16		
Toluene	mg/kg										.1		
Trichloroethene	mg/kg										.23		
Vinyl chloride	mg/kg										1.8		
cis-1,3-Dichloropropene	mg/kg										.6	R	
trans-1,3-Dichloropropene	mg/kg										.6	R	
TOC													
SW9060_S													
Total Organic Carbon	mg/kg	6440											
VOLATILES													
SW8260_S													
1,1,1,2-Tetrachloroethane	mg/kg	.0061	U	U									
1,1,1-Trichloroethane	mg/kg	.0061	U	U									
1,1,2,2-Tetrachloroethane	mg/kg	.0061	U	U									
1,1,2-Trichloroethane	mg/kg	.0061	U	U									
1,1-Dichloroethane	mg/kg	.0061	U	U									

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
VOLATILES													
SW8260_S													
1,1-Dichloroethene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,1-Dichloropropene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,2,3-Trichlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,2,3-Trichloropropane	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,2,4-Trichlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,2,4-Trimethylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,2-Dibromo-3-Chloropropane	mg/kg	.013	U	U	.014	U	U	.02	U	UJ	.083	U	U
1,2-Dibromoethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,2-Dichlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,2-Dichloroethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,2-Dichloropropane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,2-Dimethylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,3,5-Trimethylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,3-Dichlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
1,3-Dichloropropane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
1,4-Dichlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
2-Butanone	mg/kg	.026	U	U	.028	U	U	.04	U	U	.032	J	J
2-Hexanone	mg/kg	.026	U	U	.028	U	U	.04	U	U	.17	U	U
4-Methyl-2-pentanone	mg/kg	.026	U	U	.028	U	U	.04	U	U	.17	U	U
Acetone	mg/kg	.037		J	.017	J	B	.064		J	.18		J
Benzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Bromobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
Bromochloromethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Bromodichloromethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Bromoform	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Bromomethane	mg/kg	.013	U	R	.014	U	R	.02	U	R	.083	U	R
Carbon disulfide	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Carbon tetrachloride	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Chlorobenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Chloroethane	mg/kg	.013	U	U	.014	U	U	.02	U	U	.083	U	U
Chloroform	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
VOLATILES													
SW8260_S													
1,1-Dichloroethene	mg/kg	.0061	U	U									
1,1-Dichloropropene	mg/kg	.0061	U	U									
1,2,3-Trichlorobenzene	mg/kg	.0061	U	U									
1,2,3-Trichloropropane	mg/kg	.0061	U	U									
1,2,4-Trichlorobenzene	mg/kg	.0061	U	U									
1,2,4-Trimethylbenzene	mg/kg	.0061	U	U									
1,2-Dibromo-3-Chloropropane	mg/kg	.012	U	U									
1,2-Dibromoethane	mg/kg	.0061	U	U									
1,2-Dichlorobenzene	mg/kg	.0061	U	U									
1,2-Dichloroethane	mg/kg	.0061	U	U									
1,2-Dichloropropane	mg/kg	.0061	U	U									
1,2-Dimethylbenzene	mg/kg	.0061	U	U									
1,3,5-Trimethylbenzene	mg/kg	.0061	U	U									
1,3-Dichlorobenzene	mg/kg	.0061	U	U									
1,3-Dichloropropane	mg/kg	.0061	U	U									
1,4-Dichlorobenzene	mg/kg	.0061	U	U									
2-Butanone	mg/kg	.024	U	U									
2-Hexanone	mg/kg	.024	U	U									
4-Methyl-2-pentanone	mg/kg	.024	U	U									
Acetone	mg/kg	.024	U	R									
Benzene	mg/kg	.0061	U	U									
Bromobenzene	mg/kg	.0061	U	U									
Bromochloromethane	mg/kg	.0061	U	U									
Bromodichloromethane	mg/kg	.0061	U	U									
Bromoform	mg/kg	.0061	U	U									
Bromomethane	mg/kg	.012	U	R									
Carbon disulfide	mg/kg	.0061	U	U									
Carbon tetrachloride	mg/kg	.0061	U	U									
Chlorobenzene	mg/kg	.0061	U	U									
Chloroethane	mg/kg	.012	U	U									
Chloroform	mg/kg	.0061	U	U									

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-108-SW/SD01			FTA-108-SW/SD02			FTA-108-SW/SD03			FTA-88-SW/SD01		
	Associated Site:	FTA-108			FTA-108			FTA-108			FTA-88		
	Sample No:	FT1001			FT1002			FT1003			FR1001		
	Sample Date:	29-SEP-99			01-OCT-99			30-SEP-99			29-SEP-99		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 - .25			0 - 0			0 - .5		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
VOLATILES													
SW8260_S													
Chloromethane	mg/kg	.013	U	U	.014	U	U	.02	U	U	.083	U	U
Cumene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Dibromochloromethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Dibromomethane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Dichlorodifluoromethane	mg/kg	.013	U	UJ	.014	U	UJ	.02	U	UJ	.083	U	UJ
Ethylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Hexachlorobutadiene	mg/kg	.0065	U	UJ	.0071	U	UJ	.01	U	UJ	.041	U	UJ
Methylene chloride	mg/kg	.029	B	B	.0059	J B	B	.0071	J B	B	.23	B	J
Naphthalene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
Styrene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Tetrachloroethene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Toluene	mg/kg	.0011	J	J	.0041	J	J	.01	U	U	.041	U	U
Trichloroethene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
Trichlorofluoromethane	mg/kg	.013	U	U	.014	U	U	.02	U	U	.083	U	U
Vinyl chloride	mg/kg	.013	U	U	.014	U	U	.02	U	U	.083	U	U
cis-1,2-Dichloroethene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
cis-1,3-Dichloropropene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
m,p-Xylenes	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
n-Butylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
n-Propylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
o-Chlorotoluene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
p-Chlorotoluene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
p-Cymene	mg/kg	.013			.024			.01	U	UJ	.041	U	U
sec-Butylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
sec-Dichloropropane	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
tert-Butylbenzene	mg/kg	.0065	U	U	.0071	U	U	.01	U	UJ	.041	U	U
trans-1,2-Dichloroethene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U
trans-1,3-Dichloropropene	mg/kg	.0065	U	U	.0071	U	U	.01	U	U	.041	U	U

Summary of Validated Sediment Data
Range 24A, Multi-purpose Range (Parcel 108), Fog Oil Drum Storage (Parcel 88)
Fort McClellan, Alabama

Report Date: 05/09/00

	Location Code:	FTA-88-SW/SD02			T24A-D01			T24A-D02			T24A-D02		
	Associated Site:	FTA-88			FTA-187			FTA-187			FTA-187		
	Sample No:	FR1002			MCSAS*44			MCBS*17			UB04170		
	Sample Date:	29-SEP-99			24-APR-92			19-JUN-94			19-JUN-94		
User Test Group / Lab Method	Sample Depth:	0 - .5			0 -			0 -			0 -		
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
VOLATILES													
SW8260_S													
Chloromethane	mg/kg	.012	U	U									
Cumene	mg/kg	.0061	U	U									
Dibromochloromethane	mg/kg	.0061	U	U									
Dibromomethane	mg/kg	.0061	U	U									
Dichlorodifluoromethane	mg/kg	.012	U	UJ									
Ethylbenzene	mg/kg	.0061	U	U									
Hexachlorobutadiene	mg/kg	.0061	U	UJ									
Methylene chloride	mg/kg	.025	B	B									
Naphthalene	mg/kg	.0061	U	U									
Styrene	mg/kg	.0061	U	U									
Tetrachloroethene	mg/kg	.0061	U	U									
Toluene	mg/kg	.0061	U	U									
Trichloroethene	mg/kg	.0061	U	U									
Trichlorofluoromethane	mg/kg	.012	U	U									
Vinyl chloride	mg/kg	.012	U	U									
cis-1,2-Dichloroethene	mg/kg	.0061	U	U									
cis-1,3-Dichloropropene	mg/kg	.0061	U	U									
m,p-Xylenes	mg/kg	.0061	U	U									
n-Butylbenzene	mg/kg	.0061	U	U									
n-Propylbenzene	mg/kg	.0061	U	U									
o-Chlorotoluene	mg/kg	.0061	U	U									
p-Chlorotoluene	mg/kg	.0061	U	U									
p-Cymene	mg/kg	.0061	U	U									
sec-Butylbenzene	mg/kg	.0061	U	U									
sec-Dichloropropane	mg/kg	.0061	U	U									
tert-Butylbenzene	mg/kg	.0061	U	U									
trans-1,2-Dichloroethene	mg/kg	.0061	U	U									
trans-1,3-Dichloropropene	mg/kg	.0061	U	U									