Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:	Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																	
KJ3006	SW8151	METHOD N 0 1	2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR67HW	04:09
			2,4-D	.004	mg/L	U	N	Y	U	U						CR67HW	04:09
			2,4-DB	.004	mg/L	U	N	Y	U	U						CR67HW	04:09
			DALAPON	.002	mg/L	U	N	Y	U	U						CR67HW	04:09
			DICAMBA	.002	mg/L	U	N	Y	U	U						CR67HW	04:09
			DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR67HW	04:09
			DINOSEB	.0006	mg/L	U	N	Y	U	U						CR67HW	04:09
			MCPA	.4	mg/L	U	N	Y	U	UJ		04B				CR67HW	04:09
			MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR67HW	04:09
KJ3007	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR8M7W	18:50
			2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR8M7W	18:50
			2,4-D	.004	mg/L	U	N	Y	U	U						CR8M7W	18:50
			2,4-DB	.004	mg/L	U	N	Y	U	U						CR8M7W	18:50
			DALAPON	.002	mg/L	U	N	Y	U	U						CR8M7W	18:50
			DICAMBA	.002	mg/L	U	N	Y	U	U						CR8M7W	18:50
			DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR8M7W	18:50
			DINOSEB	.0006	mg/L	U	N	Y	U	U						CR8M7W	18:50
			MCPA	.4	mg/L	U	N	Y	U	U						CR8M7W	18:50
			MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR8M7W	18:50
KJ3008	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N	Y		U						CR8M9W	19:18
			2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y		U						CR8M9W	19:18
			2,4-D	.004	mg/L	U	N	Y		U						CR8M9W	19:18
			2,4-DB	.004	mg/L	U	N	Y		U						CR8M9W	19:18
			DALAPON	.002	mg/L	U	N	Y		U						CR8M9W	19:18
			DICAMBA	.002	mg/L	U	N	Y		U						CR8M9W	19:18
			DICHLORPROP	.004	mg/L	U	N	Y		U						CR8M9W	19:18
			DINOSEB	.0006	mg/L	U	N	Y		U						CR8M9W	19:18
			MCPA	.4	mg/L	U	N	Y		U						CR8M9W	19:18
			MCPP	.4	mg/L	U	N	Y		UJ		04B				CR8M9W	19:18
KJ3010	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR67LW	04:37
			2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR67LW	04:37
			2,4-D	.004	mg/L	U	N	Y	U	U						CR67LW	04:37
			2,4-DB	.004	mg/L	U	N	Y	U	U						CR67LW	04:37
			DALAPON	.0025	mg/L		Y	Y	P							CR67LW	04:37
			DICAMBA	.002	mg/L	U	N	Y	U	U						CR67LW	04:37
			DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR67LW	04:37
			DINOSEB	.0006	mg/L	U	N	Y	U	U						CR67LW	04:37
			MCPA	.4	mg/L	U	N	Y	U	UJ		04B				CR67LW	04:37
			MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR67LW	04:37
KJ3011	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR6RVW	06:00

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW8151	METHOD	N 0 1	2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR6RVW	06:00
				2,4-D	.004	mg/L	U	N	Y	U	U						CR6RVW	06:00
				2,4-DB	.004	mg/L	U	N	Y	U	U						CR6RVW	06:00
				DALAPON	.002	mg/L	U	N	Y	U	U						CR6RVW	06:00
				DICAMBA	.002	mg/L	U	N	Y	U	U						CR6RVW	06:00
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR6RVW	06:00
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CR6RVW	06:00
				MCPA	.4	mg/L	U	N	Y	U	UJ		04B				CR6RVW	06:00
				MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR6RVW	06:00
KJ3012	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR6RWW	06:28
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR6RWW	06:28
				2,4-D	.004	mg/L	U	N	Y	U	U						CR6RWW	06:28
				2,4-DB	.004	mg/L	U	N	Y	U	U						CR6RWW	06:28
				DALAPON	.002	mg/L	U	N	Y	U	U						CR6RWW	06:28
				DICAMBA	.002	mg/L	U	N	Y	U	U						CR6RWW	06:28
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR6RWW	06:28
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CR6RWW	06:28
				MCPA	.4	mg/L	U	N	Y	U	UJ		04B				CR6RWW	06:28
				MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR6RWW	06:28
KJ3013	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR8MAW	19:45
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR8MAW	19:45
				2,4-D	.004	mg/L	U	N	Y	U	U						CR8MAW	19:45
				2,4-DB	.004	mg/L	U	N	Y	U	U						CR8MAW	19:45
				DALAPON	.002	mg/L	U	N	Y	U	U						CR8MAW	19:45
				DICAMBA	.002	mg/L	U	N	Y	U	U						CR8MAW	19:45
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR8MAW	19:45
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CR8MAW	19:45
				MCPA	.4	mg/L	U	N	Y	U	U						CR8MAW	19:45
				MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR8MAW	19:45
KJ3014	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR8MDW	20:13
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR8MDW	20:13
				2,4-D	.004	mg/L	U	N	Y	U	U						CR8MDW	20:13
				2,4-DB	.004	mg/L	U	N	Y	U	U						CR8MDW	20:13
				DALAPON	.002	mg/L	U	N	Y	U	U						CR8MDW	20:13
				DICAMBA	.002	mg/L	U	N	Y	U	U						CR8MDW	20:13
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR8MDW	20:13
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CR8MDW	20:13
				MCPA	.4	mg/L	U	N	Y	U	U						CR8MDW	20:13
				MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR8MDW	20:13
KJ3015	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR8MEW	20:41

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																				
KJ3015	SW8151	METHOD	N	0	1	2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR8MEW	20:41
						2,4-D	.004	mg/L	U	N	Y	U	U						CR8MEW	20:41
						2,4-DB	.004	mg/L	U	N	Y	U	U						CR8MEW	20:41
						DALAPON	.002	mg/L	U	N	Y	U	U						CR8MEW	20:41
						DICAMBA	.002	mg/L	U	N	Y	U	U						CR8MEW	20:41
						DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR8MEW	20:41
						DINOSEB	.0006	mg/L	U	N	Y	U	U						CR8MEW	20:41
						MCPA	.4	mg/L	U	N	Y	U	U						CR8MEW	20:41
						MCPP	.4	mg/L	U	N	Y	U	UJ		04B				CR8MEW	20:41
KJ3001	SW8081	SW3520	N	0	1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ALDRIN	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDRIN	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR4WXW	16:37
						METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR4WXW	16:37
						TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR4WXW	16:37
KJ3002	SW8081	SW3520	N	0	1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						ALDRIN	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
						ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR4X2W	17:00
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR4X2W	17:00
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR4X2W	17:00
KJ3003	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR4X4W	17:22
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR4X4W	17:22
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR4X4W	17:22
KJ3004	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR676W	14:35
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR676W	14:35

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR676W	14:35
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR676W	14:35
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR676W	14:35
KJ3005	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR67FW	13:26
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR67FW	13:26
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR67FW	13:26
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR67FW	13:26
KJ3006	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR67HW	13:49
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3006	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR67HW	13:49
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR67HW	13:49
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR67HW	13:49
KJ3007	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR8M7W	19:26
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR8M7W	19:26
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR8M7W	19:26
KJ3008	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				4,4'-DDE	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				4,4'-DDT	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ALDRIN	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ALPHA-BHC	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				BETA-BHC	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y		U						CR8M9W	19:49
				DELTA-BHC	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				DIELDRIN	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ENDOSULFAN I	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ENDOSULFAN II	.00005	mg/L	U	N	Y		U						CR8M9W	19:49

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3008	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ENDRIN	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				ENDRIN KETONE	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				HEPTACHLOR	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y		U						CR8M9W	19:49
				METHOXYCHLOR	.0001	mg/L	U	N	Y		U						CR8M9W	19:49
				TOXAPHENE	.002	mg/L	U	N	Y		U						CR8M9W	19:49
KJ3010	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR67LW	14:12
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR67LW	14:12
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR67LW	14:12
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR67LW	14:12
KJ3011	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR6RVW	12:40
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR6RVW	12:40
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR6RVW	12:40
KJ3012	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR6RWW	13:03
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR6RWW	13:03
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR6RWW	13:03
KJ3013	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR8MAW	18:17
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR8MAW	18:17
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR8MAW	18:17
KJ3014	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR8MDW	18:40
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR8MDW	18:40
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR8MDW	18:40
KJ3015	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW8081	SW3520	N 0 1	ENDOSULFAN SULFATE	.000022	mg/L	J	Y	Y	P	J		15				CR8MEW	19:03
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR8MEW	19:03
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR8MEW	19:03
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR8MEW	19:03
KJ3001	SW6010	SW3005	N 0 1	ALUMINUM	.102	mg/L	B	Y	Y	P	J		15				CR4WXW	17:03
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR4WXW	17:03
				BARIUM	.0802	mg/L	B	Y	Y	P	J		15				CR4WXW	17:03
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR4WXW	17:03
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR4WXW	17:03
				CALCIUM	121	mg/L		Y	Y	P							CR4WXW	17:03
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR4WXW	17:03
				COBALT	.05	mg/L	U	N	Y	U	U						CR4WXW	17:03
				COPPER	.025	mg/L	U	N	Y	U	U						CR4WXW	17:03
				IRON	1.22	mg/L		Y	Y	P							CR4WXW	17:03
				MAGNESIUM	68.1	mg/L		Y	Y	P							CR4WXW	17:03
				MANGANESE	1.15	mg/L		Y	Y	P							CR4WXW	17:03
				NICKEL	.04	mg/L	U	N	Y	U	U						CR4WXW	17:03
				POTASSIUM	3.81	mg/L	B	Y	Y	P	J		15				CR4WXW	17:03
				SILVER	.01	mg/L	U	N	Y	U	U						CR4WXW	17:03
				SODIUM	109	mg/L		Y	Y	P							CR4WXW	17:03
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR4WXW	17:03
				ZINC	.02	mg/L	U	N	Y	U	U						CR4WXW	17:03
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR4WXW	17:03
				LEAD	.003	mg/L	U	N	Y	U	U						CR4WXW	17:03
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR4WXW	17:03
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR4WXW	17:03
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR4WXW	18:57
KJ3002	SW6010	SW3005	N 0 1	ALUMINUM	.0757	mg/L	B	Y	Y	P	J		15				CR4X2W	17:08
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR4X2W	17:08
				BARIUM	.021	mg/L	B	Y	Y	P	J		15				CR4X2W	17:08
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR4X2W	17:08
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR4X2W	17:08
				CALCIUM	32.4	mg/L		Y	Y	P							CR4X2W	17:08
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR4X2W	17:08
				COBALT	.05	mg/L	U	N	Y	U	U						CR4X2W	17:08

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW6010	SW3005	N 0 1	COPPER	.025	mg/L	U	N	Y	U	U						CR4X2W	17:08
				IRON	.1	mg/L	U	N	Y	U	U						CR4X2W	17:08
				MAGNESIUM	21.9	mg/L		Y	Y	P							CR4X2W	17:08
				MANGANESE	.0546	mg/L		Y	Y	P							CR4X2W	17:08
				NICKEL	.04	mg/L	U	N	Y	U	U						CR4X2W	17:08
				POTASSIUM	2.42	mg/L	B	Y	Y	P	J		15				CR4X2W	17:08
				SILVER	.01	mg/L	U	N	Y	U	U						CR4X2W	17:08
				SODIUM	26.5	mg/L		Y	Y	P							CR4X2W	17:08
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR4X2W	17:08
				ZINC	.02	mg/L	U	N	Y	U	U						CR4X2W	17:08
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR4X2W	17:08
				LEAD	.003	mg/L	U	N	Y	U	U						CR4X2W	17:08
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR4X2W	17:08
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR4X2W	17:08
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR4X2W	18:59
KJ3003	SW6010	SW3005	N 0 1	ALUMINUM	1.39	mg/L		Y	Y	P							CR4X4W	17:12
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR4X4W	17:12
				BARIUM	.0315	mg/L	B	Y	Y	P	J		15				CR4X4W	17:12
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR4X4W	17:12
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR4X4W	17:12
				CALCIUM	271	mg/L		Y	Y	P							CR4X4W	17:12
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR4X4W	17:12
				COBALT	.05	mg/L	U	N	Y	U	U						CR4X4W	17:12
				COPPER	.025	mg/L	U	N	Y	U	U						CR4X4W	17:12
				IRON	1.83	mg/L		Y	Y	P							CR4X4W	17:12
				MAGNESIUM	154	mg/L		Y	Y	P							CR4X4W	17:12
				MANGANESE	.395	mg/L		Y	Y	P							CR4X4W	17:12
				NICKEL	.0125	mg/L	B	Y	Y	P	J		15				CR4X4W	17:12
				POTASSIUM	12.3	mg/L		Y	Y	P							CR4X4W	17:12
				SILVER	.01	mg/L	U	N	Y	U	U						CR4X4W	17:12
				SODIUM	167	mg/L		Y	Y	P							CR4X4W	17:12
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR4X4W	17:12
				ZINC	.02	mg/L	U	N	Y	U	U						CR4X4W	17:12
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR4X4W	17:12
				LEAD	.003	mg/L	U	N	Y	U	U						CR4X4W	17:12
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR4X4W	17:12
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR4X4W	17:12
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR4X4W	19:01
KJ3004	SW6010	SW3005	N 0 1	ALUMINUM	.215	mg/L		Y	Y	P							CR676W	17:17

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW6010	SW3005	N 0 1	ANTIMONY	.06	mg/L	U	N	Y	U	U						CR676W	17:17
				BARIUM	.0365	mg/L	B	Y	Y	P	J		15				CR676W	17:17
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR676W	17:17
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR676W	17:17
				CALCIUM	240	mg/L		Y	Y	P							CR676W	17:17
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR676W	17:17
				COBALT	.0064	mg/L	B	Y	Y	P	J		15				CR676W	17:17
				COPPER	.025	mg/L	U	N	Y	U	U						CR676W	17:17
				IRON	.207	mg/L		Y	Y	P							CR676W	17:17
				MAGNESIUM	156	mg/L		Y	Y	P							CR676W	17:17
				MANGANESE	1.16	mg/L		Y	Y	P							CR676W	17:17
				NICKEL	.04	mg/L	U	N	Y	U	U						CR676W	17:17
				POTASSIUM	2.74	mg/L	B	Y	Y	P	J		15				CR676W	17:17
				SILVER	.01	mg/L	U	N	Y	U	U						CR676W	17:17
				SODIUM	189	mg/L		Y	Y	P							CR676W	17:17
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR676W	17:17
				ZINC	.02	mg/L	U	N	Y	U	U						CR676W	17:17
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR676W	17:17
				LEAD	.003	mg/L	U	N	Y	U	U						CR676W	17:17
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR676W	17:17
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR676W	17:17
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR676W	17:21
KJ3005	SW6010	SW3005	N 0 1	ALUMINUM	18.1	mg/L		Y	Y	P							CR67FW	17:21
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR67FW	17:21
				BARIUM	.176	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				BERYLLIUM	.0011	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR67FW	17:21
				CALCIUM	107	mg/L		Y	Y	P							CR67FW	17:21
				CHROMIUM	.0273	mg/L		Y	Y	P							CR67FW	17:21
				COBALT	.0113	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				COPPER	.0191	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				IRON	26.3	mg/L		Y	Y	P							CR67FW	17:21
				MAGNESIUM	57.8	mg/L		Y	Y	P							CR67FW	17:21
				MANGANESE	.391	mg/L		Y	Y	P							CR67FW	17:21
				NICKEL	.035	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				POTASSIUM	9.81	mg/L		Y	Y	P							CR67FW	17:21
				SILVER	.01	mg/L	U	N	Y	U	U						CR67FW	17:21
				SODIUM	29.5	mg/L		Y	Y	P							CR67FW	17:21
				VANADIUM	.0278	mg/L	B	Y	Y	P	J		15				CR67FW	17:21
				ZINC	.0489	mg/L		Y	Y	P							CR67FW	17:21

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3005	SW6010	TOTREC	N 0 1	ARSENIC	.0043	mg/L	B	Y	Y	F	B		06B	15			CR67FW	17:21
				LEAD	.0128	mg/L		Y	Y	P							CR67FW	17:21
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR67FW	17:21
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR67FW	17:21
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR67FW	17:23
KJ3006	SW6010	SW3005	N 0 1	ALUMINUM	.231	mg/L		Y	Y	P							CR67HW	17:25
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR67HW	17:25
				BARIUM	.0166	mg/L	B	Y	Y	P	J		15				CR67HW	17:25
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR67HW	17:25
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR67HW	17:25
				CALCIUM	305	mg/L		Y	Y	P							CR67HW	17:25
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR67HW	17:25
				COBALT	.05	mg/L	U	N	Y	U	U						CR67HW	17:25
				COPPER	.025	mg/L	U	N	Y	U	U						CR67HW	17:25
				IRON	.226	mg/L		Y	Y	P							CR67HW	17:25
				MAGNESIUM	197	mg/L		Y	Y	P							CR67HW	17:25
				MANGANESE	1.01	mg/L		Y	Y	P							CR67HW	17:25
				NICKEL	.04	mg/L	U	N	Y	U	U						CR67HW	17:25
				POTASSIUM	3.03	mg/L	B	Y	Y	P	J		15				CR67HW	17:25
				SILVER	.01	mg/L	U	N	Y	U	U						CR67HW	17:25
				SODIUM	181	mg/L		Y	Y	P							CR67HW	17:25
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR67HW	17:25
				ZINC	.02	mg/L	U	N	Y	U	U						CR67HW	17:25
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR67HW	17:25
				LEAD	.003	mg/L	U	N	Y	U	U						CR67HW	17:25
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR67HW	17:25
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR67HW	17:25
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR67HW	17:31
KJ3007	SW6010	SW3005	N 0 1	ALUMINUM	.076	mg/L	B	Y	Y	F	B		15	06C			CR8M7W	18:01
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR8M7W	18:01
				BARIUM	.0236	mg/L	B	Y	Y	P	J		15				CR8M7W	18:01
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR8M7W	18:01
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR8M7W	18:01
				CALCIUM	26.9	mg/L		Y	Y	P							CR8M7W	18:01
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR8M7W	18:01
				COBALT	.05	mg/L	U	N	Y	U	U						CR8M7W	18:01
				COPPER	.025	mg/L	U	N	Y	U	U						CR8M7W	18:01
				IRON	.1	mg/L	U	N	Y	U	U						CR8M7W	18:01
				MAGNESIUM	21.2	mg/L		Y	Y	P							CR8M7W	18:01
				MANGANESE	.366	mg/L		Y	Y	P							CR8M7W	18:01

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3007	SW6010	SW3005	N 0 1	NICKEL	.04	mg/L	U	N	Y	U	U						CR8M7W	18:01
				POTASSIUM	5	mg/L	U	N	Y	U	U						CR8M7W	18:01
				SILVER	.01	mg/L	U	N	Y	U	U						CR8M7W	18:01
				SODIUM	4.13	mg/L	B	Y	Y	F	B		15	06C			CR8M7W	18:01
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR8M7W	18:01
				ZINC	.02	mg/L	U	N	Y	U	U						CR8M7W	18:01
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR8M7W	18:01
				LEAD	.003	mg/L	U	N	Y	U	U						CR8M7W	18:01
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR8M7W	18:01
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR8M7W	18:01
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR8M7W	17:50
KJ3008	SW6010	SW3005	N 0 1	ALUMINUM	.0808	mg/L	B	Y	Y		J		15				CR8M9W	18:05
				ANTIMONY	.06	mg/L	U	N	Y		U						CR8M9W	18:05
				BARIUM	.0245	mg/L	B	Y	Y		J		15				CR8M9W	18:05
				BERYLLIUM	.005	mg/L	U	N	Y		U						CR8M9W	18:05
				CADMIUM	.005	mg/L	U	N	Y		U						CR8M9W	18:05
				CALCIUM	27.8	mg/L		Y	Y								CR8M9W	18:05
				CHROMIUM	.01	mg/L	U	N	Y		U						CR8M9W	18:05
				COBALT	.05	mg/L	U	N	Y		U						CR8M9W	18:05
				COPPER	.025	mg/L	U	N	Y		U						CR8M9W	18:05
				IRON	.1	mg/L	U	N	Y		U						CR8M9W	18:05
				MAGNESIUM	21.8	mg/L		Y	Y								CR8M9W	18:05
				MANGANESE	.379	mg/L		Y	Y								CR8M9W	18:05
				NICKEL	.04	mg/L	U	N	Y		U						CR8M9W	18:05
				POTASSIUM	5	mg/L	U	N	Y		U						CR8M9W	18:05
				SILVER	.01	mg/L	U	N	Y		U						CR8M9W	18:05
				SODIUM	4.27	mg/L	B	Y	Y		J		15				CR8M9W	18:05
				VANADIUM	.05	mg/L	U	N	Y		U						CR8M9W	18:05
				ZINC	.02	mg/L	U	N	Y		U						CR8M9W	18:05
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y		U						CR8M9W	18:05
				LEAD	.003	mg/L	U	N	Y		U						CR8M9W	18:05
				SELENIUM	.005	mg/L	U	N	Y		U						CR8M9W	18:05
				THALLIUM	.01	mg/L	U	N	Y		U						CR8M9W	18:05
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y		U						CR8M9W	17:53
KJ3010	SW6010	SW3005	N 0 1	ALUMINUM	2.97	mg/L		Y	Y	P							CR67LW	17:30
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR67LW	17:30
				BARIUM	.0388	mg/L	B	Y	Y	P	J		15				CR67LW	17:30
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR67LW	17:30
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR67LW	17:30

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW6010	SW3005	N 0 1	CALCIUM	453	mg/L		Y	Y	P							CR67LW	17:30
				CHROMIUM	.0065	mg/L	B	Y	Y	P	J		15				CR67LW	17:30
				COBALT	.05	mg/L	U	N	Y	U	U						CR67LW	17:30
				COPPER	.005	mg/L	B	Y	Y	F	B		06B	15			CR67LW	17:30
				IRON	9.16	mg/L		Y	Y	P							CR67LW	17:30
				MAGNESIUM	424	mg/L		Y	Y	P							CR67LW	17:30
				MANGANESE	2.74	mg/L		Y	Y	P							CR67LW	17:30
				NICKEL	.04	mg/L	U	N	Y	U	U						CR67LW	17:30
				POTASSIUM	10	mg/L		Y	Y	P							CR67LW	17:30
				SILVER	.01	mg/L	U	N	Y	U	U						CR67LW	17:30
				SODIUM	380	mg/L		Y	Y	P							CR67LW	17:30
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR67LW	17:30
				ZINC	.0129	mg/L	B	Y	Y	P	J		15				CR67LW	17:30
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR67LW	17:30
				LEAD	.0019	mg/L	B	Y	Y	P	J		15				CR67LW	17:30
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR67LW	17:30
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR67LW	17:30
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR67LW	17:33
KJ3011	SW6010	SW3005	N 0 1	ALUMINUM	.108	mg/L	B	Y	Y	P	J		15				CR6RVW	17:52
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR6RVW	17:52
				BARIUM	.0524	mg/L	B	Y	Y	P	J		15				CR6RVW	17:52
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR6RVW	17:52
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR6RVW	17:52
				CALCIUM	116	mg/L		Y	Y	P							CR6RVW	17:52
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR6RVW	17:52
				COBALT	.05	mg/L	U	N	Y	U	U						CR6RVW	17:52
				COPPER	.025	mg/L	U	N	Y	U	U						CR6RVW	17:52
				IRON	.102	mg/L		Y	Y	P							CR6RVW	17:52
				MAGNESIUM	81.7	mg/L		Y	Y	P							CR6RVW	17:52
				MANGANESE	.358	mg/L		Y	Y	P							CR6RVW	17:52
				NICKEL	.04	mg/L	U	N	Y	U	U						CR6RVW	17:52
				POTASSIUM	3.87	mg/L	B	Y	Y	P	J		15				CR6RVW	17:52
				SILVER	.01	mg/L	U	N	Y	U	U						CR6RVW	17:52
				SODIUM	126	mg/L		Y	Y	P							CR6RVW	17:52
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR6RVW	17:52
				ZINC	.0127	mg/L	B	Y	Y	P	J		15				CR6RVW	17:52
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR6RVW	17:52
				LEAD	.003	mg/L	U	N	Y	U	U						CR6RVW	17:52
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR6RVW	17:52
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR6RVW	17:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR6RVW	17:45
KJ3012	SW6010	SW3005	N 0 1	ALUMINUM	1.05	mg/L		Y	Y	P							CR6RWW	17:56
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR6RWW	17:56
				BARIUM	.0306	mg/L	B	Y	Y	P	J		15				CR6RWW	17:56
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR6RWW	17:56
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR6RWW	17:56
				CALCIUM	262	mg/L		Y	Y	P							CR6RWW	17:56
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR6RWW	17:56
				COBALT	.05	mg/L	U	N	Y	U	U						CR6RWW	17:56
				COPPER	.025	mg/L	U	N	Y	U	U						CR6RWW	17:56
				IRON	1.53	mg/L		Y	Y	P							CR6RWW	17:56
				MAGNESIUM	146	mg/L		Y	Y	P							CR6RWW	17:56
				MANGANESE	.375	mg/L		Y	Y	P							CR6RWW	17:56
				NICKEL	.04	mg/L	U	N	Y	U	U						CR6RWW	17:56
				POTASSIUM	2.87	mg/L	B	Y	Y	P	J		15				CR6RWW	17:56
				SILVER	.01	mg/L	U	N	Y	U	U						CR6RWW	17:56
				SODIUM	117	mg/L		Y	Y	P							CR6RWW	17:56
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR6RWW	17:56
				ZINC	.02	mg/L	U	N	Y	U	U						CR6RWW	17:56
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR6RWW	17:56
				LEAD	.003	mg/L	U	N	Y	U	U						CR6RWW	17:56
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR6RWW	17:56
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR6RWW	17:56
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR6RWW	17:48
KJ3013	SW6010	SW3005	N 0 1	ALUMINUM	.198	mg/L	B	Y	Y	F	J		15				CR8MAW	18:09
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR8MAW	18:09
				BARIUM	.0266	mg/L	B	Y	Y	P	J		15				CR8MAW	18:09
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR8MAW	18:09
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR8MAW	18:09
				CALCIUM	334	mg/L		Y	Y	P							CR8MAW	18:09
				CHROMIUM	.0058	mg/L	B	Y	Y	P	J		15				CR8MAW	18:09
				COBALT	.0064	mg/L	B	Y	Y	P	J		15				CR8MAW	18:09
				COPPER	.025	mg/L	U	N	Y	U	U						CR8MAW	18:09
				IRON	.229	mg/L		Y	Y	P							CR8MAW	18:09
				MAGNESIUM	158	mg/L		Y	Y	P							CR8MAW	18:09
				MANGANESE	.897	mg/L		Y	Y	P							CR8MAW	18:09
				NICKEL	.0216	mg/L	B	Y	Y	P	J		15				CR8MAW	18:09
				POTASSIUM	6.19	mg/L		Y	Y	P							CR8MAW	18:09
				SILVER	.01	mg/L	U	N	Y	U	U						CR8MAW	18:09
				SODIUM	112	mg/L		Y	Y	P							CR8MAW	18:09

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																
KJ3013	SW6010	SW3005	N 0 1	VANADIUM	.05	mg/L	U	N Y U	U						CR8MAW	18:09
				ZINC	.0114	mg/L	B	Y Y P	J		15				CR8MAW	18:09
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N Y U	U						CR8MAW	18:09
				LEAD	.003	mg/L	U	N Y U	U						CR8MAW	18:09
				SELENIUM	.005	mg/L	U	N Y U	U						CR8MAW	18:09
				THALLIUM	.01	mg/L	U	N Y U	U						CR8MAW	18:09
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N Y U	U						CR8MAW	17:55
KJ3014	SW6010	SW3005	N 0 1	ALUMINUM	.888	mg/L		Y Y P							CR8MDW	18:14
				ANTIMONY	.06	mg/L	U	N Y U	U						CR8MDW	18:14
				BARIUM	.0215	mg/L	B	Y Y P	J		15				CR8MDW	18:14
				BERYLLIUM	.005	mg/L	U	N Y U	U						CR8MDW	18:14
				CADMIUM	.005	mg/L	U	N Y U	U						CR8MDW	18:14
				CALCIUM	328	mg/L		Y Y P							CR8MDW	18:14
				CHROMIUM	.01	mg/L	U	N Y U	U						CR8MDW	18:14
				COBALT	.05	mg/L	U	N Y U	U						CR8MDW	18:14
				COPPER	.025	mg/L	U	N Y U	U						CR8MDW	18:14
				IRON	1.1	mg/L		Y Y P							CR8MDW	18:14
				MAGNESIUM	252	mg/L		Y Y P							CR8MDW	18:14
				MANGANESE	.591	mg/L		Y Y P							CR8MDW	18:14
				NICKEL	.04	mg/L	U	N Y U	U						CR8MDW	18:14
				POTASSIUM	3	mg/L	B	Y Y P	J		15				CR8MDW	18:14
				SILVER	.01	mg/L	U	N Y U	U						CR8MDW	18:14
				SODIUM	212	mg/L		Y Y P							CR8MDW	18:14
				VANADIUM	.05	mg/L	U	N Y U	U						CR8MDW	18:14
				ZINC	.0138	mg/L	B	Y Y P	J		15				CR8MDW	18:14
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N Y U	U						CR8MDW	18:14
				LEAD	.003	mg/L	U	N Y U	U						CR8MDW	18:14
				SELENIUM	.005	mg/L	U	N Y U	U						CR8MDW	18:14
				THALLIUM	.01	mg/L	U	N Y U	U						CR8MDW	18:14
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N Y U	U						CR8MDW	17:57
KJ3015	SW6010	SW3005	N 0 1	ALUMINUM	.079	mg/L	B	Y Y F	B		15	06C			CR8MEW	18:18
				ANTIMONY	.06	mg/L	U	N Y U	U						CR8MEW	18:18
				BARIUM	.0148	mg/L	B	Y Y P	J		15				CR8MEW	18:18
				BERYLLIUM	.005	mg/L	U	N Y U	U						CR8MEW	18:18
				CADMIUM	.005	mg/L	U	N Y U	U						CR8MEW	18:18
				CALCIUM	148	mg/L		Y Y P							CR8MEW	18:18
				CHROMIUM	.01	mg/L	U	N Y U	U						CR8MEW	18:18
				COBALT	.05	mg/L	U	N Y U	U						CR8MEW	18:18
				COPPER	.025	mg/L	U	N Y U	U						CR8MEW	18:18

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW6010	SW3005	N 0 1	IRON	.101	mg/L		Y	Y	P							CR8MEW	18:18
				MAGNESIUM	89.8	mg/L		Y	Y	P							CR8MEW	18:18
				MANGANESE	.277	mg/L		Y	Y	P							CR8MEW	18:18
				NICKEL	.04	mg/L	U	N	Y	U	U						CR8MEW	18:18
				POTASSIUM	1.81	mg/L	B	Y	Y	P	J		15				CR8MEW	18:18
				SILVER	.01	mg/L	U	N	Y	U	U						CR8MEW	18:18
				SODIUM	107	mg/L		Y	Y	P							CR8MEW	18:18
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR8MEW	18:18
				ZINC	.02	mg/L	U	N	Y	U	U						CR8MEW	18:18
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR8MEW	18:18
				LEAD	.003	mg/L	U	N	Y	U	U						CR8MEW	18:18
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR8MEW	18:18
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR8MEW	18:18
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR8MEW	18:00
KJ3001	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				DIMETHOATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				DISULFOTON	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				FAMPHUR	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				FENTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				MALATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				MERPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				NALED	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				PARATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				PARATHION METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				PHORATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				RONNEL	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				SULFOTEPP	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				THIONAZIN	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4WXW	01:43

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				DIMETHOATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				DISULFOTON	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				FAMPHUR	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				FENTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				MALATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				MERPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				NALED	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				PARATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				PARATHION METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				PHORATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				RONNEL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				SULFOTEPP	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				THIONAZIN	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X2W	01:01
KJ3003	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				DIMETHOATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				DISULFOTON	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				FAMPHUR	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				FENTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				MALATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3003	SW8141	SW3520	N 0 1	MERPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				NALED	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				PARATHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				PARATHION METHYL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				PHORATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				RONNEL	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				SULFOTEPP	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				THIONAZIN	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		11B				CR4X4W	00:19
KJ3004	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				FENTHION	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				MALATHION	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				NALED	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				PARATHION	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				PHORATE	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				RONNEL	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR676W	17:38
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR676W	17:38
KJ3005	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR67FW	15:30

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3005	SW8141	SW3520	N 0 1	CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				FENTHION	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				MALATHION	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				NALED	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				PARATHION	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				PHORATE	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				RONNEL	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR67FW	15:30
KJ3006	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				FENTHION	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				MALATHION	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3006	SW8141	SW3520	N 0 1	NALED	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				PARATHION	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				PHORATE	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				RONNEL	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR67HW	16:13
KJ3007	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				FENTHION	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				MALATHION	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05				CR8M7W	02:54
				NALED	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				PARATHION	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				PHORATE	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				RONNEL	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR8M7W	02:54
KJ3008	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				BOLSTAR	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				CHLORPYRIFOS	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				COUMAPHOS	.001	mg/L	U	N	Y		U						CR8M9W	03:37

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3008	SW8141	SW3520	N 0 1	DEMETON (TOTAL)	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				DIAZINON	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				DICHLORVOS	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				DIMETHOATE	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				DISULFOTON	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				ETHOPROP	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				FAMPHUR	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				FENSULFOTHION	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				FENTHION	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				MALATHION	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				MERPHOS	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				MEVINPHOS	.001	mg/L	U	N	Y		UJ		05				CR8M9W	03:37
				NALED	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				PARATHION	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				PARATHION METHYL	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				PHORATE	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				RONNEL	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				STIROPHOS	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				SULFOTEPP	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				THIONAZIN	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				TOKUTHION	.001	mg/L	U	N	Y		U						CR8M9W	03:37
				TRICHLORONATE	.001	mg/L	U	N	Y		U						CR8M9W	03:37
KJ3010	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				FENTHION	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				MALATHION	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				NALED	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				PARATHION	.001	mg/L	U	N	Y	U	U						CR67LW	16:55

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW8141	SW3520	N 0 1	PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				PHORATE	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				RONNEL	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR67LW	16:55
KJ3011	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				FENTHION	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				MALATHION	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				NALED	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				PARATHION	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				PHORATE	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				RONNEL	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR6RVW	14:05
KJ3012	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3012	SW8141	SW3520	N 0 1	DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				FENTHION	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				MALATHION	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				NALED	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				PARATHION	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				PHORATE	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				RONNEL	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR6RWW	14:48
KJ3013	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				FENTHION	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				MALATHION	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				NALED	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				PARATHION	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				PHORATE	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8141	SW3520	N 0 1	RONNEL	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR8MAW	19:51
KJ3014	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				FENTHION	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				MALATHION	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				NALED	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				PARATHION	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				PHORATE	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				RONNEL	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR8MDW	20:33
KJ3015	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW8141	SW3520	N 0 1	DISULFOTON	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				FENTHION	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				MALATHION	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05				CR8MEW	02:12
				NALED	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				PARATHION	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				PHORATE	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				RONNEL	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR8MEW	02:12
KJ3001	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR4WXW	17:22
KJ3002	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR4X2W	17:37
KJ3003	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR4X4W	17:52
KJ3004	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR676W	20:51

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW8082	SW3520	N 0 1	AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR676W	20:51
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR676W	20:51
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR676W	20:51
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR676W	20:51
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR676W	20:51
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR676W	20:51
KJ3005	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR67FW	20:06
KJ3006	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR67HW	20:21
KJ3007	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR8M7W	13:32
KJ3008	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1221	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1232	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1242	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1248	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1254	.001	mg/L	U	N	Y		U						CR8M9W	13:47
				AROCLOR 1260	.001	mg/L	U	N	Y		U						CR8M9W	13:47
KJ3010	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR67LW	20:36

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW8082	SW3520	N 0 1	AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR67LW	20:36
KJ3011	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR6RVW	19:36
KJ3012	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR6RWW	19:51
KJ3013	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR8MAW	12:17
KJ3014	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR8MDW	12:32
KJ3015	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR8MEW	13:17
KJ3001	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3001	SW8270	SW3520	N 0 1	1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				3-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				CHRYSENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3001	SW8270	SW3520	N 0 1	DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A	04B	05B		CR4WXW	12:18
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				FLUORENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				ISOPHORONE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				NAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				NITROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				PHENANTHRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				PHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
				PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4WXW	12:18
KJ3002	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8270	SW3520	N 0 1	3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				3-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				CHRYSENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A	04B	05B		CR4X2W	12:50
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				FLUORENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				ISOPHORONE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8270	SW3520	N 0 1	NAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				NITROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				PHENANTHRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				PHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
				PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X2W	12:50
KJ3003	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				3-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3003	SW8270	SW3520	N 0 1	BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				CHRYSENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A	04B	05B		CR4X4W	13:23
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				FLUORANTHENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				FLUORENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				ISOPHORONE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				NAPHTHALENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				NITROBENZENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				PHENANTHRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				PHENOL	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
				PYRENE	.01	mg/L	U	N	Y	U	UJ		02A				CR4X4W	13:23
KJ3004	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR676W	10:38

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW8270	SW3520	N 0 1	2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW8270	SW3520	N 0 1	HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR676W	10:38
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				PHENOL	.01	mg/L	U	N	Y	U	U						CR676W	10:38
				PYRENE	.01	mg/L	U	N	Y	U	U						CR676W	10:38
KJ3005	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3005	SW8270	SW3520	N 0 1	4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR67FW	11:12
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				PHENOL	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
				PYRENE	.01	mg/L	U	N	Y	U	U						CR67FW	11:12
KJ3006	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3006	SW8270	SW3520	N 0 1	1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3006	SW8270	SW3520	N 0 1	DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR67HW	11:47
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				PHENOL	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
				PYRENE	.01	mg/L	U	N	Y	U	U						CR67HW	11:47
KJ3007	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3007	SW8270	SW3520	N 0 1	3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3007	SW8270	SW3520	N 0 1	NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR8M7W	09:14
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				PHENOL	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
				PYRENE	.01	mg/L	U	N	Y	U	U						CR8M7W	09:14
KJ3008	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2-CHLOROPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2-METHYLPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				2-NITROANILINE	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				2-NITROPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				3-NITROANILINE	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				4-CHLOROANILINE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				4-METHYLPHENOL	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				4-NITROANILINE	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				4-NITROPHENOL	.05	mg/L	U	N	Y		U						CR8M9W	09:49
				ACENAPHTHENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				ACENAPHTHYLENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				ANTHRACENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				BENZO(A)PYRENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y		U						CR8M9W	09:49

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																
KJ3008	SW8270	SW3520	N 0 1	BENZO(GHI)PERYLENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N Y	U						CR8M9W	09:49
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				CARBAZOLE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				CHRYSENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DIBENZOFURAN	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DIETHYL PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				DIMETHYL PHTHALATE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				FLUORANTHENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				FLUORENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				HEXACHLOROBENZENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				HEXACHLOROBUTADIENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N Y	U						CR8M9W	09:49
				HEXACHLOROETHANE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				ISOPHORONE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				NAPHTHALENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				NITROBENZENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				PENTACHLOROPHENOL	.05	mg/L	U	N Y	U						CR8M9W	09:49
				PHENANTHRENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
				PHENOL	.01	mg/L	U	N Y	U						CR8M9W	09:49
				PYRENE	.01	mg/L	U	N Y	U						CR8M9W	09:49
KJ3010	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N Y U	U						CR67LW	12:21
				1,2-DICHLOROBENZENE	.01	mg/L	U	N Y U	U						CR67LW	12:21
				1,3-DICHLOROBENZENE	.01	mg/L	U	N Y U	U						CR67LW	12:21
				1,4-DICHLOROBENZENE	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,4-DICHLOROPHENOL	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N Y U	U						CR67LW	12:21
				2,4-DINITROPHENOL	.05	mg/L	U	N Y U	U						CR67LW	12:21

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW8270	SW3520	N 0 1	2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW8270	SW3520	N 0 1	HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR67LW	12:21
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				PHENOL	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
				PYRENE	.01	mg/L	U	N	Y	U	U						CR67LW	12:21
KJ3011	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW8270	SW3520	N 0 1	4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RVW	13:37
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				PHENOL	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
				PYRENE	.01	mg/L	U	N	Y	U	U						CR6RVW	13:37
KJ3012	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3012	SW8270	SW3520	N 0 1	1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3012	SW8270	SW3520	N 0 1	DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR6RWW	14:11
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				PHENOL	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
				PYRENE	.01	mg/L	U	N	Y	U	U						CR6RWW	14:11
KJ3013	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8270	SW3520	N 0 1	3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8270	SW3520	N 0 1	NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MAW	10:25
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				PHENOL	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
				PYRENE	.01	mg/L	U	N	Y	U	U						CR8MAW	10:25
KJ3014	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3014	SW8270	SW3520	N 0 1	BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MDW	11:00
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				PHENOL	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
				PYRENE	.01	mg/L	U	N	Y	U	U						CR8MDW	11:00
KJ3015	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW8270	SW3520	N 0 1	2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW8270	SW3520	N 0 1	HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR8MEW	11:35
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				PHENOL	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
				PYRENE	.01	mg/L	U	N	Y	U	U						CR8MEW	11:35
KJ3001	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,1,1-TRICHLOROETHANE	.0005	mg/L	J	Y	Y	P	J		15				CR4WXW	21:42
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,1-DICHLOROETHANE	.0069	mg/L		Y	Y	P							CR4WXW	21:42
				1,1-DICHLOROETHENE	.0018	mg/L		Y	Y	P							CR4WXW	21:42
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR4WXW	21:42
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR4WXW	21:42
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR4WXW	21:42
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR4WXW	21:42

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3001	SW8260	SW5030	N 0 1	ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR4WXW	21:42
				BENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4WXW	21:42
				CIS-1,2-DICHLOROETHENE	.021	mg/L		Y	Y	P							CR4WXW	21:42
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4WXW	21:42
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR4WXW	21:42
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				STYRENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				TRANS-1,2-DICHLOROETHENE	.015	mg/L		Y	Y	P							CR4WXW	21:42
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4WXW	21:42
				TRICHLOROETHENE	.0044	mg/L		Y	Y	P							CR4WXW	21:42
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4WXW	21:42
				VINYL CHLORIDE	.037	mg/L		Y	Y	P							CR4WXW	21:42
KJ3002	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8260	SW5030	N 0 1	1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR4X2W	22:08
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR4X2W	22:08
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR4X2W	22:08
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR4X2W	22:08
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR4X2W	22:08
				BENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3002	SW8260	SW5030	N 0 1	DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR4X2W	22:08
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				STYRENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X2W	22:08
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR4X2W	22:08
KJ3003	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR4X4W	22:34
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3003	SW8260	SW5030	N 0 1	1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR4X4W	22:34
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR4X4W	22:34
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR4X4W	22:34
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR4X4W	22:34
				BENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR4X4W	22:34
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				STYRENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3003	SW8260	SW5030	N 0 1	TOLUENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR4X4W	22:34
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR4X4W	22:34
KJ3004	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR676W	21:15
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR676W	21:15
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR676W	21:15
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR676W	21:15
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR676W	21:15
				BENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR676W	21:15

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3004	SW8260	SW5030	N 0 1	CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR676W	21:15
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				STYRENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR676W	21:15
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR676W	21:15
KJ3005	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3005	SW8260	SW5030	N 0 1	1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR67FW	19:56
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR67FW	19:56
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR67FW	19:56
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR67FW	19:56
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR67FW	19:56
				BENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR67FW	19:56
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3005	SW8260	SW5030	N 0 1	N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				STYRENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67FW	19:56
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR67FW	19:56
KJ3006	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR67HW	20:23
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR67HW	20:23
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR67HW	20:23
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR67HW	20:23

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3006	SW8260	SW5030	N 0 1	ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR67HW	20:23
				BENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR67HW	20:23
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				STYRENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67HW	20:23
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR67HW	20:23
KJ3007	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3007	SW8260	SW5030	N 0 1	1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR8M7W	06:26
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR8M7W	06:26
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR8M7W	06:26
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR8M7W	06:26
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR8M7W	06:26
				BENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8M7W	06:26
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3007	SW8260	SW5030	N 0 1	DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8M7W	06:26
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CR8M7W	06:26
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				STYRENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8M7W	06:26
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR8M7W	06:26
KJ3008	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		R		04A				CR8M9W	06:52
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																
KJ3008	SW8260	SW5030	N 0 1	1,3-DICHLOROPROPANE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				1,4-DICHLOROBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				2,2-DICHLOROPROPANE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				2-BUTANONE	.005	mg/L	U	N Y	R		04A				CR8M9W	06:52
				2-CHLOROTOLUENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				2-HEXANONE	.005	mg/L	U	N Y	U						CR8M9W	06:52
				4-CHLOROTOLUENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				4-METHYL-2-PENTANONE	.005	mg/L	U	N Y	U						CR8M9W	06:52
				ACETONE	.01	mg/L	U	N Y	R		04A				CR8M9W	06:52
				BENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				BROMOBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				BROMOCHLOROMETHANE	.001	mg/L	U	N Y	R		04A				CR8M9W	06:52
				BROMODICHLOROMETHANE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				BROMOFORM	.001	mg/L	U	N Y	U						CR8M9W	06:52
				BROMOMETHANE	.002	mg/L	U	N Y	U						CR8M9W	06:52
				CARBON DISULFIDE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CARBON TETRACHLORIDE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CHLOROBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CHLORODIBROMOMETHANE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CHLOROETHANE	.002	mg/L	U	N Y	U						CR8M9W	06:52
				CHLOROFORM	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CHLOROMETHANE	.002	mg/L	U	N Y	U						CR8M9W	06:52
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				DIBROMOMETHANE	.001	mg/L	U	N Y	R		04A				CR8M9W	06:52
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N Y	U						CR8M9W	06:52
				ETHYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				HEXACHLOROBUTADIENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				ISOPROPYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				M-XYLENE & P-XYLENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				METHYLENE CHLORIDE	.001	mg/L	U	N Y	UJ		04B				CR8M9W	06:52
				N-BUTYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				N-PROPYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				NAPHTHALENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				O-XYLENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				SEC-BUTYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				STYRENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				TERT-BUTYLBENZENE	.001	mg/L	U	N Y	U						CR8M9W	06:52
				TETRACHLOROETHENE	.001	mg/L	U	N Y	U						CR8M9W	06:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3008	SW8260	SW5030	N 0 1	TOLUENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				TRICHLOROETHENE	.001	mg/L	U	N	Y		U						CR8M9W	06:52
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y		U						CR8M9W	06:52
				VINYL CHLORIDE	.002	mg/L	U	N	Y		U						CR8M9W	06:52
KJ3010	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CR67LW	20:49
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR67LW	20:49
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR67LW	20:49
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR67LW	20:49
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR67LW	20:49
				BENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3010	SW8260	SW5030	N 0 1	CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR67LW	20:49
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				STYRENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR67LW	20:49
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR67LW	20:49
KJ3011	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW8260	SW5030	N 0 1	1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR6RVW	01:52
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR6RVW	01:52
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR6RVW	01:52
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR6RVW	01:52
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR6RVW	01:52
				BENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR6RVW	01:52
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CHLOROFORM	.00022	mg/L	J	Y	Y	F	J		15				CR6RVW	01:52
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR6RVW	01:52
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3011	SW8260	SW5030	N 0 1	N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				STYRENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RVW	01:52
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR6RVW	01:52
KJ3012	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR6RWW	02:18
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR6RWW	02:18
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR6RWW	02:18
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR6RWW	02:18

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3012	SW8260	SW5030	N 0 1	ACETONE	.0016	mg/L	J B	Y	Y	F	B		04A	06A			CR6RWW	02:18
				BENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR6RWW	02:18
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR6RWW	02:18
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				STYRENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR6RWW	02:18
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR6RWW	02:18
KJ3013	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8260	SW5030	N 0 1	1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR8MAW	07:19
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR8MAW	07:19
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR8MAW	07:19
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR8MAW	07:19
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR8MAW	07:19
				BENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MAW	07:19
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3013	SW8260	SW5030	N 0 1	DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MAW	07:19
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CR8MAW	07:19
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				STYRENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MAW	07:19
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR8MAW	07:19
KJ3014	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR8MDW	07:45
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3014	SW8260	SW5030	N 0 1	1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR8MDW	07:45
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR8MDW	07:45
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR8MDW	07:45
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR8MDW	07:45
				BENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MDW	07:45
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MDW	07:45
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CR8MDW	07:45
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				STYRENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3014	SW8260	SW5030	N 0 1	TOLUENE	.0031	mg/L	B	Y	Y	P	J		15				CR8MDW	07:45
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MDW	07:45
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR8MDW	07:45
KJ3015	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR8MEW	08:11
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR8MEW	08:11
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR8MEW	08:11
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR8MEW	08:11
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR8MEW	08:11
				BENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MEW	08:11
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147511																		
KJ3015	SW8260	SW5030	N 0 1	CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR8MEW	08:11
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CR8MEW	08:11
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				STYRENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR8MEW	08:11
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR8MEW	08:11
PK147512																		
KJ3016	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CR9M5W	21:09
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CR9M5W	21:09
				2,4-D	.004	mg/L	U	N	Y	U	U						CR9M5W	21:09
				2,4-DB	.004	mg/L	U	N	Y	U	U						CR9M5W	21:09
				DALAPON	.002	mg/L	U	N	Y	U	U						CR9M5W	21:09
				DICAMBA	.002	mg/L	U	N	Y	U	U						CR9M5W	21:09
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CR9M5W	21:09
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CR9M5W	21:09
				MCPA	.4	mg/L	U	N	Y	U	U						CR9M5W	21:09

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:	Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1 2 3 4	Lab Sample:	Analysis Time:
PK147512												
KJ3016	SW8151	METHOD N 0 1	MCPP	.4	mg/L	U	N Y U	U			CR9M5W	21:09
KJ3017	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N Y U	U			CR9MDW	21:37
			2,4,5-TP (SILVEX)	.001	mg/L	U	N Y U	U			CR9MDW	21:37
			2,4-D	.004	mg/L	U	N Y U	U			CR9MDW	21:37
			2,4-DB	.004	mg/L	U	N Y U	U			CR9MDW	21:37
			DALAPON	.002	mg/L	U	N Y U	U			CR9MDW	21:37
			DICAMBA	.002	mg/L	U	N Y U	U			CR9MDW	21:37
			DICHLORPROP	.004	mg/L	U	N Y U	U			CR9MDW	21:37
			DINOSEB	.0006	mg/L	U	N Y U	U			CR9MDW	21:37
			MCPA	.4	mg/L	U	N Y U	U			CR9MDW	21:37
			MCPP	.4	mg/L	U	N Y U	U			CR9MDW	21:37
KJ3018	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N Y U	U			CR9MGW	22:05
			2,4,5-TP (SILVEX)	.001	mg/L	U	N Y U	U			CR9MGW	22:05
			2,4-D	.004	mg/L	U	N Y U	U			CR9MGW	22:05
			2,4-DB	.004	mg/L	U	N Y U	U			CR9MGW	22:05
			DALAPON	.002	mg/L	U	N Y U	U			CR9MGW	22:05
			DICAMBA	.002	mg/L	U	N Y U	U			CR9MGW	22:05
			DICHLORPROP	.004	mg/L	U	N Y U	U			CR9MGW	22:05
			DINOSEB	.0006	mg/L	U	N Y U	U			CR9MGW	22:05
			MCPA	.4	mg/L	U	N Y U	U			CR9MGW	22:05
			MCPP	.4	mg/L	U	N Y U	U			CR9MGW	22:05
KJ3019	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N Y	U			CR9MKW	22:33
			2,4,5-TP (SILVEX)	.001	mg/L	U	N Y	U			CR9MKW	22:33
			2,4-D	.004	mg/L	U	N Y	U			CR9MKW	22:33
			2,4-DB	.004	mg/L	U	N Y	U			CR9MKW	22:33
			DALAPON	.002	mg/L	U	N Y	U			CR9MKW	22:33
			DICAMBA	.002	mg/L	U	N Y	U			CR9MKW	22:33
			DICHLORPROP	.004	mg/L	U	N Y	U			CR9MKW	22:33
			DINOSEB	.0006	mg/L	U	N Y	U			CR9MKW	22:33
			MCPA	.4	mg/L	U	N Y	U			CR9MKW	22:33
			MCPP	.4	mg/L	U	N Y	U			CR9MKW	22:33
KJ3021	SW8151	METHOD N 0 1	2,4,5-T	.001	mg/L	U	N Y U	U			CR9MLW	23:01
			2,4,5-TP (SILVEX)	.001	mg/L	U	N Y U	U			CR9MLW	23:01
			2,4-D	.004	mg/L	U	N Y U	U			CR9MLW	23:01
			2,4-DB	.004	mg/L	U	N Y U	U			CR9MLW	23:01
			DALAPON	.002	mg/L	U	N Y U	U			CR9MLW	23:01
			DICAMBA	.002	mg/L	U	N Y U	U			CR9MLW	23:01
			DICHLORPROP	.004	mg/L	U	N Y U	U			CR9MLW	23:01
			DINOSEB	.0006	mg/L	U	N Y U	U			CR9MLW	23:01
			MCPA	.4	mg/L	U	N Y U	U			CR9MLW	23:01

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																				
KJ3021	SW8151	METHOD	N	0	1	MCPP	.4	mg/L	U	N	Y	U	U						CR9MLW	23:01
KJ3022	SW8151	METHOD	N	0	1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CRC3MW	16:30
						2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CRC3MW	16:30
						2,4-D	.004	mg/L	U	N	Y	U	U						CRC3MW	16:30
						2,4-DB	.004	mg/L	U	N	Y	U	U						CRC3MW	16:30
						DALAPON	.002	mg/L	U	N	Y	U	U						CRC3MW	16:30
						DICAMBA	.002	mg/L	U	N	Y	U	U						CRC3MW	16:30
						DICHLORPROP	.004	mg/L	U	N	Y	U	U						CRC3MW	16:30
						DINOSEB	.0006	mg/L	U	N	Y	U	U						CRC3MW	16:30
						MCPA	.4	mg/L	U	N	Y	U	U						CRC3MW	16:30
						MCPP	.4	mg/L	U	N	Y	U	U						CRC3MW	16:30
KJ3024	SW8151	METHOD	N	0	1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CRC3XW	17:54
						2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CRC3XW	17:54
						2,4-D	.004	mg/L	U	N	Y	U	U						CRC3XW	17:54
						2,4-DB	.004	mg/L	U	N	Y	U	U						CRC3XW	17:54
						DALAPON	.002	mg/L	U	N	Y	U	U						CRC3XW	17:54
						DICAMBA	.002	mg/L	U	N	Y	U	U						CRC3XW	17:54
						DICHLORPROP	.004	mg/L	U	N	Y	U	U						CRC3XW	17:54
						DINOSEB	.0006	mg/L	U	N	Y	U	U						CRC3XW	17:54
						MCPA	.4	mg/L	U	N	Y	U	U						CRC3XW	17:54
						MCPP	.4	mg/L	U	N	Y	U	U						CRC3XW	17:54
KJ3025	SW8151	METHOD	N	0	1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CRC46W	18:22
						2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CRC46W	18:22
						2,4-D	.004	mg/L	U	N	Y	U	U						CRC46W	18:22
						2,4-DB	.004	mg/L	U	N	Y	U	U						CRC46W	18:22
						DALAPON	.002	mg/L	U	N	Y	U	U						CRC46W	18:22
						DICAMBA	.002	mg/L	U	N	Y	U	U						CRC46W	18:22
						DICHLORPROP	.004	mg/L	U	N	Y	U	U						CRC46W	18:22
						DINOSEB	.0006	mg/L	U	N	Y	U	U						CRC46W	18:22
						MCPA	.4	mg/L	U	N	Y	U	U						CRC46W	18:22
						MCPP	.4	mg/L	U	N	Y	U	U						CRC46W	18:22
KJ3026	SW8151	METHOD	N	0	1	2,4,5-T	.001	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						2,4-D	.004	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						2,4-DB	.004	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						DALAPON	.002	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						DICAMBA	.002	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						DICHLORPROP	.004	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						DINOSEB	.0006	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00
						MCPA	.4	mg/L	U	N	Y	U	UJ		11B				CRDHJW	00:00

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																
KJ3026	SW8151	METHOD	N 0 1	MCPP	.4	mg/L	U	N Y U	UJ		11B				CRDHJW	00:00
KJ3027	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				2,4,5-TP (SILVEX)	.001	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				2,4-D	.004	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				2,4-DB	.004	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				DALAPON	.002	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				DICAMBA	.002	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				DICHLORPROP	.004	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				DINOSEB	.0006	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				MCPA	.4	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
				MCPP	.4	mg/L	U	N Y	UJ		11B				CRDHTW	00:00
KJ3028	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				2,4,5-TP (SILVEX)	.001	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				2,4-D	.004	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				2,4-DB	.004	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				DALAPON	.002	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				DICAMBA	.002	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				DICHLORPROP	.004	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				DINOSEB	.0006	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				MCPA	.4	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
				MCPP	.4	mg/L	U	N Y U	UJ		11B				CRDHXW	00:00
KJ3029	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				2,4,5-TP (SILVEX)	.001	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				2,4-D	.004	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				2,4-DB	.004	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				DALAPON	.002	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				DICAMBA	.002	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				DICHLORPROP	.004	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				DINOSEB	.0006	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				MCPA	.4	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
				MCPP	.4	mg/L	U	N Y U	UJ		11B				CRDQ7W	00:00
KJ3016	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				4,4'-DDE	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				4,4'-DDT	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				ALDRIN	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				ALPHA-BHC	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				BETA-BHC	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N Y U	U						CR9M5W	05:03
				DELTA-BHC	.00005	mg/L	U	N Y U	U						CR9M5W	05:03
				DIELDRIN	.00005	mg/L	U	N Y U	U						CR9M5W	05:03

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR9M5W	05:03
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR9M5W	05:03
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR9M5W	05:03
KJ3017	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR9MDW	03:12
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR9MDW	03:12
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR9MDW	03:12
KJ3018	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR9MGW	03:40
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR9MGW	03:40
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR9MGW	03:40
KJ3019	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				4,4'-DDE	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				4,4'-DDT	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ALDRIN	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ALPHA-BHC	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				BETA-BHC	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y		U						CR9MKW	04:08
				DELTA-BHC	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				DIELDRIN	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDOSULFAN I	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDOSULFAN II	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDRIN	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				ENDRIN KETONE	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				HEPTACHLOR	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y		U						CR9MKW	04:08
				METHOXYCHLOR	.0001	mg/L	U	N	Y		U						CR9MKW	04:08
				TOXAPHENE	.002	mg/L	U	N	Y		U						CR9MKW	04:08
KJ3021	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3021	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CR9MLW	04:35
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CR9MLW	04:35
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CR9MLW	04:35
KJ3022	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRC3MW	07:50
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRC3MW	07:50
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRC3MW	07:50
KJ3024	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3024	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRC3XW	09:13
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRC3XW	09:13
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:13
KJ3025	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRC46W	09:41
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRC46W	09:41
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRC46W	09:41
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRC46W	09:41
KJ3026	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRDHJW	10:08
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRDHJW	10:08
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRDHJW	10:08
KJ3027	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				4,4'-DDE	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				4,4'-DDT	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ALDRIN	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ALPHA-BHC	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				BETA-BHC	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y		U						CRDHTW	10:36
				DELTA-BHC	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				DIELDRIN	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDOSULFAN I	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDOSULFAN II	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDRIN	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				ENDRIN KETONE	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				HEPTACHLOR	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y		U						CRDHTW	10:36
				METHOXYCHLOR	.0001	mg/L	U	N	Y		U						CRDHTW	10:36
				TOXAPHENE	.002	mg/L	U	N	Y		U						CRDHTW	10:36
KJ3028	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW8081	SW3520	N 0 1	ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRDHXW	11:04
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRDHXW	11:04
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRDHXW	11:04
KJ3029	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRDQ7W	12:55
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRDQ7W	12:55
KJ3016	SW6010	SW3005	N 0 1	ALUMINUM	.0683	mg/L	B	Y	Y	F	B		06B	15			CR9M5W	14:02
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR9M5W	14:02
				BARIUM	.0155	mg/L	B	Y	Y	P	J		15				CR9M5W	14:02
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR9M5W	14:02
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR9M5W	14:02
				CALCIUM	220	mg/L		Y	Y	P							CR9M5W	14:02
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR9M5W	14:02
				COBALT	.05	mg/L	U	N	Y	U	U						CR9M5W	14:02
				COPPER	.025	mg/L	U	N	Y	U	U						CR9M5W	14:02

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW6010	SW3005	N 0 1	IRON	.112	mg/L		Y	Y	F	B		06B				CR9M5W	14:02
				MAGNESIUM	134	mg/L		Y	Y	P							CR9M5W	14:02
				MANGANESE	.342	mg/L		Y	Y	P							CR9M5W	14:02
				NICKEL	.04	mg/L	U	N	Y	U	U						CR9M5W	14:02
				POTASSIUM	3.14	mg/L	B	Y	Y	P	J		15				CR9M5W	14:02
				SILVER	.01	mg/L	U	N	Y	U	U						CR9M5W	14:02
				SODIUM	133	mg/L		Y	Y	P							CR9M5W	14:02
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR9M5W	14:02
				ZINC	.02	mg/L	U	N	Y	U	U						CR9M5W	14:02
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR9M5W	14:02
				LEAD	.003	mg/L	U	N	Y	U	U						CR9M5W	14:02
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR9M5W	14:02
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR9M5W	14:02
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR9M5W	16:19
KJ3017	SW6010	SW3005	N 0 1	ALUMINUM	.547	mg/L		Y	Y	P							CR9MDW	14:06
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR9MDW	14:06
				BARIUM	.019	mg/L	B	Y	Y	P	J		15				CR9MDW	14:06
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR9MDW	14:06
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR9MDW	14:06
				CALCIUM	114	mg/L		Y	Y	P							CR9MDW	14:06
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR9MDW	14:06
				COBALT	.05	mg/L	U	N	Y	U	U						CR9MDW	14:06
				COPPER	.025	mg/L	U	N	Y	U	U						CR9MDW	14:06
				IRON	.528	mg/L		Y	Y	P							CR9MDW	14:06
				MAGNESIUM	64	mg/L		Y	Y	P							CR9MDW	14:06
				MANGANESE	.166	mg/L		Y	Y	P							CR9MDW	14:06
				NICKEL	.04	mg/L	U	N	Y	U	U						CR9MDW	14:06
				POTASSIUM	1.82	mg/L	B	Y	Y	P	J		15				CR9MDW	14:06
				SILVER	.01	mg/L	U	N	Y	U	U						CR9MDW	14:06
				SODIUM	81.6	mg/L		Y	Y	P							CR9MDW	14:06
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR9MDW	14:06
				ZINC	.02	mg/L	U	N	Y	U	U						CR9MDW	14:06
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR9MDW	14:06
				LEAD	.003	mg/L	U	N	Y	U	U						CR9MDW	14:06
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR9MDW	14:06
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR9MDW	14:06
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR9MDW	16:21
KJ3018	SW6010	SW3005	N 0 1	ALUMINUM	.153	mg/L	B	Y	Y	F	J		15				CR9MGW	14:32
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR9MGW	14:32

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW6010	SW3005	N 0 1	BARIUM	.0178	mg/L	B	Y	Y	P	J		15				CR9MGW	14:32
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR9MGW	14:32
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR9MGW	14:32
				CALCIUM	431	mg/L		Y	Y	P							CR9MGW	14:32
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR9MGW	14:32
				COBALT	.05	mg/L	U	N	Y	U	U						CR9MGW	14:32
				COPPER	.025	mg/L	U	N	Y	U	U						CR9MGW	14:32
				IRON	.209	mg/L		Y	Y	P							CR9MGW	14:32
				MAGNESIUM	257	mg/L		Y	Y	P							CR9MGW	14:32
				MANGANESE	1.3	mg/L		Y	Y	P							CR9MGW	14:32
				NICKEL	.04	mg/L	U	N	Y	U	U						CR9MGW	14:32
				POTASSIUM	2.59	mg/L	B	Y	Y	P	J		15				CR9MGW	14:32
				SILVER	.01	mg/L	U	N	Y	U	U						CR9MGW	14:32
				SODIUM	122	mg/L		Y	Y	P							CR9MGW	14:32
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR9MGW	14:32
				ZINC	.02	mg/L	U	N	Y	U	U						CR9MGW	14:32
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR9MGW	14:32
				LEAD	.003	mg/L	U	N	Y	U	U						CR9MGW	14:32
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR9MGW	14:32
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR9MGW	14:32
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR9MGW	16:24
KJ3019	SW6010	SW3005	N 0 1	ALUMINUM	.269	mg/L		Y	Y								CR9MKW	14:36
				ANTIMONY	.06	mg/L	U	N	Y		U						CR9MKW	14:36
				BARIUM	.0204	mg/L	B	Y	Y		J		15				CR9MKW	14:36
				BERYLLIUM	.005	mg/L	U	N	Y		U						CR9MKW	14:36
				CADMIUM	.005	mg/L	U	N	Y		U						CR9MKW	14:36
				CALCIUM	176	mg/L		Y	Y								CR9MKW	14:36
				CHROMIUM	.01	mg/L	U	N	Y		U						CR9MKW	14:36
				COBALT	.05	mg/L	U	N	Y		U						CR9MKW	14:36
				COPPER	.025	mg/L	U	N	Y		U						CR9MKW	14:36
				IRON	.735	mg/L		Y	Y								CR9MKW	14:36
				MAGNESIUM	94.3	mg/L		Y	Y								CR9MKW	14:36
				MANGANESE	.175	mg/L		Y	Y								CR9MKW	14:36
				NICKEL	.04	mg/L	U	N	Y		U						CR9MKW	14:36
				POTASSIUM	2.59	mg/L	B	Y	Y		J		15				CR9MKW	14:36
				SILVER	.01	mg/L	U	N	Y		U						CR9MKW	14:36
				SODIUM	125	mg/L		Y	Y								CR9MKW	14:36
				VANADIUM	.05	mg/L	U	N	Y		U						CR9MKW	14:36
				ZINC	.02	mg/L	U	N	Y		U						CR9MKW	14:36
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y		U						CR9MKW	14:36

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3019	SW6010	TOTREC	N 0 1	LEAD	.003	mg/L	U	N	Y		U						CR9MKW	14:36
				SELENIUM	.005	mg/L	U	N	Y		U						CR9MKW	14:36
				THALLIUM	.01	mg/L	U	N	Y		U						CR9MKW	14:36
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y		U						CR9MKW	16:26
KJ3021	SW6010	SW3005	N 0 1	ALUMINUM	.332	mg/L		Y	Y	P							CR9MLW	14:40
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CR9MLW	14:40
				BARIUM	.0206	mg/L	B	Y	Y	P	J		15				CR9MLW	14:40
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CR9MLW	14:40
				CADMIUM	.005	mg/L	U	N	Y	U	U						CR9MLW	14:40
				CALCIUM	174	mg/L		Y	Y	P							CR9MLW	14:40
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CR9MLW	14:40
				COBALT	.05	mg/L	U	N	Y	U	U						CR9MLW	14:40
				COPPER	.025	mg/L	U	N	Y	U	U						CR9MLW	14:40
				IRON	.789	mg/L		Y	Y	P							CR9MLW	14:40
				MAGNESIUM	92.8	mg/L		Y	Y	P							CR9MLW	14:40
				MANGANESE	.174	mg/L		Y	Y	P							CR9MLW	14:40
				NICKEL	.04	mg/L	U	N	Y	U	U						CR9MLW	14:40
				POTASSIUM	2.53	mg/L	B	Y	Y	P	J		15				CR9MLW	14:40
				SILVER	.01	mg/L	U	N	Y	U	U						CR9MLW	14:40
				SODIUM	123	mg/L		Y	Y	P							CR9MLW	14:40
				VANADIUM	.05	mg/L	U	N	Y	U	U						CR9MLW	14:40
				ZINC	.02	mg/L	U	N	Y	U	U						CR9MLW	14:40
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CR9MLW	14:40
				LEAD	.003	mg/L	U	N	Y	U	U						CR9MLW	14:40
				SELENIUM	.005	mg/L	U	N	Y	U	U						CR9MLW	14:40
				THALLIUM	.01	mg/L	U	N	Y	U	U						CR9MLW	14:40
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CR9MLW	16:28
KJ3022	SW6010	SW3005	N 0 1	ALUMINUM	.0925	mg/L	B	Y	Y	F	B		06B	15			CRC3MW	14:45
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRC3MW	14:45
				BARIUM	.0194	mg/L	B	Y	Y	P	J		15				CRC3MW	14:45
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRC3MW	14:45
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRC3MW	14:45
				CALCIUM	232	mg/L		Y	Y	P							CRC3MW	14:45
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRC3MW	14:45
				COBALT	.05	mg/L	U	N	Y	U	U						CRC3MW	14:45
				COPPER	.025	mg/L	U	N	Y	U	U						CRC3MW	14:45
				IRON	1.44	mg/L		Y	Y	P							CRC3MW	14:45
				MAGNESIUM	123	mg/L		Y	Y	P							CRC3MW	14:45
				MANGANESE	.678	mg/L		Y	Y	P							CRC3MW	14:45
				NICKEL	.04	mg/L	U	N	Y	U	U						CRC3MW	14:45

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW6010	SW3005	N 0 1	POTASSIUM	3.15	mg/L	B	Y	Y	P	J		15				CRC3MW	14:45
				SILVER	.01	mg/L	U	N	Y	U	U						CRC3MW	14:45
				SODIUM	95.7	mg/L		Y	Y	P							CRC3MW	14:45
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRC3MW	14:45
				ZINC	.02	mg/L	U	N	Y	U	U						CRC3MW	14:45
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRC3MW	14:45
				LEAD	.003	mg/L	U	N	Y	U	U						CRC3MW	14:45
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRC3MW	14:45
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRC3MW	14:45
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRC3MW	16:31
KJ3024	SW6010	SW3005	N 0 1	ALUMINUM	.366	mg/L		Y	Y	P							CRC3XW	15:02
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRC3XW	15:02
				BARIUM	.0288	mg/L	B	Y	Y	P	J		15				CRC3XW	15:02
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRC3XW	15:02
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRC3XW	15:02
				CALCIUM	97.3	mg/L		Y	Y	P							CRC3XW	15:02
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRC3XW	15:02
				COBALT	.05	mg/L	U	N	Y	U	U						CRC3XW	15:02
				COPPER	.025	mg/L	U	N	Y	U	U						CRC3XW	15:02
				IRON	.503	mg/L		Y	Y	P							CRC3XW	15:02
				MAGNESIUM	41.9	mg/L		Y	Y	P							CRC3XW	15:02
				MANGANESE	.311	mg/L		Y	Y	P							CRC3XW	15:02
				NICKEL	.04	mg/L	U	N	Y	U	U						CRC3XW	15:02
				POTASSIUM	1.1	mg/L	B	Y	Y	P	J		15				CRC3XW	15:02
				SILVER	.01	mg/L	U	N	Y	U	U						CRC3XW	15:02
				SODIUM	41	mg/L		Y	Y	P							CRC3XW	15:02
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRC3XW	15:02
				ZINC	.02	mg/L	U	N	Y	U	U						CRC3XW	15:02
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRC3XW	15:02
				LEAD	.003	mg/L	U	N	Y	U	U						CRC3XW	15:02
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRC3XW	15:02
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRC3XW	15:02
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRC3XW	16:43
KJ3025	SW6010	SW3005	N 0 1	ALUMINUM	.16	mg/L	B	Y	Y	F	J		15				CRC46W	15:06
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRC46W	15:06
				BARIUM	.0217	mg/L	B	Y	Y	P	J		15				CRC46W	15:06
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRC46W	15:06
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRC46W	15:06
				CALCIUM	75.5	mg/L		Y	Y	P							CRC46W	15:06

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3025	SW6010	SW3005	N 0 1	CHROMIUM	.01	mg/L	U	N	Y	U	U						CRC46W	15:06
				COBALT	.05	mg/L	U	N	Y	U	U						CRC46W	15:06
				COPPER	.025	mg/L	U	N	Y	U	U						CRC46W	15:06
				IRON	.146	mg/L		Y	Y	P							CRC46W	15:06
				MAGNESIUM	43.4	mg/L		Y	Y	P							CRC46W	15:06
				MANGANESE	.102	mg/L		Y	Y	P							CRC46W	15:06
				NICKEL	.04	mg/L	U	N	Y	U	U						CRC46W	15:06
				POTASSIUM	1.23	mg/L	B	Y	Y	P	J		15				CRC46W	15:06
				SILVER	.01	mg/L	U	N	Y	U	U						CRC46W	15:06
				SODIUM	53.5	mg/L		Y	Y	P							CRC46W	15:06
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRC46W	15:06
				ZINC	.02	mg/L	U	N	Y	U	U						CRC46W	15:06
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRC46W	15:06
				LEAD	.003	mg/L	U	N	Y	U	U						CRC46W	15:06
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRC46W	15:06
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRC46W	15:06
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRC46W	16:45
KJ3026	SW6010	SW3005	N 0 1	ALUMINUM	.0793	mg/L	B	Y	Y	F	B		06B	15			CRDHJW	15:11
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRDHJW	15:11
				BARIUM	.0857	mg/L	B	Y	Y	P	J		15				CRDHJW	15:11
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRDHJW	15:11
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRDHJW	15:11
				CALCIUM	126	mg/L		Y	Y	P							CRDHJW	15:11
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRDHJW	15:11
				COBALT	.05	mg/L	U	N	Y	U	U						CRDHJW	15:11
				COPPER	.025	mg/L	U	N	Y	U	U						CRDHJW	15:11
				IRON	.922	mg/L		Y	Y	P							CRDHJW	15:11
				MAGNESIUM	16.1	mg/L		Y	Y	P							CRDHJW	15:11
				MANGANESE	.314	mg/L		Y	Y	P							CRDHJW	15:11
				NICKEL	.04	mg/L	U	N	Y	U	U						CRDHJW	15:11
				POTASSIUM	5	mg/L	U	N	Y	U	U						CRDHJW	15:11
				SILVER	.01	mg/L	U	N	Y	U	U						CRDHJW	15:11
				SODIUM	9.69	mg/L		Y	Y	P							CRDHJW	15:11
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRDHJW	15:11
				ZINC	.02	mg/L	U	N	Y	U	U						CRDHJW	15:11
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRDHJW	15:11
				LEAD	.003	mg/L	U	N	Y	U	U						CRDHJW	15:11
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRDHJW	15:11
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRDHJW	15:11
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRDHJW	16:47

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3027	SW6010	SW3005	N 0 1	ALUMINUM	.0739	mg/L	B	Y	Y		J		15				CRDHTW	15:24
				ANTIMONY	.06	mg/L	U	N	Y		U						CRDHTW	15:24
				BARIUM	.0864	mg/L	B	Y	Y		J		15				CRDHTW	15:24
				BERYLLIUM	.005	mg/L	U	N	Y		U						CRDHTW	15:24
				CADMIUM	.005	mg/L	U	N	Y		U						CRDHTW	15:24
				CALCIUM	127	mg/L		Y	Y								CRDHTW	15:24
				CHROMIUM	.01	mg/L	U	N	Y		U						CRDHTW	15:24
				COBALT	.05	mg/L	U	N	Y		U						CRDHTW	15:24
				COPPER	.025	mg/L	U	N	Y		U						CRDHTW	15:24
				IRON	.919	mg/L		Y	Y								CRDHTW	15:24
				MAGNESIUM	16.2	mg/L		Y	Y								CRDHTW	15:24
				MANGANESE	.317	mg/L		Y	Y								CRDHTW	15:24
				NICKEL	.04	mg/L	U	N	Y		U						CRDHTW	15:24
				POTASSIUM	5	mg/L	U	N	Y		U						CRDHTW	15:24
				SILVER	.01	mg/L	U	N	Y		U						CRDHTW	15:24
				SODIUM	9.95	mg/L		Y	Y								CRDHTW	15:24
				VANADIUM	.05	mg/L	U	N	Y		U						CRDHTW	15:24
				ZINC	.02	mg/L	U	N	Y		U						CRDHTW	15:24
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y		U						CRDHTW	15:24
				LEAD	.003	mg/L	U	N	Y		U						CRDHTW	15:24
				SELENIUM	.005	mg/L	U	N	Y		U						CRDHTW	15:24
				THALLIUM	.01	mg/L	U	N	Y		U						CRDHTW	15:24
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y		U						CRDHTW	16:50
KJ3028	SW6010	SW3005	N 0 1	ALUMINUM	.292	mg/L		Y	Y	P							CRDHXW	15:28
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRDHXW	15:28
				BARIUM	.0315	mg/L	B	Y	Y	P	J		15				CRDHXW	15:28
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRDHXW	15:28
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRDHXW	15:28
				CALCIUM	139	mg/L		Y	Y	P							CRDHXW	15:28
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRDHXW	15:28
				COBALT	.05	mg/L	U	N	Y	U	U						CRDHXW	15:28
				COPPER	.025	mg/L	U	N	Y	U	U						CRDHXW	15:28
				IRON	.945	mg/L		Y	Y	P							CRDHXW	15:28
				MAGNESIUM	31	mg/L		Y	Y	P							CRDHXW	15:28
				MANGANESE	.0845	mg/L		Y	Y	P							CRDHXW	15:28
				NICKEL	.04	mg/L	U	N	Y	U	U						CRDHXW	15:28
				POTASSIUM	2.66	mg/L	B	Y	Y	P	J		15				CRDHXW	15:28
				SILVER	.01	mg/L	U	N	Y	U	U						CRDHXW	15:28
				SODIUM	23	mg/L		Y	Y	P							CRDHXW	15:28
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRDHXW	15:28

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW6010	SW3005	N 0 1	ZINC	.02	mg/L	U	N	Y	U	U						CRDHXW	15:28
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRDHXW	15:28
				LEAD	.003	mg/L	U	N	Y	U	U						CRDHXW	15:28
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRDHXW	15:28
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRDHXW	15:28
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRDHXW	16:52
KJ3029	SW6010	SW3005	N 0 1	ALUMINUM	.0576	mg/L	B	Y	Y	F	J		15				CRDQ7W	15:41
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				BARIUM	.0164	mg/L	B	Y	Y	P	J		15				CRDQ7W	15:41
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				CALCIUM	297	mg/L		Y	Y	P							CRDQ7W	15:41
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				COBALT	.05	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				COPPER	.025	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				IRON	2.33	mg/L		Y	Y	P							CRDQ7W	15:41
				MAGNESIUM	144	mg/L		Y	Y	P							CRDQ7W	15:41
				MANGANESE	.379	mg/L		Y	Y	P							CRDQ7W	15:41
				NICKEL	.04	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				POTASSIUM	3.91	mg/L	B	Y	Y	P	J		15				CRDQ7W	15:41
				SILVER	.01	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				SODIUM	103	mg/L		Y	Y	P							CRDQ7W	15:41
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				ZINC	.02	mg/L	U	N	Y	U	U						CRDQ7W	15:41
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				LEAD	.003	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRDQ7W	15:41
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRDQ7W	15:41
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CRDQ7W	16:59
KJ3016	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8141	SW3520	N 0 1	FAMPHUR	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				FENTHION	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				MALATHION	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9M5W	07:09
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CR9M5W	07:09
				PARATHION	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				PHORATE	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				RONNEL	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9M5W	07:09
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR9M5W	07:09
KJ3017	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				FENTHION	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				MALATHION	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MDW	04:19
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CR9MDW	04:19
				PARATHION	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				PHORATE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				RONNEL	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MDW	04:19
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3017	SW8141	SW3520	N 0 1	TOKUTHION	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:19
KJ3018	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				FENTHION	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				MALATHION	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MGW	05:02
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CR9MGW	05:02
				PARATHION	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				PHORATE	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				RONNEL	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MGW	05:02
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR9MGW	05:02
KJ3019	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				BOLSTAR	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				CHLORPYRIFOS	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				COUMAPHOS	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				DEMETON (TOTAL)	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				DIAZINON	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				DICHLORVOS	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				DIMETHOATE	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				DISULFOTON	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				ETHOPROP	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				FAMPHUR	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				FENSULFOTHION	.001	mg/L	U	N	Y		U						CR9MKW	05:44

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3019	SW8141	SW3520	N 0 1	FENTHION	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				MALATHION	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				MERPHOS	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				MEVINPHOS	.001	mg/L	U	N	Y		UJ		05B				CR9MKW	05:44
				NALED	.001	mg/L	U	N	Y		UJ		05B				CR9MKW	05:44
				PARATHION	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				PARATHION METHYL	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				PHORATE	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				RONNEL	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				STIROPHOS	.001	mg/L	U	N	Y		UJ		05B				CR9MKW	05:44
				SULFOTEPP	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				THIONAZIN	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				TOKUTHION	.001	mg/L	U	N	Y		U						CR9MKW	05:44
				TRICHLORONATE	.001	mg/L	U	N	Y		U						CR9MKW	05:44
KJ3021	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				DIAZINON	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				FENTHION	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				MALATHION	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				MERPHOS	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MLW	06:27
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CR9MLW	06:27
				PARATHION	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				PHORATE	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				RONNEL	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CR9MLW	06:27
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CR9MLW	06:27

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				DIAZINON	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				FENTHION	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				MALATHION	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				MERPHOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				NALED	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				PARATHION	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				PHORATE	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				RONNEL	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CRC3MW	21:16
KJ3024	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				DIAZINON	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				FENTHION	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				MALATHION	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3024	SW8141	SW3520	N 0 1	MERPHOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				NALED	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				PARATHION	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				PHORATE	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				RONNEL	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CRC3XW	23:23
KJ3025	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				DIAZINON	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				FENTHION	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				MALATHION	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				MERPHOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				NALED	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				PARATHION	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				PHORATE	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				RONNEL	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CRC46W	00:05
KJ3026	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8141	SW3520	N 0 1	CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				FENTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				MALATHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				MERPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				PARATHION	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				PHORATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				RONNEL	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRDHJW	03:34
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDHJW	03:34
KJ3027	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				BOLSTAR	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				CHLORPYRIFOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				COUMAPHOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				DEMETON (TOTAL)	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				DIAZINON	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				DICHLORVOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				DIMETHOATE	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				DISULFOTON	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				ETHOPROP	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				FAMPHUR	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				FENSULFOTHION	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				FENTHION	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				MALATHION	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				MERPHOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				MEVINPHOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3027	SW8141	SW3520	N 0 1	NALED	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				PARATHION	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				PARATHION METHYL	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				PHORATE	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				RONNEL	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				STIROPHOS	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				SULFOTEPP	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				THIONAZIN	.001	mg/L	U	N	Y		U						CRDHTW	02:51
				TOKUTHION	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
				TRICHLORONATE	.001	mg/L	U	N	Y		UJ		05B				CRDHTW	02:51
KJ3028	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				FENTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				MALATHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				MERPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				PARATHION	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				PHORATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				RONNEL	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRDHXW	02:09
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDHXW	02:09
KJ3029	SW8141	SW3520	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				BOLSTAR	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				COUMAPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3029	SW8141	SW3520	N 0 1	DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				DIAZINON	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				DICHLORVOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				ETHOPROP	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				FENSULFOTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				FENTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				MALATHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				MERPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				MEVINPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				NALED	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				PARATHION	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				PARATHION METHYL	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				PHORATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				RONNEL	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				STIROPHOS	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:19
				TOKUTHION	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
				TRICHLORONATE	.001	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:19
KJ3016	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR9M5W	12:02
KJ3017	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR9MDW	11:02
KJ3018	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW8082	SW3520	N 0 1	AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR9MGW	11:17
KJ3019	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1221	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1232	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1242	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1248	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1254	.001	mg/L	U	N	Y		U						CR9MKW	11:32
				AROCLOR 1260	.001	mg/L	U	N	Y		U						CR9MKW	11:32
KJ3021	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CR9MLW	11:47
KJ3022	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRC3MW	14:46
KJ3024	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRC3XW	15:01
KJ3025	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRC46W	15:16
KJ3026	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8082	SW3520	N 0 1	AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRDHJW	15:31
KJ3027	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1221	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1232	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1242	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1248	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1254	.001	mg/L	U	N	Y		U						CRDHTW	15:46
				AROCLOR 1260	.001	mg/L	U	N	Y		U						CRDHTW	15:46
KJ3028	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRDHXW	16:01
KJ3029	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRDQ7W	17:31
KJ3016	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8270	SW3520	N 0 1	2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8270	SW3520	N 0 1	HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR9M5W	21:48
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				PHENOL	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
				PYRENE	.01	mg/L	U	N	Y	U	U						CR9M5W	21:48
KJ3017	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3017	SW8270	SW3520	N 0 1	ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MDW	22:23
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				PHENOL	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
				PYRENE	.01	mg/L	U	N	Y	U	U						CR9MDW	22:23
KJ3018	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW8270	SW3520	N 0 1	2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW8270	SW3520	N 0 1	DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MGW	22:58
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				PHENOL	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
				PYRENE	.01	mg/L	U	N	Y	U	U						CR9MGW	22:58
KJ3019	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y		U						CR9MKW	23:33
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2-CHLOROPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2-METHYLPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				2-NITROANILINE	.05	mg/L	U	N	Y		U						CR9MKW	23:33
				2-NITROPHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y		U						CR9MKW	23:33
				3-NITROANILINE	.05	mg/L	U	N	Y		U						CR9MKW	23:33
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y		U						CR9MKW	23:33

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																
KJ3019	SW8270	SW3520	N 0 1	4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N Y	U						CR9MKW	23:33
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N Y	U						CR9MKW	23:33
				4-CHLOROANILINE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N Y	U						CR9MKW	23:33
				4-METHYLPHENOL	.01	mg/L	U	N Y	U						CR9MKW	23:33
				4-NITROANILINE	.05	mg/L	U	N Y	U						CR9MKW	23:33
				4-NITROPHENOL	.05	mg/L	U	N Y	U						CR9MKW	23:33
				ACENAPHTHENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				ACENAPHTHYLENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				ANTHRACENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BENZO(A)ANTHRACENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BENZO(A)PYRENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BENZO(GHI)PERYLENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				CARBAZOLE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				CHRYSENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DIBENZOFURAN	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DIETHYL PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				DIMETHYL PHTHALATE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				FLUORANTHENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				FLUORENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				HEXACHLOROBENZENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				HEXACHLOROBUTADIENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N Y	U						CR9MKW	23:33
				HEXACHLOROETHANE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				ISOPHORONE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				NAPHTHALENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				NITROBENZENE	.01	mg/L	U	N Y	U						CR9MKW	23:33
				PENTACHLOROPHENOL	.05	mg/L	U	N Y	U						CR9MKW	23:33

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3019	SW8270	SW3520	N 0 1	PHENANTHRENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				PHENOL	.01	mg/L	U	N	Y		U						CR9MKW	23:33
				PYRENE	.01	mg/L	U	N	Y		U						CR9MKW	23:33
KJ3021	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3021	SW8270	SW3520	N 0 1	BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				FLUORENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				HEXACHLOROCYCLOPENTADIENE	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CR9MLW	15:44
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				PHENOL	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
				PYRENE	.01	mg/L	U	N	Y	U	U						CR9MLW	15:44
KJ3022	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW8270	SW3510	N 0 1	2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ		04B				CRC3MW	19:46
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		05B				CRC3MW	19:46
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		05B				CRC3MW	19:46
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		05B				CRC3MW	19:46
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW8270	SW3510	N 0 1	HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3MW	19:46
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				PHENOL	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
				PYRENE	.01	mg/L	U	N	Y	U	U						CRC3MW	19:46
KJ3024	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3024	SW8270	SW3510	N 0 1	ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRC3XW	14:35
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				PHENOL	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
				PYRENE	.01	mg/L	U	N	Y	U	U						CRC3XW	14:35
KJ3025	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRC46W	15:12

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3025	SW8270	SW3510	N 0 1	2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3025	SW8270	SW3510	N 0 1	DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRC46W	15:12
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				PHENOL	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
				PYRENE	.01	mg/L	U	N	Y	U	U						CRC46W	15:12
KJ3026	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8270	SW3510	N 0 1	4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHJW	16:03

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8270	SW3510	N 0 1	PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				PHENOL	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
				PYRENE	.01	mg/L	U	N	Y	U	U						CRDHJW	16:03
KJ3027	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2-CHLOROPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2-METHYLPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				2-NITROANILINE	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				2-NITROPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				3-NITROANILINE	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				4-CHLOROANILINE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				4-METHYLPHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				4-NITROANILINE	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				4-NITROPHENOL	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				ACENAPHTHENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				ACENAPHTHYLENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				ANTHRACENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BENZO(A)PYRENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y		U						CRDHTW	16:38

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3027	SW8270	SW3510	N 0 1	BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				CARBAZOLE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				CHRYSENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DIBENZOFURAN	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				FLUORANTHENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				FLUORENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				HEXACHLOROETHANE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				ISOPHORONE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				NAPHTHALENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				NITROBENZENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y		U						CRDHTW	16:38
				PHENANTHRENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				PHENOL	.01	mg/L	U	N	Y		U						CRDHTW	16:38
				PYRENE	.01	mg/L	U	N	Y		U						CRDHTW	16:38
KJ3028	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW8270	SW3510	N 0 1	2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				BIS(2-ETHYLHEXYL) PHTHALATE	.003	mg/L	J	Y	Y	P	J		15				CRDHXW	17:14
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW8270	SW3510	N 0 1	HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRDHXW	17:14
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				PHENOL	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
				PYRENE	.01	mg/L	U	N	Y	U	U						CRDHXW	17:14
KJ3029	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3029	SW8270	SW3510	N 0 1	ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				CARBAZOLE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				PHENOL	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
				PYRENE	.01	mg/L	U	N	Y	U	U						CRDQ7W	19:01
KJ3016	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8260	SW5030	N 0 1	1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR9M5W	03:36
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR9M5W	03:36
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR9M5W	03:36
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR9M5W	03:36
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR9M5W	03:36
				BENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9M5W	03:36
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9M5W	03:36
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3016	SW8260	SW5030	N 0 1	HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				STYRENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9M5W	03:36
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR9M5W	03:36
KJ3017	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR9MDW	04:02
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3017	SW8260	SW5030	N 0 1	2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR9MDW	04:02
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR9MDW	04:02
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR9MDW	04:02
				ACETONE	.0022	mg/L	J B	Y	Y	F	B		04A	06A	15		CR9MDW	04:02
				BENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9MDW	04:02
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9MDW	04:02
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				STYRENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3017	SW8260	SW5030	N 0 1	TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MDW	04:02
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR9MDW	04:02
KJ3018	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	04B	05A		CR9MGW	12:41
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CR9MGW	12:41
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR9MGW	12:41
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR9MGW	12:41
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CR9MGW	12:41
				BENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3018	SW8260	SW5030	N 0 1	CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	UJ		05B				CR9MGW	12:41
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B	05B			CR9MGW	12:41
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				STYRENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MGW	12:41
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MGW	12:41
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR9MGW	12:41
KJ3019	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		R		04A				CR9MKW	04:55
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3019	SW8260	SW5030	N 0 1	1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				2-BUTANONE	.005	mg/L	U	N	Y		R		04A				CR9MKW	04:55
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				2-HEXANONE	.005	mg/L	U	N	Y		U						CR9MKW	04:55
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y		U						CR9MKW	04:55
				ACETONE	.0012	mg/L	J B	Y	Y		B		04A	06A	15		CR9MKW	04:55
				BENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				BROMOBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y		R		04A				CR9MKW	04:55
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				BROMOFORM	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				BROMOMETHANE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
				CARBON DISULFIDE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CHLOROBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CHLOROETHANE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
				CHLOROFORM	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CHLOROMETHANE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				DIBROMOMETHANE	.001	mg/L	U	N	Y		R		04A				CR9MKW	04:55
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
				ETHYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				N-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				N-PROPYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				NAPHTHALENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				O-XYLENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3019	SW8260	SW5030	N 0 1	P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				STYRENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TETRACHLOROETHENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TOLUENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TRICHLOROETHENE	.001	mg/L	U	N	Y		U						CR9MKW	04:55
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
				VINYL CHLORIDE	.002	mg/L	U	N	Y		U						CR9MKW	04:55
KJ3021	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CR9MLW	05:21
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CR9MLW	05:21
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CR9MLW	05:21
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CR9MLW	05:21
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CR9MLW	05:21
				BENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3021	SW8260	SW5030	N 0 1	BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9MLW	05:21
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CR9MLW	05:21
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				STYRENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TOLUENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CR9MLW	05:21
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CR9MLW	05:21
KJ3022	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW8260	SW5030	N 0 1	1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2,3-TRICHLOROBENZENE	.00022	mg/L	J B	Y	Y	F	B		06A	15			CRC3MW	01:04
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2,4-TRICHLOROBENZENE	.00018	mg/L	J B	Y	Y	F	B		06A	15			CRC3MW	01:04
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CRC3MW	01:04
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CRC3MW	01:04
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRC3MW	01:04
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRC3MW	01:04
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CRC3MW	01:04
				BENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC3MW	01:04
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC3MW	01:04
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3022	SW8260	SW5030	N 0 1	HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRC3MW	01:04
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				NAPHTHALENE	.00026	mg/L	J B	Y	Y	F	B		06A	15			CRC3MW	01:04
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				STYRENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3MW	01:04
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRC3MW	01:04
KJ3024	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CRC3XW	09:03
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3024	SW8260	SW5030	N 0 1	2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CRC3XW	09:03
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRC3XW	09:03
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRC3XW	09:03
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CRC3XW	09:03
				BENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC3XW	09:03
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC3XW	09:03
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRC3XW	09:03
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				STYRENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3024	SW8260	SW5030	N 0 1	TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC3XW	09:03
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRC3XW	09:03
KJ3025	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A				CRC46W	09:29
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A				CRC46W	09:29
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRC46W	09:29
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRC46W	09:29
				ACETONE	.01	mg/L	U	N	Y	U	R		04A				CRC46W	09:29
				BENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC46W	09:29
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3025	SW8260	SW5030	N 0 1	CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A				CRC46W	09:29
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRC46W	09:29
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				STYRENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRC46W	09:29
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRC46W	09:29
KJ3026	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	UJ		04B				CRDHJW	00:06
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CRDHJW	00:06
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8260	SW5030	N 0 1	1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CRDHJW	00:06
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRDHJW	00:06
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRDHJW	00:06
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CRDHJW	00:06
				BENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDHJW	00:06
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				BROMOMETHANE	.002	mg/L	U	N	Y	U	UJ		05B				CRDHJW	00:06
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDHJW	00:06
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHJW	00:06
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRDHJW	00:06
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3026	SW8260	SW5030	N 0 1	P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				STYRENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHJW	00:06
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHJW	00:06
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRDHJW	00:06
KJ3027	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		UJ		04B				CRDHTW	00:32
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		R		04A	05A			CRDHTW	00:32
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				2-BUTANONE	.005	mg/L	U	N	Y		R		04A	05A			CRDHTW	00:32
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				2-HEXANONE	.005	mg/L	U	N	Y		U						CRDHTW	00:32
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y		U						CRDHTW	00:32
				ACETONE	.01	mg/L	U	N	Y		R		04A	05A			CRDHTW	00:32
				BENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				BROMOBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3027	SW8260	SW5030	N 0 1	BROMOCHLOROMETHANE	.001	mg/L	U	N	Y		R		04A	05A			CRDHTW	00:32
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				BROMOFORM	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				BROMOMETHANE	.002	mg/L	U	N	Y		UJ		05B				CRDHTW	00:32
				CARBON DISULFIDE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CHLOROBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CHLOROETHANE	.002	mg/L	U	N	Y		U						CRDHTW	00:32
				CHLOROFORM	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CHLOROMETHANE	.002	mg/L	U	N	Y		U						CRDHTW	00:32
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				DIBROMOMETHANE	.001	mg/L	U	N	Y		R		04A	05A			CRDHTW	00:32
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y		U						CRDHTW	00:32
				ETHYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y		UJ		04B				CRDHTW	00:32
				N-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				N-PROPYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				NAPHTHALENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				O-XYLENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				STYRENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TETRACHLOROETHENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TOLUENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TRICHLOROETHENE	.001	mg/L	U	N	Y		U						CRDHTW	00:32
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y		U						CRDHTW	00:32
				VINYL CHLORIDE	.002	mg/L	U	N	Y		U						CRDHTW	00:32
KJ3028	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW8260	SW5030	N 0 1	1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	UJ		04B				CRDHXW	00:58
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CRDHXW	00:58
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CRDHXW	00:58
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRDHXW	00:58
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRDHXW	00:58
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CRDHXW	00:58
				BENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDHXW	00:58
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				BROMOMETHANE	.002	mg/L	U	N	Y	U	UJ		05B				CRDHXW	00:58
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDHXW	00:58
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHXW	00:58
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3028	SW8260	SW5030	N 0 1	HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRDHXW	00:58
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				STYRENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDHXW	00:58
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDHXW	00:58
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRDHXW	00:58
KJ3029	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	UJ		04B				CRDQ7W	23:39
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CRDQ7W	23:39
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3029	SW8260	SW5030	N 0 1	2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CRDQ7W	23:39
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CRDQ7W	23:39
				BENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDQ7W	23:39
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				BROMOMETHANE	.002	mg/L	U	N	Y	U	UJ		05B				CRDQ7W	23:39
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRDQ7W	23:39
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRDQ7W	23:39
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				STYRENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147512																		
KJ3029	SW8260	SW5030	N 0 1	TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRDQ7W	23:39
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRDQ7W	23:39
PK147513																		
KJ3030	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				2,4-D	.004	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				2,4-DB	.004	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				DALAPON	.0022	mg/L		Y	Y	P	J		11B				CRFV5W	00:00
				DICAMBA	.002	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				DICHLORPROP	.004	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				DINOSEB	.0006	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				MCPA	.4	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
				MCPP	.4	mg/L	U	N	Y	U	UJ		11B				CRFV5W	00:00
KJ3031	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				2,4-D	.004	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				2,4-DB	.004	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				DALAPON	.002	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				DICAMBA	.002	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				DICHLORPROP	.004	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				DINOSEB	.0006	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				MCPA	.4	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
				MCPP	.4	mg/L	U	N	Y	U	UJ		11B				CRFV6W	00:00
KJ3030	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8081	SW3520	N 0 1	GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRFV5W	02:22
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRFV5W	02:22
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRFV5W	02:22
KJ3031	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CRFV6W	02:50
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CRFV6W	02:50
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CRFV6W	02:50
KJ3030	SW6010	SW3005	N 0 1	ALUMINUM	.118	mg/L	B	Y	Y	F	B		15	06C			CRFV5W	19:14
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRFV5W	19:14
				BARIUM	.0217	mg/L	B	Y	Y	P	J		15				CRFV5W	19:14
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRFV5W	19:14
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRFV5W	19:14
				CALCIUM	302	mg/L		Y	Y	P							CRFV5W	19:14
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRFV5W	19:14
				COBALT	.05	mg/L	U	N	Y	U	U						CRFV5W	19:14
				COPPER	.025	mg/L	U	N	Y	U	U						CRFV5W	19:14
				IRON	.164	mg/L		Y	Y	P							CRFV5W	19:14
				MAGNESIUM	168	mg/L		Y	Y	P							CRFV5W	19:14
				MANGANESE	.658	mg/L		Y	Y	P							CRFV5W	19:14
				NICKEL	.0105	mg/L	B	Y	Y	P	J		15				CRFV5W	19:14
				POTASSIUM	5.03	mg/L		Y	Y	P							CRFV5W	19:14
				SILVER	.01	mg/L	U	N	Y	U	U						CRFV5W	19:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW6010	SW3005	N 0 1	SODIUM	143	mg/L		Y	Y	P							CRFV5W	19:14
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRFV5W	19:14
				ZINC	.02	mg/L	U	N	Y	U	U						CRFV5W	19:14
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRFV5W	19:14
				LEAD	.003	mg/L	U	N	Y	U	U						CRFV5W	19:14
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRFV5W	19:14
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRFV5W	19:14
	SW7470	TOTAL	N 0 1	MERCURY	.000076	mg/L	B	Y	Y	F	B		06A	15			CRFV5W	16:24
KJ3031	SW6010	SW3005	N 0 1	ALUMINUM	.131	mg/L	B	Y	Y	F	B		15	06C			CRFV6W	19:18
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CRFV6W	19:18
				BARIUM	.0526	mg/L	B	Y	Y	P	J		15				CRFV6W	19:18
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CRFV6W	19:18
				CADMIUM	.005	mg/L	U	N	Y	U	U						CRFV6W	19:18
				CALCIUM	105	mg/L		Y	Y	P							CRFV6W	19:18
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CRFV6W	19:18
				COBALT	.05	mg/L	U	N	Y	U	U						CRFV6W	19:18
				COPPER	.025	mg/L	U	N	Y	U	U						CRFV6W	19:18
				IRON	.142	mg/L		Y	Y	P							CRFV6W	19:18
				MAGNESIUM	16.5	mg/L		Y	Y	P							CRFV6W	19:18
				MANGANESE	.12	mg/L		Y	Y	P							CRFV6W	19:18
				NICKEL	.04	mg/L	U	N	Y	U	U						CRFV6W	19:18
				POTASSIUM	.852	mg/L	B	Y	Y	P	J		15				CRFV6W	19:18
				SILVER	.01	mg/L	U	N	Y	U	U						CRFV6W	19:18
				SODIUM	9.81	mg/L		Y	Y	P							CRFV6W	19:18
				VANADIUM	.05	mg/L	U	N	Y	U	U						CRFV6W	19:18
				ZINC	.02	mg/L	U	N	Y	U	U						CRFV6W	19:18
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CRFV6W	19:18
				LEAD	.003	mg/L	U	N	Y	U	U						CRFV6W	19:18
				SELENIUM	.005	mg/L	U	N	Y	U	U						CRFV6W	19:18
				THALLIUM	.01	mg/L	U	N	Y	U	U						CRFV6W	19:18
	SW7470	TOTAL	N 0 1	MERCURY	.000082	mg/L	B	Y	Y	F	B		06A	15			CRFV6W	16:36
KJ3030	SW8141	SW3510	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				DIAZINON	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8141	SW3510	N 0 1	DISULFOTON	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				FENTHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				MALATHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				MERPHOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				METHYL PARATHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				NALED	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				PARATHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				PHORATE	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				RONNEL	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CRFV5W	09:14
KJ3031	SW8141	SW3510	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				DIAZINON	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				FENTHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				MALATHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				MERPHOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				METHYL PARATHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				NALED	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				PARATHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				PHORATE	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				RONNEL	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3031	SW8141	SW3510	N 0 1	SULFOTEPP	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CRFV6W	10:06
KJ3030	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRFV5W	16:16
KJ3031	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CRFV6W	16:31
KJ3030	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ		04B				CRFV5W	17:41
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8270	SW3520	N 0 1	4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ		05B				CRFV5W	17:41
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		05B				CRFV5W	17:41
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		05B				CRFV5W	17:41
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV5W	17:41
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8270	SW3520	N 0 1	PHENOL	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
				PYRENE	.01	mg/L	U	N	Y	U	U						CRFV5W	17:41
KJ3031	SW8270	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	UJ	04B					CRFV6W	18:12
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				4-NITROANILINE	.05	mg/L	U	N	Y	U	UJ	05B					CRFV6W	18:12
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3031	SW8270	SW3520	N 0 1	BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		05B				CRFV6W	18:12
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	UJ		05B				CRFV6W	18:12
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				FLUORENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CRFV6W	18:12
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				PHENOL	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
				PYRENE	.01	mg/L	U	N	Y	U	U						CRFV6W	18:12
KJ3030	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	UJ		04B				CRFV5W	00:44
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CRFV5W	00:44
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8260	SW5030	N 0 1	1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CRFV5W	00:44
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRFV5W	00:44
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRFV5W	00:44
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CRFV5W	00:44
				BENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRFV5W	00:44
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRFV5W	00:44
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRFV5W	00:44
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3030	SW8260	SW5030	N 0 1	SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				STYRENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV5W	00:44
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRFV5W	00:44
KJ3031	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	UJ		04B				CRFV6W	01:10
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	05A			CRFV6W	01:10
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CRFV6W	01:10
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CRFV6W	01:10
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CRFV6W	01:10
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CRFV6W	01:10
				BENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRFV6W	01:10

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147513																		
KJ3031	SW8260	SW5030	N 0 1	BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	R		04A	05A			CRFV6W	01:10
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				METHYLENE CHLORIDE	.001	mg/L	U	N	Y	U	UJ		04B				CRFV6W	01:10
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				STYRENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TOLUENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CRFV6W	01:10
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CRFV6W	01:10
PK147514																		
KJ0159	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y	U	UJ		08B				CRKR2S	11:31
				2,4-D	.08	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				2,4-DB	.08	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				DALAPON	.04	mg/kg	U	N	Y	U	U						CRKR2S	11:31

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0159	SW8151	METHOD	N 0 1	DICAMBA	.04	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				DICHLORPROP	.08	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				DINOSEB	.012	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				MCPA	8	mg/kg	U	N	Y	U	U						CRKR2S	11:31
				MCPP	8	mg/kg	U	N	Y	U	U						CRKR2S	11:31
KJ0160	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y	U	UJ		08B				CRQJ2S	16:09
				2,4-D	.08	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				2,4-DB	.08	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				DALAPON	.04	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				DICAMBA	.04	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				DICHLORPROP	.08	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				DINOSEB	.012	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				MCPA	8	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
				MCPP	8	mg/kg	U	N	Y	U	U						CRQJ2S	16:09
KJ0161	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y		U						CRQJJS	16:37
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y		UJ		08B				CRQJJS	16:37
				2,4-D	.08	mg/kg	U	N	Y		U						CRQJJS	16:37
				2,4-DB	.08	mg/kg	U	N	Y		U						CRQJJS	16:37
				DALAPON	.04	mg/kg	U	N	Y		U						CRQJJS	16:37
				DICAMBA	.04	mg/kg	U	N	Y		U						CRQJJS	16:37
				DICHLORPROP	.08	mg/kg	U	N	Y		U						CRQJJS	16:37
				DINOSEB	.012	mg/kg	U	N	Y		U						CRQJJS	16:37
				MCPA	8	mg/kg	U	N	Y		U						CRQJJS	16:37
				MCPP	8	mg/kg	U	N	Y		U						CRQJJS	16:37
KJ0163	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y	U	UJ		08B				CRKR4S	12:54
				2,4-D	.08	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				2,4-DB	.08	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				DALAPON	.04	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				DICAMBA	.04	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				DICHLORPROP	.08	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				DINOSEB	.012	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				MCPA	8	mg/kg	U	N	Y	U	U						CRKR4S	12:54
				MCPP	8	mg/kg	U	N	Y	U	U						CRKR4S	12:54
KJ0164	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y	U	UJ		08B				CRKRRS	13:22
				2,4-D	.08	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				2,4-DB	.08	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				DALAPON	.04	mg/kg	U	N	Y	U	U						CRKRRS	13:22

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW8151	METHOD	N 0 1	DICAMBA	.04	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				DICHLORPROP	.08	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				DINOSEB	.012	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				MCPA	8	mg/kg	U	N	Y	U	U						CRKRRS	13:22
				MCPP	8	mg/kg	U	N	Y	U	U						CRKRRS	13:22
KJ0165	SW8151	METHOD	N 0 1	2,4,5-T	.02	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				2,4,5-TP (SILVEX)	.02	mg/kg	U	N	Y	U	UJ		08B				CRKRVS	13:50
				2,4-D	.08	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				2,4-DB	.08	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				DALAPON	.04	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				DICAMBA	.04	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				DICHLORPROP	.08	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				DINOSEB	.012	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				MCPA	8	mg/kg	U	N	Y	U	U						CRKRVS	13:50
				MCPP	8	mg/kg	U	N	Y	U	U						CRKRVS	13:50
KJ0159	SW8081	SW3550	N 0 20	4,4'-DDD	.015	mg/kg	J	Y	Y	P	J		15				CRKR2S	11:24
				4,4'-DDE	.013	mg/kg	J	Y	Y	P	J		15				CRKR2S	11:24
				4,4'-DDT	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ALDRIN	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ALPHA-BHC	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				BETA-BHC	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				CHLORDANE (TECHNICAL)	.45	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				DELTA-BHC	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				DIELDRIN	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDOSULFAN I	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDOSULFAN II	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDOSULFAN SULFATE	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDRIN	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDRIN ALDEHYDE	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				ENDRIN KETONE	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				GAMMA-BHC (LINDANE)	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				HEPTACHLOR	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				HEPTACHLOR EPOXIDE	.045	mg/kg	U	N	Y	U	U						CRKR2S	11:24
				METHOXYCHLOR	.034	mg/kg	J	Y	Y	P	J		15				CRKR2S	11:24
				TOXAPHENE	1.8	mg/kg	U	N	Y	U	U						CRKR2S	11:24
KJ0160	SW8081	SW3550	N 0 5	4,4'-DDD	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				4,4'-DDE	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				4,4'-DDT	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ALDRIN	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ALPHA-BHC	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8081	SW3550	N 0 5	BETA-BHC	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				CHLORDANE (TECHNICAL)	.11	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				DELTA-BHC	.0023	mg/kg	J	Y	Y	P	J		15				CRQJ2S	15:16
				DIELDRIN	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDOSULFAN I	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDOSULFAN II	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDOSULFAN SULFATE	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDRIN	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDRIN ALDEHYDE	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				ENDRIN KETONE	.0036	mg/kg	J	Y	Y	P	J		15				CRQJ2S	15:16
				GAMMA-BHC (LINDANE)	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				HEPTACHLOR	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				HEPTACHLOR EPOXIDE	.011	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				METHOXYCHLOR	.021	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
				TOXAPHENE	.43	mg/kg	U	N	Y	U	U						CRQJ2S	15:16
KJ0161	SW8081	SW3550	N 0 5	4,4'-DDD	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				4,4'-DDE	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				4,4'-DDT	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ALDRIN	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ALPHA-BHC	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				BETA-BHC	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				CHLORDANE (TECHNICAL)	.11	mg/kg	U	N	Y		U						CRQJJS	14:53
				DELTA-BHC	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				DIELDRIN	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDOSULFAN I	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDOSULFAN II	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDOSULFAN SULFATE	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDRIN	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDRIN ALDEHYDE	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				ENDRIN KETONE	.0031	mg/kg	J	Y	Y		J		15				CRQJJS	14:53
				GAMMA-BHC (LINDANE)	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				HEPTACHLOR	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				HEPTACHLOR EPOXIDE	.011	mg/kg	U	N	Y		U						CRQJJS	14:53
				METHOXYCHLOR	.021	mg/kg	U	N	Y		U						CRQJJS	14:53
				TOXAPHENE	.44	mg/kg	U	N	Y		U						CRQJJS	14:53
KJ0163	SW8081	SW3550	N 0 3	4,4'-DDD	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				4,4'-DDE	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				4,4'-DDT	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ALDRIN	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ALPHA-BHC	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0163	SW8081	SW3550	N 0 3	BETA-BHC	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				CHLORDANE (TECHNICAL)	.062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				DELTA-BHC	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				DIELDRIN	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDOSULFAN I	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDOSULFAN II	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDOSULFAN SULFATE	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDRIN	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDRIN ALDEHYDE	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				ENDRIN KETONE	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				GAMMA-BHC (LINDANE)	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				HEPTACHLOR	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				HEPTACHLOR EPOXIDE	.0062	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				METHOXYCHLOR	.012	mg/kg	U	N	Y	U	U						CRKR4S	14:14
				TOXAPHENE	.24	mg/kg	U	N	Y	U	U						CRKR4S	14:14
KJ0164	SW8081	SW3550	N 0 10	4,4'-DDD	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				4,4'-DDE	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				4,4'-DDT	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ALDRIN	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ALPHA-BHC	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				BETA-BHC	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				CHLORDANE (TECHNICAL)	.28	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				DELTA-BHC	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				DIELDRIN	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDOSULFAN I	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDOSULFAN II	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDOSULFAN SULFATE	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDRIN	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDRIN ALDEHYDE	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				ENDRIN KETONE	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				GAMMA-BHC (LINDANE)	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				HEPTACHLOR	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				HEPTACHLOR EPOXIDE	.028	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				METHOXYCHLOR	.055	mg/kg	U	N	Y	U	U						CRKRRS	09:32
				TOXAPHENE	1.1	mg/kg	U	N	Y	U	U						CRKRRS	09:32
KJ0165	SW8081	SW3550	N 0 5	4,4'-DDD	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				4,4'-DDE	.0034	mg/kg	J	Y	Y	P	J		15				CRKRVS	10:00
				4,4'-DDT	.0011	mg/kg	J	Y	Y	P	J		15				CRKRVS	10:00
				ALDRIN	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ALPHA-BHC	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0165	SW8081	SW3550	N 0 5	BETA-BHC	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				CHLORDANE (TECHNICAL)	.098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				DELTA-BHC	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				DIELDRIN	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDOSULFAN I	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDOSULFAN II	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDOSULFAN SULFATE	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDRIN	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDRIN ALDEHYDE	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				ENDRIN KETONE	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				GAMMA-BHC (LINDANE)	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				HEPTACHLOR	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				HEPTACHLOR EPOXIDE	.0098	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				METHOXYCHLOR	.019	mg/kg	U	N	Y	U	U						CRKRVS	10:00
				TOXAPHENE	.39	mg/kg	U	N	Y	U	U						CRKRVS	10:00
KJ0159	SW6010	SW3050	N 0 1	ALUMINUM	3210	mg/kg		Y	Y	P							CRKR2S	22:22
				ANTIMONY	7.9	mg/kg	U	N	Y	U	U						CRKR2S	22:22
				ARSENIC	4.5	mg/kg		Y	Y	P							CRKR2S	22:22
				BARIUM	61.8	mg/kg		Y	Y	P							CRKR2S	22:22
				BERYLLIUM	0.44	mg/kg	B	Y	Y	P	J		15				CRKR2S	22:22
				CADMIUM	5.1	mg/kg		Y	Y	P							CRKR2S	22:22
				CALCIUM	66200	mg/kg		Y	Y	P							CRKR2S	22:22
				CHROMIUM	28.0	mg/kg		Y	Y	P							CRKR2S	22:22
				COBALT	3.8	mg/kg	B	Y	Y	P	J		15				CRKR2S	22:22
				COPPER	85.2	mg/kg		Y	Y	P	J		08A				CRKR2S	22:22
				IRON	12100	mg/kg		Y	Y	P							CRKR2S	22:22
				LEAD	351	mg/kg		Y	Y	P							CRKR2S	22:22
				MAGNESIUM	36100	mg/kg		Y	Y	P							CRKR2S	22:22
				MANGANESE	322	mg/kg		Y	Y	P							CRKR2S	22:22
				NICKEL	8.5	mg/kg		Y	Y	P							CRKR2S	22:22
				POTASSIUM	293	mg/kg	B	Y	Y	P	J		15				CRKR2S	22:22
				SELENIUM	0.66	mg/kg	U	N	Y	U	U						CRKR2S	22:22
				SILVER	1.3	mg/kg	U	N	Y	U	U						CRKR2S	22:22
				SODIUM	190	mg/kg	B	Y	Y	F	B		06B	15			CRKR2S	22:22
				THALLIUM	1.3	mg/kg	U	N	Y	U	U						CRKR2S	22:22
				VANADIUM	12.4	mg/kg		Y	Y	P							CRKR2S	22:22
				ZINC	518	mg/kg		Y	Y	P							CRKR2S	22:22
	SW7471	TOTAL	N 0 1	MERCURY	0.10	mg/kg		Y	Y	P							CRKR2S	15:24
KJ0160	SW6010	SW3050	N 0 1	ALUMINUM	7420	mg/kg		Y	Y	P							CRQJ2S	23:02
				ANTIMONY	7.7	mg/kg	U	N	Y	U	U						CRQJ2S	23:02

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW6010	SW3050	N 0 1	ARSENIC	5.6	mg/kg		Y	Y	P							CRQJ2S	23:02
				BARIUM	63.2	mg/kg		Y	Y	P							CRQJ2S	23:02
				BERYLLIUM	0.65	mg/kg		Y	Y	P							CRQJ2S	23:02
				CADMIUM	0.64	mg/kg	U	N	Y	U	U						CRQJ2S	23:02
				CALCIUM	2110	mg/kg		Y	Y	P							CRQJ2S	23:02
				CHROMIUM	15.2	mg/kg		Y	Y	P							CRQJ2S	23:02
				COBALT	3.5	mg/kg	B	Y	Y	P	J		15				CRQJ2S	23:02
				COPPER	14.5	mg/kg		Y	Y	P	J		08A				CRQJ2S	23:02
				IRON	22700	mg/kg		Y	Y	P							CRQJ2S	23:02
				LEAD	61.0	mg/kg		Y	Y	P	J		17				CRQJ2S	23:02
				MAGNESIUM	1190	mg/kg		Y	Y	P	J		17				CRQJ2S	23:02
				MANGANESE	86.1	mg/kg		Y	Y	P							CRQJ2S	23:02
				NICKEL	10.5	mg/kg		Y	Y	P	J		17				CRQJ2S	23:02
				POTASSIUM	297	mg/kg	B	Y	Y	P	J		15				CRQJ2S	23:02
				SELENIUM	1.3	mg/kg		Y	Y	P	J		17				CRQJ2S	23:02
				SILVER	1.3	mg/kg	U	N	Y	U	U						CRQJ2S	23:02
				SODIUM	121	mg/kg	B	Y	Y	F	B		06C	15			CRQJ2S	23:02
				THALLIUM	1.3	mg/kg	U	N	Y	U	U						CRQJ2S	23:02
				VANADIUM	24.3	mg/kg		Y	Y	P							CRQJ2S	23:02
				ZINC	91.9	mg/kg		Y	Y	P	J		17				CRQJ2S	23:02
	SW7471	TOTAL	N 0 1	MERCURY	0.041	mg/kg	B	Y	Y	P	J		15				CRQJ2S	15:42
KJ0161	SW6010	SW3050	N 0 1	ALUMINUM	8190	mg/kg		Y	Y								CRQJJS	23:06
				ANTIMONY	7.8	mg/kg	U	N	Y		U						CRQJJS	23:06
				ARSENIC	7.1	mg/kg		Y	Y								CRQJJS	23:06
				BARIUM	62.0	mg/kg		Y	Y								CRQJJS	23:06
				BERYLLIUM	0.52	mg/kg	B	Y	Y		J		15				CRQJJS	23:06
				CADMIUM	0.65	mg/kg	U	N	Y		U						CRQJJS	23:06
				CALCIUM	1830	mg/kg		Y	Y								CRQJJS	23:06
				CHROMIUM	19.4	mg/kg		Y	Y								CRQJJS	23:06
				COBALT	2.4	mg/kg	B	Y	Y		J		15				CRQJJS	23:06
				COPPER	11.4	mg/kg		Y	Y		J		08A				CRQJJS	23:06
				IRON	36300	mg/kg		Y	Y								CRQJJS	23:06
				LEAD	24.4	mg/kg		Y	Y		J		17				CRQJJS	23:06
				MAGNESIUM	579	mg/kg	B	Y	Y		J		15	17			CRQJJS	23:06
				MANGANESE	116	mg/kg		Y	Y								CRQJJS	23:06
				NICKEL	4.9	mg/kg	B	Y	Y		J		17				CRQJJS	23:06
				POTASSIUM	286	mg/kg	B	Y	Y		J		15				CRQJJS	23:06
				SELENIUM	2.3	mg/kg		Y	Y		J		17				CRQJJS	23:06
				SILVER	1.3	mg/kg	U	N	Y		U						CRQJJS	23:06
				SODIUM	105	mg/kg	B	Y	Y		B		06C	15			CRQJJS	23:06

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0161	SW6010	SW3050	N 0 1	THALLIUM	1.3	mg/kg	U	N	Y		U						CRQJJS	23:06
				VANADIUM	33.9	mg/kg		Y	Y								CRQJJS	23:06
				ZINC	25.6	mg/kg		Y	Y		J		17				CRQJJS	23:06
	SW7471	TOTAL	N 0 1	MERCURY	0.043	mg/kg		Y	Y								CRQJJS	15:45
KJ0163	SW6010	SW3050	N 0 1	ALUMINUM	8530	mg/kg		Y	Y	P							CRKR4S	22:49
				ANTIMONY	7.3	mg/kg	U	N	Y	U	U						CRKR4S	22:49
				ARSENIC	6.4	mg/kg		Y	Y	P							CRKR4S	22:49
				BARIUM	167	mg/kg		Y	Y	P							CRKR4S	22:49
				BERYLLIUM	1.1	mg/kg		Y	Y	P							CRKR4S	22:49
				CADMIUM	0.61	mg/kg	U	N	Y	U	U						CRKR4S	22:49
				CALCIUM	3010	mg/kg		Y	Y	P							CRKR4S	22:49
				CHROMIUM	13.8	mg/kg		Y	Y	P							CRKR4S	22:49
				COBALT	7.6	mg/kg		Y	Y	P							CRKR4S	22:49
				COPPER	5.4	mg/kg		Y	Y	P	J		08A				CRKR4S	22:49
				IRON	21000	mg/kg		Y	Y	P							CRKR4S	22:49
				LEAD	19.3	mg/kg		Y	Y	P							CRKR4S	22:49
				MAGNESIUM	567	mg/kg	B	Y	Y	P	J		15				CRKR4S	22:49
				MANGANESE	1040	mg/kg		Y	Y	P							CRKR4S	22:49
				NICKEL	7.5	mg/kg		Y	Y	P							CRKR4S	22:49
				POTASSIUM	288	mg/kg	B	Y	Y	P	J		15				CRKR4S	22:49
				SELENIUM	1.1	mg/kg		Y	Y	P							CRKR4S	22:49
				SILVER	1.2	mg/kg	U	N	Y	U	U						CRKR4S	22:49
				SODIUM	127	mg/kg	B	Y	Y	F	B		06C	15			CRKR4S	22:49
				THALLIUM	1.2	mg/kg	U	N	Y	U	U						CRKR4S	22:49
				VANADIUM	24.1	mg/kg		Y	Y	P							CRKR4S	22:49
				ZINC	21.1	mg/kg		Y	Y	P							CRKR4S	22:49
	SW7471	TOTAL	N 0 1	MERCURY	0.037	mg/kg	B	Y	Y	F	B		06C	15			CRKR4S	15:31
KJ0164	SW6010	SW3050	N 0 1	ALUMINUM	9750	mg/kg		Y	Y	P							CRKRRS	22:53
				ANTIMONY	10.0	mg/kg	U	N	Y	U	U						CRKRRS	22:53
				ARSENIC	9.4	mg/kg		Y	Y	P							CRKRRS	22:53
				BARIUM	109	mg/kg		Y	Y	P							CRKRRS	22:53
				BERYLLIUM	1.1	mg/kg		Y	Y	P							CRKRRS	22:53
				CADMIUM	0.83	mg/kg	U	N	Y	U	U						CRKRRS	22:53
				CALCIUM	6240	mg/kg		Y	Y	P							CRKRRS	22:53
				CHROMIUM	18.4	mg/kg		Y	Y	P							CRKRRS	22:53
				COBALT	9.5	mg/kg		Y	Y	P							CRKRRS	22:53
				COPPER	64.5	mg/kg		Y	Y	P	J		08A				CRKRRS	22:53
				IRON	22100	mg/kg		Y	Y	P							CRKRRS	22:53
				LEAD	144	mg/kg		Y	Y	P							CRKRRS	22:53
				MAGNESIUM	2180	mg/kg		Y	Y	P							CRKRRS	22:53

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW6010	SW3050	N 0 1	MANGANESE	528	mg/kg		Y	Y	P							CRKRRS	22:53
				NICKEL	20.9	mg/kg		Y	Y	P							CRKRRS	22:53
				POTASSIUM	755	mg/kg	B	Y	Y	P	J		15				CRKRRS	22:53
				SELENIUM	1.8	mg/kg		Y	Y	P							CRKRRS	22:53
				SILVER	1.7	mg/kg	U	N	Y	U	U						CRKRRS	22:53
				SODIUM	147	mg/kg	B	Y	Y	F	B		06C	15			CRKRRS	22:53
				THALLIUM	1.7	mg/kg	U	N	Y	U	U						CRKRRS	22:53
				VANADIUM	24.5	mg/kg		Y	Y	P							CRKRRS	22:53
				ZINC	230	mg/kg		Y	Y	P							CRKRRS	22:53
	SW7471	TOTAL	N 0 1	MERCURY	0.17	mg/kg		Y	Y	P							CRKRRS	15:33
KJ0165	SW6010	SW3050	N 0 1	ALUMINUM	16600	mg/kg		Y	Y	P							CRKRVS	22:58
				ANTIMONY	7.0	mg/kg	U	N	Y	U	U						CRKRVS	22:58
				ARSENIC	3.0	mg/kg		Y	Y	P							CRKRVS	22:58
				BARIUM	240	mg/kg		Y	Y	P							CRKRVS	22:58
				BERYLLIUM	4.0	mg/kg		Y	Y	P							CRKRVS	22:58
				CADMIUM	0.58	mg/kg	U	N	Y	U	U						CRKRVS	22:58
				CHROMIUM	8.5	mg/kg		Y	Y	P							CRKRVS	22:58
				COBALT	1.9	mg/kg	B	Y	Y	P	J		15				CRKRVS	22:58
				COPPER	3.3	mg/kg		Y	Y	P	J		08A				CRKRVS	22:58
				IRON	7330	mg/kg		Y	Y	P							CRKRVS	22:58
				LEAD	12.0	mg/kg		Y	Y	P							CRKRVS	22:58
				MAGNESIUM	8320	mg/kg		Y	Y	P							CRKRVS	22:58
				MANGANESE	778	mg/kg		Y	Y	P							CRKRVS	22:58
				NICKEL	2.2	mg/kg	B	Y	Y	P	J		15				CRKRVS	22:58
				POTASSIUM	3280	mg/kg		Y	Y	P							CRKRVS	22:58
				SELENIUM	0.66	mg/kg		Y	Y	P							CRKRVS	22:58
				SILVER	1.2	mg/kg	U	N	Y	U	U						CRKRVS	22:58
				SODIUM	343	mg/kg	B	Y	Y	F	B		06C	15			CRKRVS	22:58
				THALLIUM	1.2	mg/kg	U	N	Y	U	U						CRKRVS	22:58
				VANADIUM	20.4	mg/kg		Y	Y	P							CRKRVS	22:58
				ZINC	12.3	mg/kg		Y	Y	P							CRKRVS	22:58
	SW6010	SW3050	N 1 5	CALCIUM	85400	mg/kg		Y	Y	P							CRKRVS	15:43
	SW7471	TOTAL	N 0 1	MERCURY	0.060	mg/kg		Y	Y	P							CRKRVS	15:40
KJ0159	SW8141	SW3550	N 0 10	AZINPHOS-METHYL	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				BOLSTAR	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				CHLORPYRIFOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				COUMAPHOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				DEMETON (TOTAL)	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				DIAZINON	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				DICHLORVOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0159	SW8141	SW3550	N 0 10	DIMETHOATE	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				DISULFOTON	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				ETHOPROP	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				FAMPHUR	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				FENSULFOTHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				FENTHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				MALATHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				MERPHOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				METHYL PARATHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				MEVINPHOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				NALED	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				PARATHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				PHORATE	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				RONNEL	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				STIROPHOS	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				SULFOTEPP	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				THIONAZIN	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				TOKUTHION	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
				TRICHLORONATE	.43	mg/kg	U	N	Y	U	U						CRKR2S	17:11
KJ0160	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				BOLSTAR	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				CHLORPYRIFOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				COUMAPHOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				DEMETON (TOTAL)	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				DIAZINON	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				DICHLORVOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				DIMETHOATE	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				DISULFOTON	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				ETHOPROP	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				FAMPHUR	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				FENSULFOTHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				FENTHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				MALATHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				MERPHOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				METHYL PARATHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				MEVINPHOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				NALED	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				PARATHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				PHORATE	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				RONNEL	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8141	SW3550	N 0 1	STIROPHOS	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				SULFOTEPP	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				THIONAZIN	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				TOKUTHION	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
				TRICHLORONATE	.042	mg/kg	U	N	Y	U	U						CRQJ2S	08:34
KJ0161	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				BOLSTAR	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				CHLORPYRIFOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				COUMAPHOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				DEMETON (TOTAL)	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				DIAZINON	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				DICHLORVOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				DIMETHOATE	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				DISULFOTON	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				ETHOPROP	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				FAMPHUR	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				FENSULFOTHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				FENTHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				MALATHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				MERPHOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				METHYL PARATHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				MEVINPHOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				NALED	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				PARATHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				PHORATE	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				RONNEL	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				STIROPHOS	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				SULFOTEPP	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				THIONAZIN	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				TOKUTHION	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
				TRICHLORONATE	.043	mg/kg	U	N	Y		U						CRQJJS	05:22
KJ0163	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				BOLSTAR	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				COUMAPHOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				DIAZINON	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				DISULFOTON	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0163	SW8141	SW3550	N 0 1	ETHOPROP	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				FENTHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				MALATHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				MERPHOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				NALED	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				PARATHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				PHORATE	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				RONNEL	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				STIROPHOS	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				SULFOTEPP	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				THIONAZIN	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				TOKUTHION	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CRKR4S	18:03
KJ0164	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				BOLSTAR	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				CHLORPYRIFOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				COUMAPHOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				DEMETON (TOTAL)	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				DIAZINON	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				DICHLORVOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				DIMETHOATE	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				DISULFOTON	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				ETHOPROP	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				FAMPHUR	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				FENSULFOTHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				FENTHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				MALATHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				MERPHOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				METHYL PARATHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				MEVINPHOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				NALED	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				PARATHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				PHORATE	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				RONNEL	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				STIROPHOS	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				SULFOTEPP	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW8141	SW3550	N 0 1	THIONAZIN	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				TOKUTHION	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
				TRICHLORONATE	.055	mg/kg	U	N	Y	U	U						CRKRRS	18:56
KJ0165	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				BOLSTAR	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				CHLORPYRIFOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				COUMAPHOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				DEMETON (TOTAL)	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				DIAZINON	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				DICHLORVOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				DIMETHOATE	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				DISULFOTON	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				ETHOPROP	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				FAMPHUR	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				FENSULFOTHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				FENTHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				MALATHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				MERPHOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				METHYL PARATHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				MEVINPHOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				NALED	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				PARATHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				PHORATE	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				RONNEL	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				STIROPHOS	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				SULFOTEPP	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				THIONAZIN	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				TOKUTHION	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
				TRICHLORONATE	.038	mg/kg	U	N	Y	U	U						CRKRVS	19:48
KJ0159	SW8082	SW3550	N 0 5	AROCLOR 1016	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1221	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1232	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1242	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1248	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1254	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
				AROCLOR 1260	.22	mg/kg	U	N	Y	U	U						CRKR2S	20:46
KJ0160	SW8082	SW3550	N 0 1	AROCLOR 1016	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
				AROCLOR 1221	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
				AROCLOR 1232	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
				AROCLOR 1242	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8082	SW3550	N 0 1	AROCLOR 1248	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
				AROCLOR 1254	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
				AROCLOR 1260	.042	mg/kg	U	N	Y	U	U						CRQJ2S	13:47
KJ0161	SW8082	SW3550	N 0 1	AROCLOR 1016	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1221	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1232	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1242	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1248	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1254	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
				AROCLOR 1260	.043	mg/kg	U	N	Y		U						CRQJJS	13:32
KJ0163	SW8082	SW3550	N 0 1	AROCLOR 1016	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1221	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1232	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1242	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1248	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1254	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
				AROCLOR 1260	.04	mg/kg	U	N	Y	U	U						CRKR4S	21:46
KJ0164	SW8082	SW3550	N 0 1	AROCLOR 1016	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1221	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1232	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1242	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1248	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1254	.055	mg/kg	U	N	Y	U	U						CRKRRS	19:46
				AROCLOR 1260	.045	mg/kg	J	Y	Y	P	J		21				CRKRRS	19:46
KJ0165	SW8082	SW3550	N 0 1	AROCLOR 1016	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1221	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1232	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1242	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1248	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1254	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
				AROCLOR 1260	.038	mg/kg	U	N	Y	U	U						CRKRVS	20:31
KJ0159	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				1,2-DICHLOROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				1,3-DICHLOROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				1,4-DICHLOROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,2'-OXYBIS(1-CHLOROPROPANE)	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,4,5-TRICHLOROPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,4,6-TRICHLOROPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,4-DICHLOROPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0159	SW8270	SW3540	N 0 1	2,4-DIMETHYLPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,4-DINITROPHENOL	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,4-DINITROTOLUENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2,6-DINITROTOLUENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-CHLORONAPHTHALENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-CHLOROPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-METHYLNAPHTHALENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-METHYLPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-NITROANILINE	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				2-NITROPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				3,3'-DICHLOROBENZIDINE	21	mg/kg	U	N	Y	U	UJ		05B				CRKR2S	00:44
				3-NITROANILINE	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4,6-DINITRO-2-METHYLPHENOL	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-BROMOPHENYL PHENYL ETHER	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-CHLORO-3-METHYLPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-CHLOROANILINE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-CHLOROPHENYL PHENYL ETHER	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-METHYLPHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-NITROANILINE	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				4-NITROPHENOL	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				ACENAPHTHENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				ACENAPHTHYLENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				ANTHRACENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				BENZ(A)ANTHRACENE	.19	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				BENZO(A)PYRENE	.17	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				BENZO(B)FLUORANTHENE	.34	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				BENZO(GHI)PERYLENE	.13	mg/kg	J	Y	Y	P	J		10A				CRKR2S	00:44
				BENZO(K)FLUORANTHENE	.12	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				BIS(2-CHLOROETHOXY)METHANE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				BIS(2-CHLOROETHYL) ETHER	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				BIS(2-ETHYLHEXYL) PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				BUTYL BENZYL PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				CARBAZOLE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				CHRYSENE	.24	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				DI-N-BUTYL PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				DI-N-OCTYL PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				DIBENZ(A,H)ANTHRACENE	4.3	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	00:44
				DIBENZOFURAN	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				DIETHYL PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				DIMETHYL PHTHALATE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0159	SW8270	SW3540	N 0 1	FLUORANTHENE	.41	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				FLUORENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				HEXACHLOROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				HEXACHLOROBUTADIENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				HEXACHLOROCYCLOPENTADIENE	4.3	mg/kg	U	N	Y	U	UJ		05B				CRKR2S	00:44
				HEXACHLOROETHANE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				INDENO(1,2,3-CD)PYRENE	.12	mg/kg	J	Y	Y	P	J		10A				CRKR2S	00:44
				ISOPHORONE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				N-NITROSODI-N-PROPYLAMINE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				N-NITROSODIPHENYLAMINE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				NAPHTHALENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				NITROBENZENE	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				PENTACHLOROPHENOL	21	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				PHENANTHRENE	.18	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
				PHENOL	4.3	mg/kg	U	N	Y	U	U						CRKR2S	00:44
				PYRENE	.31	mg/kg	J	Y	Y	P	J		15				CRKR2S	00:44
KJ0160	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				1,2-DICHLOROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				1,3-DICHLOROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				1,4-DICHLOROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,2'-OXYBIS(1-CHLOROPROPANE)	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4,5-TRICHLOROPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4,6-TRICHLOROPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4-DICHLOROPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4-DIMETHYLPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4-DINITROPHENOL	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,4-DINITROTOLUENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2,6-DINITROTOLUENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-CHLORONAPHTHALENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-CHLOROPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-METHYLNAPHTHALENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-METHYLPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-NITROANILINE	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				2-NITROPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				3,3'-DICHLOROBENZIDINE	2.1	mg/kg	U	N	Y	U	UJ		05B				CRQJ2S	18:10
				3-NITROANILINE	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4,6-DINITRO-2-METHYLPHENOL	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-BROMOPHENYL PHENYL ETHER	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-CHLORO-3-METHYLPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-CHLOROANILINE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8270	SW3540	N 0 1	4-CHLOROPHENYL PHENYL ETHER	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-METHYLPHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-NITROANILINE	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				4-NITROPHENOL	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				ACENAPHTHENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				ACENAPHTHYLENE	.089	mg/kg	J	Y	Y	P	J		15				CRQJ2S	18:10
				ANTHRACENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				BENZ(A)ANTHRACENE	.41	mg/kg	J	Y	Y	P	J		15				CRQJ2S	18:10
				BENZO(A)PYRENE	.98	mg/kg		Y	Y	P	J		17				CRQJ2S	18:10
				BENZO(B)FLUORANTHENE	1.8	mg/kg		Y	Y	P	J		17				CRQJ2S	18:10
				BENZO(GHI)PERYLENE	.69	mg/kg		Y	Y	P	J		10A	17			CRQJ2S	18:10
				BENZO(K)FLUORANTHENE	1	mg/kg		Y	Y	P	J		17				CRQJ2S	18:10
				BIS(2-CHLOROETHOXY)METHANE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				BIS(2-CHLOROETHYL) ETHER	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				BIS(2-ETHYLHEXYL) PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				BUTYL BENZYL PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				CARBAZOLE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				CHRYSENE	.56	mg/kg		Y	Y	P							CRQJ2S	18:10
				DI-N-BUTYL PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				DI-N-OCTYL PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				DIBENZ(A,H)ANTHRACENE	.19	mg/kg	J	Y	Y	P	J		10A	17			CRQJ2S	18:10
				DIBENZOFURAN	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				DIETHYL PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				DIMETHYL PHTHALATE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				FLUORANTHENE	.73	mg/kg		Y	Y	P							CRQJ2S	18:10
				FLUORENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				HEXACHLOROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				HEXACHLOROBUTADIENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				HEXACHLOROCYCLOPENTADIENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				HEXACHLOROETHANE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				INDENO(1,2,3-CD)PYRENE	.82	mg/kg		Y	Y	P	J		10A	17			CRQJ2S	18:10
				ISOPHORONE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				N-NITROSODI-N-PROPYLAMINE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				N-NITROSODIPHENYLAMINE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				NAPHTHALENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				NITROBENZENE	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				PENTACHLOROPHENOL	2.1	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				PHENANTHRENE	.11	mg/kg	J	Y	Y	P	J		15				CRQJ2S	18:10
				PHENOL	.42	mg/kg	U	N	Y	U	U						CRQJ2S	18:10
				PYRENE	.57	mg/kg		Y	Y	P							CRQJ2S	18:10

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0161	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				1,2-DICHLOROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				1,3-DICHLOROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				1,4-DICHLOROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,2'-OXYBIS(1-CHLOROPROPANE)	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4,5-TRICHLOROPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4,6-TRICHLOROPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4-DICHLOROPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4-DIMETHYLPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4-DINITROPHENOL	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,4-DINITROTOLUENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2,6-DINITROTOLUENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-CHLORONAPHTHALENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-CHLOROPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-METHYLNAPHTHALENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-METHYLPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-NITROANILINE	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				2-NITROPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				3,3'-DICHLOROBENZIDINE	2.1	mg/kg	U	N	Y		UJ		05B				CRQJJS	18:47
				3-NITROANILINE	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				4,6-DINITRO-2-METHYLPHENOL	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-BROMOPHENYL PHENYL ETHER	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-CHLORO-3-METHYLPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-CHLOROANILINE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-CHLOROPHENYL PHENYL ETHER	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-METHYLPHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-NITROANILINE	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				4-NITROPHENOL	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				ACENAPHTHENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				ACENAPHTHYLENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				ANTHRACENE	.084	mg/kg	J	Y	Y		J		15				CRQJJS	18:47
				BENZ(A)ANTHRACENE	.25	mg/kg	J	Y	Y		J		15				CRQJJS	18:47
				BENZO(A)PYRENE	.42	mg/kg	J	Y	Y		J		17				CRQJJS	18:47
				BENZO(B)FLUORANTHENE	.69	mg/kg		Y	Y		J		17				CRQJJS	18:47
				BENZO(GHI)PERYLENE	.25	mg/kg	J	Y	Y		J		10A	17			CRQJJS	18:47
				BENZO(K)FLUORANTHENE	.27	mg/kg	J	Y	Y		J		17				CRQJJS	18:47
				BIS(2-CHLOROETHOXY)METHANE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				BIS(2-CHLOROETHYL) ETHER	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				BIS(2-ETHYLHEXYL) PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				BUTYL BENZYL PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0161	SW8270	SW3540	N 0 1	CARBAZOLE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				CHRYSENE	.35	mg/kg	J	Y	Y		J		15				CRQJJS	18:47
				DI-N-BUTYL PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				DI-N-OCTYL PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				DIBENZ(A,H)ANTHRACENE	.059	mg/kg	J	Y	Y		J		10A	17			CRQJJS	18:47
				DIBENZOFURAN	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				DIETHYL PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				DIMETHYL PHTHALATE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				FLUORANTHENE	.45	mg/kg		Y	Y								CRQJJS	18:47
				FLUORENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				HEXACHLOROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				HEXACHLOROBUTADIENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				HEXACHLOROCYCLOPENTADIENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				HEXACHLOROETHANE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				INDENO(1,2,3-CD)PYRENE	.28	mg/kg	J	Y	Y		J		10A	17			CRQJJS	18:47
				ISOPHORONE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				N-NITROSODI-N-PROPYLAMINE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				N-NITROSODIPHENYLAMINE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				NAPHTHALENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				NITROBENZENE	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				PENTACHLOROPHENOL	2.1	mg/kg	U	N	Y		U						CRQJJS	18:47
				PHENANTHRENE	.08	mg/kg	J	Y	Y		J		15				CRQJJS	18:47
				PHENOL	.43	mg/kg	U	N	Y		U						CRQJJS	18:47
				PYRENE	.35	mg/kg	J	Y	Y		J		15				CRQJJS	18:47
KJ0163	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				1,2-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				1,3-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				1,4-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,2'-OXYBIS(1-CHLOROPROPANE)	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4,5-TRICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4,6-TRICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4-DICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4-DIMETHYLPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4-DINITROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,4-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2,6-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2-CHLORONAPHTHALENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2-CHLOROPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2-METHYLNAPHTHALENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0163	SW8270	SW3540	N 0 1	2-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				2-NITROPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				3,3'-DICHLOROBENZIDINE	1.9	mg/kg	U	N	Y	U	UJ		05B	10A			CRKR4S	02:31
				3-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4,6-DINITRO-2-METHYLPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-BROMOPHENYL PHENYL ETHER	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-CHLORO-3-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-CHLOROANILINE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-CHLOROPHENYL PHENYL ETHER	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				4-NITROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				ACENAPHTHENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				ACENAPHTHYLENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				ANTHRACENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				BENZ(A)ANTHRACENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BENZO(A)PYRENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BENZO(B)FLUORANTHENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BENZO(GHI)PERYLENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BENZO(K)FLUORANTHENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BIS(2-CHLOROETHOXY)METHANE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				BIS(2-CHLOROETHYL) ETHER	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				BIS(2-ETHYLHEXYL) PHTHALATE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				BUTYL BENZYL PHTHALATE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				CARBAZOLE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				CHRYSENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				DI-N-BUTYL PHTHALATE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				DI-N-OCTYL PHTHALATE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				DIBENZ(A,H)ANTHRACENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				DIBENZOFURAN	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				DIETHYL PHTHALATE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				DIMETHYL PHTHALATE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				FLUORANTHENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				FLUORENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				HEXACHLOROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				HEXACHLOROBUTADIENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				HEXACHLOROCYCLOPENTADIENE	.4	mg/kg	U	N	Y	U	UJ		05B				CRKR4S	02:31
				HEXACHLOROETHANE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				INDENO(1,2,3-CD)PYRENE	.4	mg/kg	U	N	Y	U	UJ		10A				CRKR4S	02:31
				ISOPHORONE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0163	SW8270	SW3540	N 0 1	N-NITROSODI-N-PROPYLAMINE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				N-NITROSODIPHENYLAMINE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				NAPHTHALENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				NITROBENZENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				PENTACHLOROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				PHENANTHRENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				PHENOL	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
				PYRENE	.4	mg/kg	U	N	Y	U	U						CRKR4S	02:31
KJ0164	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				1,2-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				1,3-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				1,4-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,2'-OXYBIS(1-CHLOROPROPANE)	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4,5-TRICHLOROPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4,6-TRICHLOROPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4-DICHLOROPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4-DIMETHYLPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4-DINITROPHENOL	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,4-DINITROTOLUENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2,6-DINITROTOLUENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-CHLORONAPHTHALENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-CHLOROPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-METHYLNAPHTHALENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-NITROANILINE	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				2-NITROPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				3,3'-DICHLOROBENZIDINE	2.7	mg/kg	U	N	Y	U	UJ		05B	10A			CRKRRS	03:08
				3-NITROANILINE	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4,6-DINITRO-2-METHYLPHENOL	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-BROMOPHENYL PHENYL ETHER	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-CHLORO-3-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-CHLOROANILINE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-CHLOROPHENYL PHENYL ETHER	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-NITROANILINE	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				4-NITROPHENOL	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				ACENAPHTHENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				ACENAPHTHYLENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				ANTHRACENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				BENZ(A)ANTHRACENE	.11	mg/kg	J	Y	Y	P	J		10A				CRKRRS	03:08

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW8270	SW3540	N 0 1	BENZO(A)PYRENE	.15	mg/kg	J	Y	Y	P	J		10A				CRKRRS	03:08
				BENZO(B)FLUORANTHENE	.24	mg/kg	J	Y	Y	P	J		10A				CRKRRS	03:08
				BENZO(GHI)PERYLENE	.55	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	03:08
				BENZO(K)FLUORANTHENE	.55	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	03:08
				BIS(2-CHLOROETHOXY)METHANE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				BIS(2-CHLOROETHYL) ETHER	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				BIS(2-ETHYLHEXYL) PHTHALATE	.76	mg/kg		Y	Y	P	J		10A				CRKRRS	03:08
				BUTYL BENZYL PHTHALATE	.19	mg/kg	J	Y	Y	P	J		15				CRKRRS	03:08
				CARBAZOLE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				CHRYSENE	.15	mg/kg	J	Y	Y	P	J		10A				CRKRRS	03:08
				DI-N-BUTYL PHTHALATE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				DI-N-OCTYL PHTHALATE	.55	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	03:08
				DIBENZ(A,H)ANTHRACENE	.55	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	03:08
				DIBENZOFURAN	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				DIETHYL PHTHALATE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				DIMETHYL PHTHALATE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				FLUORANTHENE	.17	mg/kg	J	Y	Y	P	J		15				CRKRRS	03:08
				FLUORENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				HEXACHLOROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				HEXACHLOROBUTADIENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				HEXACHLOROCYCLOPENTADIENE	.55	mg/kg	U	N	Y	U	UJ		05B				CRKRRS	03:08
				HEXACHLOROETHANE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				INDENO(1,2,3-CD)PYRENE	.55	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	03:08
				ISOPHORONE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				N-NITROSODI-N-PROPYLAMINE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				N-NITROSODIPHENYLAMINE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				NAPHTHALENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				NITROBENZENE	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				PENTACHLOROPHENOL	2.7	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				PHENANTHRENE	.08	mg/kg	J	Y	Y	P	J		15				CRKRRS	03:08
				PHENOL	.55	mg/kg	U	N	Y	U	U						CRKRRS	03:08
				PYRENE	.14	mg/kg	J	Y	Y	P	J		15				CRKRRS	03:08
KJ0165	SW8270	SW3540	N 0 1	1,2,4-TRICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				1,2-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				1,3-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				1,4-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,2'-OXYBIS(1-CHLOROPROPANE)	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,4,5-TRICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,4,6-TRICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,4-DICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0165	SW8270	SW3540	N 0 1	2,4-DIMETHYLPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,4-DINITROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,4-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2,6-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-CHLORONAPHTHALENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-CHLOROPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-METHYLNAPHTHALENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				2-NITROPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				3,3'-DICHLOROBENZIDINE	1.9	mg/kg	U	N	Y	U	UJ		05B	10A			CRKRVS	03:43
				3-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4,6-DINITRO-2-METHYLPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-BROMOPHENYL PHENYL ETHER	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-CHLORO-3-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-CHLOROANILINE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-CHLOROPHENYL PHENYL ETHER	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-NITROANILINE	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				4-NITROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				ACENAPHTHENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				ACENAPHTHYLENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				ANTHRACENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				BENZ(A)ANTHRACENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BENZO(A)PYRENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BENZO(B)FLUORANTHENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BENZO(GHI)PERYLENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BENZO(K)FLUORANTHENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BIS(2-CHLOROETHOXY)METHANE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				BIS(2-CHLOROETHYL) ETHER	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				BIS(2-ETHYLHEXYL) PHTHALATE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				BUTYL BENZYL PHTHALATE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				CARBAZOLE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				CHRYSENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				DI-N-BUTYL PHTHALATE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				DI-N-OCTYL PHTHALATE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				DIBENZ(A,H)ANTHRACENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				DIBENZOFURAN	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				DIETHYL PHTHALATE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				DIMETHYL PHTHALATE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0165	SW8270	SW3540	N 0 1	FLUORANTHENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				FLUORENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				HEXACHLOROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				HEXACHLOROBUTADIENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				HEXACHLOROCYCLOPENTADIENE	.38	mg/kg	U	N	Y	U	UJ		05B				CRKRVS	03:43
				HEXACHLOROETHANE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				INDENO(1,2,3-CD)PYRENE	.38	mg/kg	U	N	Y	U	UJ		10A				CRKRVS	03:43
				ISOPHORONE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				N-NITROSODI-N-PROPYLAMINE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				N-NITROSODIPHENYLAMINE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				NAPHTHALENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				NITROBENZENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				PENTACHLOROPHENOL	1.9	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				PHENANTHRENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				PHENOL	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
				PYRENE	.38	mg/kg	U	N	Y	U	U						CRKRVS	03:43
KJ0159	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1,1-TRICHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1,2,2-TETRACHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1,2-TRICHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1-DICHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1-DICHLOROETHENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,1-DICHLOROPROPENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,2,3-TRICHLOROBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2,3-TRICHLOROPROPANE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2,4-TRICHLOROBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2,4-TRIMETHYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2-DIBROMO-3-CHLOROPROPANE	.013	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2-DIBROMOETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,2-DICHLOROBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,2-DICHLOROETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,2-DICHLOROPROPANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,3,5-TRIMETHYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,3-DICHLOROBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				1,3-DICHLOROPROPANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				1,4-DICHLOROBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				2,2-DICHLOROPROPANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				2-BUTANONE	.026	mg/kg	U	N	Y	U	R		04A	05A			CRKR2S	18:32
				2-CHLOROTOLUENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				2-HEXANONE	.026	mg/kg	U	N	Y	U	U						CRKR2S	18:32

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0159	SW8260	SW5030	N 0 1	4-CHLOROTOLUENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				4-METHYL-2-PENTANONE	.026	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				ACETONE	.026	mg/kg	U	N	Y	U	R		04A	05A			CRKR2S	18:32
				BENZENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				BROMOBENZENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				BROMOCHLOROMETHANE	.0066	mg/kg	U	N	Y	U	R		04A	05A			CRKR2S	18:32
				BROMODICHLOROMETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				BROMOFORM	.0066	mg/kg	U	N	Y	U	U			001			CRKR2S	18:32
				BROMOMETHANE	.013	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CARBON DISULFIDE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CARBON TETRACHLORIDE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CHLOROBENZENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CHLORODIBROMOMETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CHLOROETHANE	.013	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CHLOROFORM	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CHLOROMETHANE	.013	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CIS-1,2-DICHLOROETHENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				CIS-1,3-DICHLOROPROPENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				DIBROMOMETHANE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				DICHLORODIFLUOROMETHANE	.013	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				ETHYLBENZENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				HEXACHLOROBUTADIENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				ISOPROPYLBENZENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				M-XYLENE & P-XYLENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				METHYLENE CHLORIDE	.0066	mg/kg	B	Y	Y	F	B		04B	06A	15		CRKR2S	18:32
				N-BUTYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				N-PROPYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				NAPHTHALENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				O-XYLENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				P-ISOPROPYLTOLUENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				SEC-BUTYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				STYRENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TERT-BUTYLBENZENE	.0066	mg/kg	U	N	Y	U	UJ		10A				CRKR2S	18:32
				TETRACHLOROETHENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TOLUENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TRANS-1,2-DICHLOROETHENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TRANS-1,3-DICHLOROPROPENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TRICHLOROETHENE	.0066	mg/kg	U	N	Y	U	U						CRKR2S	18:32
				TRICHLOROFLUOROMETHANE	.0063	mg/kg	J	Y	Y	P	J		15				CRKR2S	18:32
				VINYL CHLORIDE	.013	mg/kg	U	N	Y	U	U						CRKR2S	18:32

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1,1-TRICHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1,2,2-TETRACHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1,2-TRICHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1-DICHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1-DICHLOROETHENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,1-DICHLOROPROPENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2,3-TRICHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2,3-TRICHLOROPROPANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2,4-TRICHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2,4-TRIMETHYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2-DIBROMO-3-CHLOROPROPANE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2-DIBROMOETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2-DICHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2-DICHLOROETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,2-DICHLOROPROPANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,3,5-TRIMETHYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,3-DICHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,3-DICHLOROPROPANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				1,4-DICHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				2,2-DICHLOROPROPANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				2-BUTANONE	.026	mg/kg	U	N	Y	U	R		04A	05A			CRQJ2S	22:15
				2-CHLOROTOLUENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				2-HEXANONE	.026	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				4-CHLOROTOLUENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				4-METHYL-2-PENTANONE	.026	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				ACETONE	.026	mg/kg	U	N	Y	U	R		04A	05A			CRQJ2S	22:15
				BENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				BROMOBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				BROMOCHLOROMETHANE	.0064	mg/kg	U	N	Y	U	R		04A	05A			CRQJ2S	22:15
				BROMODICHLOROMETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				BROMOFORM	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				BROMOMETHANE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CARBON DISULFIDE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CARBON TETRACHLORIDE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CHLOROBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CHLORODIBROMOMETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CHLOROETHANE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CHLOROFORM	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CHLOROMETHANE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0160	SW8260	SW5030	N 0 1	CIS-1,2-DICHLOROETHENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				CIS-1,3-DICHLOROPROPENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				DIBROMOMETHANE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				DICHLORODIFLUOROMETHANE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				ETHYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				HEXACHLOROBUTADIENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				ISOPROPYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				M-XYLENE & P-XYLENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				METHYLENE CHLORIDE	.0034	mg/kg	J B	Y	Y	F	B		04B	06A	15		CRQJ2S	22:15
				N-BUTYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				N-PROPYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				NAPHTHALENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				O-XYLENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				P-ISOPROPYLTOLUENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				SEC-BUTYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				STYRENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TERT-BUTYLBENZENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TETRACHLOROETHENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TOLUENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TRANS-1,2-DICHLOROETHENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TRANS-1,3-DICHLOROPROPENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TRICHLOROETHENE	.0064	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
				TRICHLOROFLUOROMETHANE	.0031	mg/kg	J	Y	Y	P	J		15				CRQJ2S	22:15
				VINYL CHLORIDE	.013	mg/kg	U	N	Y	U	U						CRQJ2S	22:15
KJ0161	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1,1-TRICHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1,2,2-TETRACHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1,2-TRICHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1-DICHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1-DICHLOROETHENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,1-DICHLOROPROPENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2,3-TRICHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2,3-TRICHLOROPROPANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2,4-TRICHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2,4-TRIMETHYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2-DIBROMO-3-CHLOROPROPANE	.013	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2-DIBROMOETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2-DICHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2-DICHLOROETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,2-DICHLOROPROPANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0161	SW8260	SW5030	N 0 1	1,3,5-TRIMETHYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,3-DICHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,3-DICHLOROPROPANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				1,4-DICHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				2,2-DICHLOROPROPANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				2-BUTANONE	.026	mg/kg	U	N	Y		R		04A	05A			CRQJJS	16:19
				2-CHLOROTOLUENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				2-HEXANONE	.026	mg/kg	U	N	Y		U						CRQJJS	16:19
				4-CHLOROTOLUENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				4-METHYL-2-PENTANONE	.026	mg/kg	U	N	Y		U						CRQJJS	16:19
				ACETONE	.026	mg/kg	U	N	Y		R		04A	05A			CRQJJS	16:19
				BENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				BROMOBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				BROMOCHLOROMETHANE	.0065	mg/kg	U	N	Y		R		04A	05A			CRQJJS	16:19
				BROMODICHLOROMETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				BROMOFORM	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				BROMOMETHANE	.013	mg/kg	U	N	Y		UJ		05B				CRQJJS	16:19
				CARBON DISULFIDE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CARBON TETRACHLORIDE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CHLOROBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CHLORODIBROMOMETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CHLOROETHANE	.013	mg/kg	U	N	Y		U						CRQJJS	16:19
				CHLOROFORM	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CHLOROMETHANE	.013	mg/kg	U	N	Y		UJ		05B				CRQJJS	16:19
				CIS-1,2-DICHLOROETHENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				CIS-1,3-DICHLOROPROPENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				DIBROMOMETHANE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				DICHLORODIFLUOROMETHANE	.013	mg/kg	U	N	Y		UJ		05B				CRQJJS	16:19
				ETHYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				HEXACHLOROBUTADIENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				ISOPROPYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				M-XYLENE & P-XYLENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				METHYLENE CHLORIDE	.0036	mg/kg	J B	Y	Y		B		04B	06A	15		CRQJJS	16:19
				N-BUTYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				N-PROPYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				NAPHTHALENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				O-XYLENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				P-ISOPROPYLTOLUENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				SEC-BUTYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				STYRENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0161	SW8260	SW5030	N 0 1	TERT-BUTYLBENZENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TETRACHLOROETHENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TOLUENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TRANS-1,2-DICHLOROETHENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TRANS-1,3-DICHLOROPROPENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TRICHLOROETHENE	.0065	mg/kg	U	N	Y		U						CRQJJS	16:19
				TRICHLOROFLUOROMETHANE	.0037	mg/kg	J	Y	Y		J		15				CRQJJS	16:19
				VINYL CHLORIDE	.013	mg/kg	U	N	Y		U						CRQJJS	16:19
KJ0163	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1,1-TRICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1,2,2-TETRACHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1,2-TRICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1-DICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,1-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2,3-TRICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2,3-TRICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2,4-TRICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2,4-TRIMETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2-DIBROMO-3-CHLOROPROPANE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2-DIBROMOETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2-DICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,2-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,3,5-TRIMETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,3-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,3-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				1,4-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				2,2-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				2-BUTANONE	.024	mg/kg	U	N	Y	U	R		04A	05A			CRKR4S	20:37
				2-CHLOROTOLUENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				2-HEXANONE	.024	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				4-CHLOROTOLUENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				4-METHYL-2-PENTANONE	.024	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				ACETONE	.024	mg/kg	U	N	Y	U	R		04A	05A			CRKR4S	20:37
				BENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				BROMOBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				BROMOCHLOROMETHANE	.0061	mg/kg	U	N	Y	U	R		04A	05A			CRKR4S	20:37
				BROMODICHLOROMETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				BROMOFORM	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0163	SW8260	SW5030	N 0 1	BROMOMETHANE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CARBON DISULFIDE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CARBON TETRACHLORIDE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CHLORODIBROMOMETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CHLOROETHANE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CHLOROFORM	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CHLOROMETHANE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CIS-1,2-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				CIS-1,3-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				DIBROMOMETHANE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				DICHLORODIFLUOROMETHANE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				ETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				HEXACHLOROBUTADIENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				ISOPROPYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				M-XYLENE & P-XYLENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				METHYLENE CHLORIDE	.0038	mg/kg	J B	Y	Y	F	B		04B	06A	15		CRKR4S	20:37
				N-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				N-PROPYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				NAPHTHALENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				O-XYLENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				P-ISOPROPYLTOLUENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				SEC-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				STYRENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TERT-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TETRACHLOROETHENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TOLUENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TRANS-1,2-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TRANS-1,3-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TRICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U						CRKR4S	20:37
				TRICHLOROFLUOROMETHANE	.0062	mg/kg	J	Y	Y	P	J		15				CRKR4S	20:37
				VINYL CHLORIDE	.012	mg/kg	U	N	Y	U	U						CRKR4S	20:37
KJ0164	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1,1-TRICHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1,2,2-TETRACHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1,2-TRICHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1-DICHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1-DICHLOROETHENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,1-DICHLOROPROPENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,2,3-TRICHLOROBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW8260	SW5030	N 0 1	1,2,3-TRICHLOROPROPANE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,2,4-TRICHLOROBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,2,4-TRIMETHYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,2-DIBROMO-3-CHLOROPROPANE	.017	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,2-DIBROMOETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,2-DICHLOROBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,2-DICHLOROETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,2-DICHLOROPROPANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,3,5-TRIMETHYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,3-DICHLOROBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				1,3-DICHLOROPROPANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				1,4-DICHLOROBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				2,2-DICHLOROPROPANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				2-BUTANONE	.033	mg/kg	U	N	Y	U	R		04A	05A			CRKRRS	21:02
				2-CHLOROTOLUENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				2-HEXANONE	.033	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				4-CHLOROTOLUENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				4-METHYL-2-PENTANONE	.033	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				ACETONE	.017	mg/kg	J B	Y	Y	F	B		04A	05A	06A	07A	CRKRRS	21:02
				BENZENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				BROMOBENZENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				BROMOCHLOROMETHANE	.0083	mg/kg	U	N	Y	U	R		04A	05A			CRKRRS	21:02
				BROMODICHLOROMETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				BROMOFORM	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				BROMOMETHANE	.017	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CARBON DISULFIDE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CARBON TETRACHLORIDE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CHLOROBENZENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CHLORODIBROMOMETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CHLOROETHANE	.017	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CHLOROFORM	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CHLOROMETHANE	.017	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CIS-1,2-DICHLOROETHENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				CIS-1,3-DICHLOROPROPENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				DIBROMOMETHANE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				DICHLORODIFLUOROMETHANE	.017	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				ETHYLBENZENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				HEXACHLOROBUTADIENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				ISOPROPYLBENZENE	.0071	mg/kg	J	Y	Y	P	J		07A				CRKRRS	21:02
				M-XYLENE & P-XYLENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0164	SW8260	SW5030	N 0 1	METHYLENE CHLORIDE	.0083	mg/kg	B	Y	Y	F	B		04B	06A	07A	15	CRKRRS	21:02
				N-BUTYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				N-PROPYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				NAPHTHALENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				O-XYLENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				P-ISOPROPYLTOLUENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				SEC-BUTYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				STYRENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TERT-BUTYLBENZENE	.0083	mg/kg	U	N	Y	U	UJ		10A				CRKRRS	21:02
				TETRACHLOROETHENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TOLUENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TRANS-1,2-DICHLOROETHENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TRANS-1,3-DICHLOROPROPENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TRICHLOROETHENE	.0083	mg/kg	U	N	Y	U	U						CRKRRS	21:02
				TRICHLOROFLUOROMETHANE	.016	mg/kg	J	Y	Y	P	J		07A				CRKRRS	21:02
				VINYL CHLORIDE	.017	mg/kg	U	N	Y	U	U						CRKRRS	21:02
KJ0165	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1,1-TRICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1,2,2-TETRACHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1,2-TRICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1-DICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,1-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2,3-TRICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2,3-TRICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2,4-TRICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2,4-TRIMETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2-DIBROMO-3-CHLOROPROPANE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2-DIBROMOETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2-DICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,2-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,3,5-TRIMETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,3-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,3-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				1,4-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				2,2-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				2-BUTANONE	.023	mg/kg	U	N	Y	U	R		04A	05A			CRKRVS	21:27
				2-CHLOROTOLUENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				2-HEXANONE	.023	mg/kg	U	N	Y	U	U						CRKRVS	21:27

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147514																		
KJ0165	SW8260	SW5030	N 0 1	4-CHLOROTOLUENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				4-METHYL-2-PENTANONE	.023	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				ACETONE	.023	mg/kg	U	N	Y	U	R		04A	05A			CRKRVS	21:27
				BENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				BROMOBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				BROMOCHLOROMETHANE	.0058	mg/kg	U	N	Y	U	R		04A	05A			CRKRVS	21:27
				BROMODICHLOROMETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				BROMOFORM	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				BROMOMETHANE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CARBON DISULFIDE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CARBON TETRACHLORIDE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CHLORODIBROMOMETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CHLOROETHANE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CHLOROFORM	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CHLOROMETHANE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CIS-1,2-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				CIS-1,3-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				DIBROMOMETHANE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				DICHLORODIFLUOROMETHANE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				ETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				HEXACHLOROBUTADIENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				ISOPROPYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				M-XYLENE & P-XYLENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				METHYLENE CHLORIDE	.0032	mg/kg	J B	Y	Y	F	B		04B	06A	15		CRKRVS	21:27
				N-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				N-PROPYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				NAPHTHALENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				O-XYLENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				P-ISOPROPYLTOLUENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				SEC-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				STYRENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TERT-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TETRACHLOROETHENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TOLUENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TRANS-1,2-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TRANS-1,3-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TRICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U						CRKRVS	21:27
				TRICHLOROFLUOROMETHANE	.0039	mg/kg	J	Y	Y	P	J		15				CRKRVS	21:27
				VINYL CHLORIDE	.012	mg/kg	U	N	Y	U	U						CRKRVS	21:27

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW8151	METHOD	N 0 1	2,4,5-T	.001	mg/L	U	N	Y	U	U						CT7T7W	05:26
				2,4,5-TP (SILVEX)	.001	mg/L	U	N	Y	U	U						CT7T7W	05:26
				2,4-D	.004	mg/L	U	N	Y	U	U						CT7T7W	05:26
				2,4-DB	.004	mg/L	U	N	Y	U	U						CT7T7W	05:26
				DALAPON	.002	mg/L	U	N	Y	U	U						CT7T7W	05:26
				DICAMBA	.002	mg/L	U	N	Y	U	U						CT7T7W	05:26
				DICHLORPROP	.004	mg/L	U	N	Y	U	U						CT7T7W	05:26
				DINOSEB	.0006	mg/L	U	N	Y	U	U						CT7T7W	05:26
				MCPA	.4	mg/L	U	N	Y	U	U						CT7T7W	05:26
				MCPP	.4	mg/L	U	N	Y	U	U						CT7T7W	05:26
KJ3032	SW8081	SW3520	N 0 1	4,4'-DDD	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				4,4'-DDE	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				4,4'-DDT	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ALDRIN	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ALPHA-BHC	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				BETA-BHC	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				CHLORDANE (TECHNICAL)	.0005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				DELTA-BHC	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				DIELDRIN	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDOSULFAN I	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDOSULFAN II	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDOSULFAN SULFATE	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDRIN	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDRIN ALDEHYDE	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				ENDRIN KETONE	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				GAMMA-BHC (LINDANE)	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				HEPTACHLOR	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				HEPTACHLOR EPOXIDE	.00005	mg/L	U	N	Y	U	U						CT7T7W	19:48
				METHOXYCHLOR	.0001	mg/L	U	N	Y	U	U						CT7T7W	19:48
				TOXAPHENE	.002	mg/L	U	N	Y	U	U						CT7T7W	19:48
KJ3032	SW6010	SW3005	N 0 1	ALUMINUM	4.73	mg/L		Y	Y	P	J		08A				CT7T7W	14:26
				ANTIMONY	.06	mg/L	U	N	Y	U	U						CT7T7W	14:26
				BARIUM	.112	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
				BERYLLIUM	.005	mg/L	U	N	Y	U	U						CT7T7W	14:26
				CADMIUM	.005	mg/L	U	N	Y	U	U						CT7T7W	14:26
				CALCIUM	81.9	mg/L		Y	Y	P							CT7T7W	14:26
				CHROMIUM	.01	mg/L	U	N	Y	U	U						CT7T7W	16:00
				COBALT	.05	mg/L	U	N	Y	U	U						CT7T7W	14:26
				COPPER	.0041	mg/L	B	Y	Y	F	B		06B	15			CT7T7W	14:26
				IRON	5.33	mg/L		Y	Y	P							CT7T7W	14:26

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW6010	SW3005	N 0 1	MAGNESIUM	9.78	mg/L		Y	Y	P							CT7T7W	14:26
				MANGANESE	.112	mg/L		Y	Y	P							CT7T7W	14:26
				NICKEL	.04	mg/L	U	N	Y	U	U						CT7T7W	16:00
				POTASSIUM	1.44	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
				SILVER	.01	mg/L	U	N	Y	U	U						CT7T7W	14:26
				SODIUM	11.3	mg/L		Y	Y	P							CT7T7W	14:26
				VANADIUM	.0109	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
				ZINC	.0156	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
	SW6010	TOTREC	N 0 1	ARSENIC	.01	mg/L	U	N	Y	U	U						CT7T7W	14:26
				LEAD	.0017	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
				SELENIUM	.005	mg/L	U	N	Y	U	U						CT7T7W	14:26
				THALLIUM	.0046	mg/L	B	Y	Y	P	J		15				CT7T7W	14:26
	SW7470	TOTAL	N 0 1	MERCURY	.0002	mg/L	U	N	Y	U	U						CT7T7W	17:43
KJ3032	SW8141	SW3510	N 0 1	AZINPHOS-METHYL	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				BOLSTAR	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				CHLORPYRIFOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				COUMAPHOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				DEMETON (TOTAL)	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				DIAZINON	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				DICHLORVOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				DIMETHOATE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				DISULFOTON	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				ETHOPROP	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				FAMPHUR	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				FENSULFOTHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				FENTHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				MALATHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				MERPHOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				METHYL PARATHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				MEVINPHOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				NALED	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				PARATHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				PHORATE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				RONNEL	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				STIROPHOS	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				SULFOTEPP	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				THIONAZIN	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				TOKUTHION	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
				TRICHLORONATE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:41
KJ3032	SW8082	SW3520	N 0 1	AROCLOR 1016	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW8082	SW3520	N 0 1	AROCLOR 1221	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
				AROCLOR 1232	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
				AROCLOR 1242	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
				AROCLOR 1248	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
				AROCLOR 1254	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
				AROCLOR 1260	.001	mg/L	U	N	Y	U	U						CT7T7W	15:45
KJ3032	SW8270	SW3510	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,2'-OXYBIS(1-CHLOROPROPANE)	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4-DINITROPHENOL	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,4-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2,6-DINITROTOLUENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-NITROANILINE	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				3,3'-DICHLOROBENZIDINE	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				3-NITROANILINE	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4,6-DINITRO-2-METHYLPHENOL	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-BROMOPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-CHLOROPHENYL PHENYL ETHER	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-NITROANILINE	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				4-NITROPHENOL	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				ANTHRACENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BENZ(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW8270	SW3510	N 0 1	BENZO(GHI)PERYLENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BIS(2-CHLOROETHYL) ETHER	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BIS(2-ETHYLHEXYL) PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				BUTYL BENZYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				CARBAZOLE	.01	mg/L	U	N	Y	U	UJ		05B				CT7T7W	12:49
				CHRYSENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DI-N-BUTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DI-N-OCTYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DIBENZ(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DIETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				DIMETHYL PHTHALATE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				FLUORENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				HEXACHLOROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				ISOPHORONE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				N-NITROSODI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				NITROBENZENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				PENTACHLOROPHENOL	.05	mg/L	U	N	Y	U	U						CT7T7W	12:49
				PHENANTHRENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				PHENOL	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
				PYRENE	.01	mg/L	U	N	Y	U	U						CT7T7W	12:49
KJ3032	SW8260	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW8260	SW5030	N 0 1	1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R		04A	04B	05A	05B	CT7T7W	20:01
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,3;5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				1,4-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				2-BUTANONE	.005	mg/L	U	N	Y	U	R		04A	05A			CT7T7W	20:01
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				2-HEXANONE	.005	mg/L	U	N	Y	U	U						CT7T7W	20:01
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				4-METHYL-2-PENTANONE	.005	mg/L	U	N	Y	U	U						CT7T7W	20:01
				ACETONE	.01	mg/L	U	N	Y	U	R		04A	05A			CT7T7W	20:01
				BENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				BROMOFORM	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				BROMOMETHANE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CHLORODIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CHLOROETHANE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CHLOROFORM	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CHLOROMETHANE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				DICHLORODIFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				ISOPROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				M-XYLENE & P-XYLENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				METHYLENE CHLORIDE	.00079	mg/L	J B	Y	Y	F	B		06D	15			CT7T7W	20:01
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147515																		
KJ3032	SW8260	SW5030	N 0 1	N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				O-XYLENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				STYRENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TOLUENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U						CT7T7W	20:01
				TRICHLOROFLUOROMETHANE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
				VINYL CHLORIDE	.002	mg/L	U	N	Y	U	U						CT7T7W	20:01
PK147516																		
KJ0082R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				BOLSTAR	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				CHLORPYRIFOS	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				COUMAPHOS	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				DEMETON (TOTAL)	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				DIAZINON	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				DICHLORVOS	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				DIMETHOATE	.038	mg/kg	U	N	Y	U	UJ		05B				CTK1WS	19:55
				DISULFOTON	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				ETHOPROP	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				FAMPHUR	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				FENSULFOTHION	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				FENTHION	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				MALATHION	.038	mg/kg	U	N	Y	U	UJ		05B				CTK1WS	19:55
				MERPHOS	.038	mg/kg	U	N	Y	U	UJ		04B	05B			CTK1WS	19:55
				METHYL PARATHION	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				MEVINPHOS	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				NALED	.038	mg/kg	U	N	Y	U	UJ		04B				CTK1WS	19:55
				PARATHION	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				PHORATE	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				RONNEL	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				STIROPHOS	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				SULFOTEPP	.038	mg/kg	U	N	Y	U	UJ		05B				CTK1WS	19:55
				THIONAZIN	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55
				TOKUTHION	.038	mg/kg	U	N	Y	U	U						CTK1WS	19:55

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																
KJ0082R	SW8141	SW3550	N 0 1	TRICHLORONATE	.038	mg/kg	U	N Y U	U						CTK1WS	19:55
KJ0083R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				BOLSTAR	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				CHLORPYRIFOS	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				COUMAPHOS	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				DEMETON (TOTAL)	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				DIAZINON	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				DICHLORVOS	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				DIMETHOATE	.039	mg/kg	U	N Y U	UJ		05B				CTK20S	20:47
				DISULFOTON	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				ETHOPROP	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				FAMPHUR	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				FENSULFOTHION	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				FENTHION	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				MALATHION	.039	mg/kg	U	N Y U	UJ		05B				CTK20S	20:47
				MERPHOS	.039	mg/kg	U	N Y U	UJ		04B	05B			CTK20S	20:47
				METHYL PARATHION	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				MEVINPHOS	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				NALED	.039	mg/kg	U	N Y U	UJ		04B				CTK20S	20:47
				PARATHION	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				PHORATE	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				RONNEL	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				STIROPHOS	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				SULFOTEPP	.039	mg/kg	U	N Y U	UJ		05B				CTK20S	20:47
				THIONAZIN	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				TOKUTHION	.039	mg/kg	U	N Y U	U						CTK20S	20:47
				TRICHLORONATE	.039	mg/kg	U	N Y U	U						CTK20S	20:47
KJ0118R	SW8141	SW3550	N 0 10	AZINPHOS-METHYL	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				BOLSTAR	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				CHLORPYRIFOS	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				COUMAPHOS	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				DEMETON (TOTAL)	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				DIAZINON	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				DICHLORVOS	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				DIMETHOATE	.44	mg/kg	U	N Y U	UJ		05B				CTK21S	21:40
				DISULFOTON	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				ETHOPROP	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				FAMPHUR	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				FENSULFOTHION	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				FENTHION	.44	mg/kg	U	N Y U	U						CTK21S	21:40

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																
KJ0118R	SW8141	SW3550	N 0 10	MALATHION	.44	mg/kg	U	N Y U	UJ		05B				CTK21S	21:40
				MERPHOS	.44	mg/kg	U	N Y U	UJ		04B	05B			CTK21S	21:40
				METHYL PARATHION	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				MEVINPHOS	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				NALED	.44	mg/kg	U	N Y U	UJ		04B				CTK21S	21:40
				PARATHION	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				PHORATE	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				RONNEL	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				STIROPHOS	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				SULFOTEPP	.44	mg/kg	U	N Y U	UJ		05B				CTK21S	21:40
				THIONAZIN	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				TOKUTHION	.44	mg/kg	U	N Y U	U						CTK21S	21:40
				TRICHLORONATE	.44	mg/kg	U	N Y U	U						CTK21S	21:40
KJ0119R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				BOLSTAR	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				CHLORPYRIFOS	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				COUMAPHOS	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				DEMETON (TOTAL)	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				DIAZINON	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				DICHLORVOS	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				DIMETHOATE	.038	mg/kg	U	N Y U	UJ		05B				CTK22S	22:32
				DISULFOTON	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				ETHOPROP	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				FAMPHUR	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				FENSULFOTHION	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				FENTHION	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				MALATHION	.038	mg/kg	U	N Y U	UJ		05B				CTK22S	22:32
				MERPHOS	.038	mg/kg	U	N Y U	UJ		04B	05B			CTK22S	22:32
				METHYL PARATHION	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				MEVINPHOS	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				NALED	.038	mg/kg	U	N Y U	UJ		04B				CTK22S	22:32
				PARATHION	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				PHORATE	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				RONNEL	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				STIROPHOS	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				SULFOTEPP	.038	mg/kg	U	N Y U	UJ		05B				CTK22S	22:32
				THIONAZIN	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				TOKUTHION	.038	mg/kg	U	N Y U	U						CTK22S	22:32
				TRICHLORONATE	.038	mg/kg	U	N Y U	U						CTK22S	22:32
KJ0120R	SW8141	SW3550	N 0 10	AZINPHOS-METHYL	.46	mg/kg	U	N Y U	U						CTK23S	23:25

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0120R	SW8141	SW3550	N 0 10	BOLSTAR	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				CHLORPYRIFOS	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				COUMAPHOS	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				DEMETON (TOTAL)	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				DIAZINON	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				DICHLORVOS	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				DIMETHOATE	.46	mg/kg	U	N	Y	U	UJ		05B				CTK23S	23:25
				DISULFOTON	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				ETHOPROP	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				FAMPHUR	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				FENSULFOTHION	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				FENTHION	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				MALATHION	.46	mg/kg	U	N	Y	U	UJ		05B				CTK23S	23:25
				MERPHOS	.46	mg/kg	U	N	Y	U	UJ		04B	05B			CTK23S	23:25
				METHYL PARATHION	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				MEVINPHOS	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				NALED	.46	mg/kg	U	N	Y	U	UJ		04B				CTK23S	23:25
				PARATHION	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				PHORATE	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				RONNEL	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				STIROPHOS	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				SULFOTEPP	.46	mg/kg	U	N	Y	U	UJ		05B				CTK23S	23:25
				THIONAZIN	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				TOKUTHION	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
				TRICHLORONATE	.46	mg/kg	U	N	Y	U	U						CTK23S	23:25
KJ0121R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				BOLSTAR	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				COUMAPHOS	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				DIAZINON	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				DIMETHOATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK24S	00:17
				DISULFOTON	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				MALATHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK24S	00:17
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B	05B			CTK24S	00:17

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0121R	SW8141	SW3550	N 0 1	METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK24S	00:17
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				PHORATE	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				STIROPHOS	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK24S	00:17
				THIONAZIN	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				TOKUTHION	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK24S	00:17
KJ0122R	SW8141	SW3550	N 0 10	AZINPHOS-METHYL	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				BOLSTAR	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				CHLORPYRIFOS	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				COUMAPHOS	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				DEMETON (TOTAL)	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				DIAZINON	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				DICHLORVOS	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				DIMETHOATE	.4	mg/kg	U	N	Y	U	UJ		05B				CTK26S	01:10
				DISULFOTON	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				ETHOPROP	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				FAMPHUR	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				FENSULFOTHION	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				FENTHION	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				MALATHION	.4	mg/kg	U	N	Y	U	UJ		05B				CTK26S	01:10
				MERPHOS	.4	mg/kg	U	N	Y	U	UJ		04B	05B			CTK26S	01:10
				METHYL PARATHION	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				MEVINPHOS	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				NALED	.4	mg/kg	U	N	Y	U	UJ		04B				CTK26S	01:10
				PARATHION	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				PHORATE	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				RONNEL	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				STIROPHOS	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				SULFOTEPP	.4	mg/kg	U	N	Y	U	UJ		05B				CTK26S	01:10
				THIONAZIN	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				TOKUTHION	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
				TRICHLORONATE	.4	mg/kg	U	N	Y	U	U						CTK26S	01:10
KJ0123R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				BOLSTAR	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0123R	SW8141	SW3550	N 0 1	COUMAPHOS	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				DIAZINON	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				DIMETHOATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK27S	02:02
				DISULFOTON	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				MALATHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK27S	02:02
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B	05B			CTK27S	02:02
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK27S	02:02
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				PHORATE	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				STIROPHOS	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK27S	02:02
				THIONAZIN	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				TOKUTHION	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK27S	02:02
KJ0124R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				BOLSTAR	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				CHLORPYRIFOS	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				COUMAPHOS	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				DEMETON (TOTAL)	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				DIAZINON	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				DICHLORVOS	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				DIMETHOATE	.038	mg/kg	U	N	Y	U	UJ		05B				CTK2AS	02:55
				DISULFOTON	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				ETHOPROP	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				FAMPHUR	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				FENSULFOTHION	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				FENTHION	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				MALATHION	.038	mg/kg	U	N	Y	U	UJ		05B				CTK2AS	02:55
				MERPHOS	.038	mg/kg	U	N	Y	U	UJ		04B	05B			CTK2AS	02:55
				METHYL PARATHION	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				MEVINPHOS	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0124R	SW8141	SW3550	N 0 1	NALED	.038	mg/kg	U	N	Y	U	UJ		04B				CTK2AS	02:55
				PARATHION	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				PHORATE	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				RONNEL	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				STIROPHOS	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				SULFOTEPP	.038	mg/kg	U	N	Y	U	UJ		05B				CTK2AS	02:55
				THIONAZIN	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				TOKUTHION	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
				TRICHLORONATE	.038	mg/kg	U	N	Y	U	U						CTK2AS	02:55
KJ0125R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				BOLSTAR	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				CHLORPYRIFOS	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				COUMAPHOS	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				DEMETON (TOTAL)	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				DIAZINON	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				DICHLORVOS	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				DIMETHOATE	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2CS	03:47
				DISULFOTON	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				ETHOPROP	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				FAMPHUR	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				FENSULFOTHION	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				FENTHION	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				MALATHION	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2CS	03:47
				MERPHOS	.039	mg/kg	U	N	Y	U	UJ		04B	05B			CTK2CS	03:47
				METHYL PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				MEVINPHOS	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				NALED	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2CS	03:47
				PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				PHORATE	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				RONNEL	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				STIROPHOS	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				SULFOTEPP	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2CS	03:47
				THIONAZIN	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				TOKUTHION	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
				TRICHLORONATE	.039	mg/kg	U	N	Y	U	U						CTK2CS	03:47
KJ0126R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				BOLSTAR	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				CHLORPYRIFOS	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				COUMAPHOS	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				DEMETON (TOTAL)	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0126R	SW8141	SW3550	N 0 1	DIAZINON	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				DICHLORVOS	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				DIMETHOATE	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2ES	04:40
				DISULFOTON	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				ETHOPROP	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				FAMPHUR	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				FENSULFOTHION	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				FENTHION	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				MALATHION	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2ES	04:40
				MERPHOS	.039	mg/kg	U	N	Y	U	UJ		04B	05B			CTK2ES	04:40
				METHYL PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				MEVINPHOS	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				NALED	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2ES	04:40
				PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				PHORATE	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				RONNEL	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				STIROPHOS	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				SULFOTEPP	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2ES	04:40
				THIONAZIN	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				TOKUTHION	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
				TRICHLORONATE	.039	mg/kg	U	N	Y	U	U						CTK2ES	04:40
KJ0127R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				BOLSTAR	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				CHLORPYRIFOS	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				COUMAPHOS	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				DEMETON (TOTAL)	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				DIAZINON	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				DICHLORVOS	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				DIMETHOATE	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				DISULFOTON	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				ETHOPROP	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				FAMPHUR	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				FENSULFOTHION	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				FENTHION	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				MALATHION	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				MERPHOS	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2GS	10:06
				METHYL PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				MEVINPHOS	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				NALED	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2GS	10:06
				PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0127R	SW8141	SW3550	N 0 1	PHORATE	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				RONNEL	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
				STIROPHOS	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				SULFOTEPP	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				THIONAZIN	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				TOKUTHION	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2GS	10:06
				TRICHLORONATE	.039	mg/kg	U	N	Y	U	U						CTK2GS	10:06
KJ0128R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				BOLSTAR	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				CHLORPYRIFOS	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				COUMAPHOS	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				DEMETON (TOTAL)	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				DIAZINON	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				DICHLORVOS	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				DIMETHOATE	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				DISULFOTON	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				ETHOPROP	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				FAMPHUR	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				FENSULFOTHION	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				FENTHION	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				MALATHION	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				MERPHOS	.037	mg/kg	U	N	Y	U	UJ		04B				CTK2JS	10:59
				METHYL PARATHION	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				MEVINPHOS	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				NALED	.037	mg/kg	U	N	Y	U	UJ		04B				CTK2JS	10:59
				PARATHION	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				PHORATE	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				RONNEL	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
				STIROPHOS	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				SULFOTEPP	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				THIONAZIN	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				TOKUTHION	.037	mg/kg	U	N	Y	U	UJ		05B				CTK2JS	10:59
				TRICHLORONATE	.037	mg/kg	U	N	Y	U	U						CTK2JS	10:59
KJ0129R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				BOLSTAR	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				CHLORPYRIFOS	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				COUMAPHOS	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				DEMETON (TOTAL)	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				DIAZINON	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				DICHLORVOS	.037	mg/kg	U	N	Y		U						CTK2LS	11:51

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0129R	SW8141	SW3550	N 0 1	DIMETHOATE	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				DISULFOTON	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				ETHOPROP	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				FAMPHUR	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				FENSULFOTHION	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				FENTHION	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				MALATHION	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				MERPHOS	.037	mg/kg	U	N	Y		UJ		04B				CTK2LS	11:51
				METHYL PARATHION	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				MEVINPHOS	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				NALED	.037	mg/kg	U	N	Y		UJ		04B				CTK2LS	11:51
				PARATHION	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				PHORATE	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				RONNEL	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
				STIROPHOS	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				SULFOTEPP	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				THIONAZIN	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				TOKUTHION	.037	mg/kg	U	N	Y		UJ		05B				CTK2LS	11:51
				TRICHLORONATE	.037	mg/kg	U	N	Y		U						CTK2LS	11:51
KJ0130R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				BOLSTAR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				COUMAPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				DIAZINON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				DISULFOTON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				MALATHION	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2NS	12:44
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2NS	12:44
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
				PHORATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0130R	SW8141	SW3550	N 0 1	STIROPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				THIONAZIN	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				TOKUTHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2NS	12:44
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK2NS	12:44
KJ0131R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				BOLSTAR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				COUMAPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				DIAZINON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				DISULFOTON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				MALATHION	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2PS	13:36
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2PS	13:36
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				PHORATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
				STIROPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				THIONAZIN	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				TOKUTHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2PS	13:36
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK2PS	13:36
KJ0132R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				BOLSTAR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				COUMAPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				DIAZINON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				DISULFOTON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0132R	SW8141	SW3550	N 0 1	ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				MALATHION	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2QS	14:29
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2QS	14:29
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				PHORATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
				STIROPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				THIONAZIN	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				TOKUTHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2QS	14:29
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK2QS	14:29
KJ0133R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				BOLSTAR	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				CHLORPYRIFOS	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				COUMAPHOS	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				DEMETON (TOTAL)	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				DIAZINON	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				DICHLORVOS	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				DIMETHOATE	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				DISULFOTON	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				ETHOPROP	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				FAMPHUR	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				FENSULFOTHION	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				FENTHION	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				MALATHION	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				MERPHOS	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2RS	15:22
				METHYL PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				MEVINPHOS	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				NALED	.039	mg/kg	U	N	Y	U	UJ		04B				CTK2RS	15:22
				PARATHION	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				PHORATE	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				RONNEL	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
				STIROPHOS	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				SULFOTEPP	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0133R	SW8141	SW3550	N 0 1	THIONAZIN	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				TOKUTHION	.039	mg/kg	U	N	Y	U	UJ		05B				CTK2RS	15:22
				TRICHLORONATE	.039	mg/kg	U	N	Y	U	U						CTK2RS	15:22
KJ0134R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				BOLSTAR	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				CHLORPYRIFOS	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				COUMAPHOS	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				DEMETON (TOTAL)	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				DIAZINON	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				DICHLORVOS	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				DIMETHOATE	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				DISULFOTON	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				ETHOPROP	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				FAMPHUR	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				FENSULFOTHION	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				FENTHION	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				MALATHION	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				MERPHOS	.039	mg/kg	U	N	Y		UJ		04B				CTK2VS	16:14
				METHYL PARATHION	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				MEVINPHOS	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				NALED	.039	mg/kg	U	N	Y		UJ		04B				CTK2VS	16:14
				PARATHION	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				PHORATE	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				RONNEL	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
				STIROPHOS	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				SULFOTEPP	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				THIONAZIN	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				TOKUTHION	.039	mg/kg	U	N	Y		UJ		05B				CTK2VS	16:14
				TRICHLORONATE	.039	mg/kg	U	N	Y		U						CTK2VS	16:14
KJ0135R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				BOLSTAR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				COUMAPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				DIAZINON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				DISULFOTON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				FAMPHUR	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0135R	SW8141	SW3550	N 0 1	FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				MALATHION	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2WS	17:07
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B				CTK2WS	17:07
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				PHORATE	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
				STIROPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				THIONAZIN	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				TOKUTHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK2WS	17:07
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK2WS	17:07
KJ0136R	SW8141	SW3550	N 0 10	AZINPHOS-METHYL	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				BOLSTAR	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				CHLORPYRIFOS	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				COUMAPHOS	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				DEMETON (TOTAL)	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				DIAZINON	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				DICHLORVOS	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				DIMETHOATE	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				DISULFOTON	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				ETHOPROP	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				FAMPHUR	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				FENSULFOTHION	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				FENTHION	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				MALATHION	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				MERPHOS	.38	mg/kg	U	N	Y	U	UJ		04B	05B			CTK2XS	07:52
				METHYL PARATHION	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				MEVINPHOS	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				NALED	.38	mg/kg	U	N	Y	U	UJ		04B	05B			CTK2XS	07:52
				PARATHION	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				PHORATE	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				RONNEL	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				STIROPHOS	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
				SULFOTEPP	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				THIONAZIN	.38	mg/kg	U	N	Y	U	UJ		05B				CTK2XS	07:52
				TOKUTHION	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52

Validation Qualifier Data Entry Verification

Run Date: September 6, 2001

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
PK147516																		
KJ0136R	SW8141	SW3550	N 0 10	TRICHLORONATE	.38	mg/kg	U	N	Y	U	U						CTK2XS	07:52
KJ0137R	SW8141	SW3550	N 0 1	AZINPHOS-METHYL	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				BOLSTAR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				CHLORPYRIFOS	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				COUMAPHOS	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				DEMETON (TOTAL)	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				DIAZINON	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				DICHLORVOS	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				DIMETHOATE	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				DISULFOTON	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				ETHOPROP	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				FAMPHUR	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				FENSULFOTHION	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				FENTHION	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				MALATHION	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				MERPHOS	.04	mg/kg	U	N	Y	U	UJ		04B	05B			CTK31S	08:45
				METHYL PARATHION	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				MEVINPHOS	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				NALED	.04	mg/kg	U	N	Y	U	UJ		04B	05B			CTK31S	08:45
				PARATHION	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				PHORATE	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				RONNEL	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				STIROPHOS	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				SULFOTEPP	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				THIONAZIN	.04	mg/kg	U	N	Y	U	UJ		05B				CTK31S	08:45
				TOKUTHION	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45
				TRICHLORONATE	.04	mg/kg	U	N	Y	U	U						CTK31S	08:45