APPENDIX F

SUMMARY OF VALIDATED ANALYTICAL DATA

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	Sample Depth:	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
METALS										
SW6010_S										
Aluminum	mg/kg	7170			8250			10700		
Antimony	mg/kg	6.7	U	UJ	6.6	U	U	6.6	U	U
Arsenic	mg/kg	2.4			3.4			4.5		
Barium	mg/kg	38.5			34.2			45.9		
Beryllium	mg/kg	0.56	U	U	0.76			1.0		
Cadmium	mg/kg	0.56	U	U	0.55	U	U	0.55	U	U
Calcium	mg/kg	1510		J	74300		J	24700		J
Chromium	mg/kg	12.1			28.5		J	43.4		J
Cobalt	mg/kg	13.1			5.5	U	U	6.3		
Copper	mg/kg	16.3			13.5			20.0		
Iron	mg/kg	16500			12700		J	20600		J
Lead	mg/kg	6.9			8.5			10.4		
Magnesium	mg/kg	2640			38000		J	11600		J
Manganese	mg/kg	95.9			182			200		
Nickel	mg/kg	21.7			16.0			23.4		
Potassium	mg/kg	559	U	U	740			860		
Selenium	mg/kg	0.77			0.55	U	U	0.77		
Silver	mg/kg	1.1	U	U	1.1	U	U	1.1	U	U
Sodium	mg/kg	559	U	U	546	U	U	546	U	U
Thallium	mg/kg	1.1	U	U	1.1	U	U	1.1	U	U
Vanadium	mg/kg	5.6	U	U	20.2		J	11.2		J
Zinc	mg/kg	41.6			26.2			36.0		
SW7471_S										
Mercury	mg/kg	0.046			0.097			0.036	U	U
SEMIVOLATILES										
SW8270_S										
1,2,4-Trichlorobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
1,2-Dichlorobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
1,3-Dichlorobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
1,4-Dichlorobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	*Sample Depth:*	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES										
SW8270_S										
2,4,5-Trichlorophenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2,4,6-Trichlorophenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2,4-Dichlorophenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2,4-Dimethylphenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2,4-Dinitrophenol	mg/kg	1.8	U	U	17	U	U	17	U	U
2,4-Dinitrotoluene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2,6-Dinitrotoluene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2-Chloronaphthalene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2-Chlorophenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2-Methylnaphthalene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2-Methylphenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
2-Nitroaniline	mg/kg	1.8	U	U	17	U	UJ	17	U	UJ
2-Nitrophenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
3,3-Dichlorobenzidine	mg/kg	1.8	U	U	17	U	U	17	U	U
3-Nitroaniline	mg/kg	1.8	U	U	17	U	U	17	U	U
4,6-Dinitro-2-methylphenol	mg/kg	1.8	U	U	17	U	U	17	U	U
4-Bromophenyl phenyl ether	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
4-Chloro-3-methylphenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
4-Chloroaniline	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
4-Chlorophenyl phenyl ether	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
4-Methylphenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
4-Nitroaniline	mg/kg	1.8	U	U	17	U	U	17	U	U
4-Nitrophenol	mg/kg	1.8	U	UJ	17	U	UJ	17	U	UJ
Acenaphthene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Acenaphthylene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Anthracene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Benzo(a)anthracene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Benzo(a)pyrene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Benzo(b)fluoranthene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Benzo(ghi)perylene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Benzo(k)fluoranthene	mg/kg	.37	U	U	3.6	U	UJ	3.6	U	UJ

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	Sample Depth:	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
SEMIVOLATILES										
SW8270_S										
Butyl benzyl phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Carbazole	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Chrysene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Di-n-butyl phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Di-n-octyl phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Dibenz(a,h)anthracene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Dibenzofuran	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Diethyl phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Dimethyl phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Fluoranthene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Fluorene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Hexachlorobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Hexachlorobutadiene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Hexachlorocyclopentadiene	mg/kg	1.8	U	U	17	U	UJ	17	U	UJ
Hexachloroethane	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Indeno(1,2,3-cd)pyrene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Isophorone	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Naphthalene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Nitrobenzene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Pentachlorophenol	mg/kg	1.8	U	U	17	U	U	17	U	U
Phenanthrene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Phenol	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
Pyrene	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
bis(2-Chloroethoxy)methane	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
bis(2-Chloroethyl)ether	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
bis(2-Chloroisopropyl)ether	mg/kg	.37	U	UJ	3.6	U	U	3.6	U	U
bis(2-Ethylhexyl)phthalate	mg/kg	.37	U	U	3.6	U	U	3.6	U	U
n-Nitroso-di-n-propylamine	mg/kg	.37	U	UJ	3.6	U	U	3.6	U	U
n-Nitrosodiphenylamine	mg/kg	.37	U	U	3.6	U	U	3.6	U	U

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	Sample Depth:	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual	Result	Qual	VQual
VOLATILES										
SW8260_S										
1,1,1,2-Tetrachloroethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,1,1-Trichloroethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,1,2,2-Tetrachloroethane	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,1,2-Trichloroethane	mg/kg	.0056	U	U	.0015	J	J	.0055	U	U
1,1-Dichloroethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,1-Dichloroethene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,1-Dichloropropene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,2,3-Trichlorobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,2,3-Trichloropropane	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,2,4-Trichlorobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,2,4-Trimethylbenzene	mg/kg	.0056	U	UJ	.12		J	.18		J
1,2-Dibromo-3-Chloropropane	mg/kg	.011	U	UJ	.011	U	UJ	.011	U	UJ
1,2-Dibromoethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,2-Dichlorobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,2-Dichloroethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,2-Dichloropropane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,2-Dimethylbenzene	mg/kg	.0056	U	U	.056			.079		
1,3,5-Trimethylbenzene	mg/kg	.0056	U	UJ	.033		J	.05		J
1,3-Dichlorobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
1,3-Dichloropropane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
1,4-Dichlorobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
2-Butanone	mg/kg	.022	U	UJ	.022	U	U	.022	U	U
2-Hexanone	mg/kg	.022	U	U	.022	U	U	.022	U	U
4-Methyl-2-pentanone	mg/kg	.022	U	U	.0043	J	J	.0041	J	J
Acetone	mg/kg	.038		B	.018	J	J	.019	J	J
Benzene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Bromobenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
Bromochloromethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Bromodichloromethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Bromoform	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Bromomethane	mg/kg	.011	U	R	.011	U	R	.011	U	R

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	*Sample Depth:*	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES										
SW8260_S										
Carbon disulfide	mg/kg	.0043	J	J	.031			.022		
Carbon tetrachloride	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Chlorobenzene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Chloroethane	mg/kg	.011	U	U	.011	U	UJ	.011	U	UJ
Chloroform	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Chloromethane	mg/kg	.011	U	U	.011	U	U	.011	U	U
Cumene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Dibromochloromethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Dibromomethane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Dichlorodifluoromethane	mg/kg	.011	U	U	.011	U	U	.011	U	U
Ethylbenzene	mg/kg	.0056	U	U	.045			.058		
Hexachlorobutadiene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
Methylene chloride	mg/kg	.006	B	B	.0029	J B	B	.0028	J B	B
Naphthalene	mg/kg	.0056	U	UJ	.0028	J	J	.0023	J	J
Styrene	mg/kg	.0056	U	U	.0023	J	J	.0031	J	J
Tetrachloroethene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Toluene	mg/kg	.0056	U	U	.039			.038		
Trichloroethene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
Trichlorofluoromethane	mg/kg	.011	U	U	.011	U	U	.011	U	U
Vinyl chloride	mg/kg	.011	U	U	.011	U	U	.011	U	U
cis-1,2-Dichloroethene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
cis-1,3-Dichloropropene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
m,p-Xylenes	mg/kg	.0056	U	U	.18			.23		
n-Butylbenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
n-Propylbenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
o-Chlorotoluene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
p-Chlorotoluene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
p-Cymene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
sec-Butylbenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ
sec-Dichloropropane	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
tert-Butylbenzene	mg/kg	.0056	U	UJ	.0055	U	UJ	.0055	U	UJ

Summary of Validated Surface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166			FTA-166		
	Sample No:	EL0001			EL0003			EL0004		
	Sample Date:	27-OCT-98			12-OCT-98			12-OCT-98		
User Test Group	*Sample Depth:*	0 - 1			0 - 1			0 - 1		
Lab Method										
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES										
SW8260_S										
trans-1,2-Dichloroethene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U
trans-1,3-Dichloropropene	mg/kg	.0056	U	U	.0055	U	U	.0055	U	U

Summary of Validated Subsurface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	*Sample Depth:*	4 - 6			1 - 5		
Lab Method							
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS							
SW6010_S							
Aluminum	mg/kg	19600			14500		
Antimony	mg/kg	6.8	U	U	6.8	U	U
Arsenic	mg/kg	8.6			5.6		
Barium	mg/kg	40.5			41.6		
Beryllium	mg/kg	1.6			1.1		
Cadmium	mg/kg	0.57	U	U	0.57	U	U
Calcium	mg/kg	1130			1690		J
Chromium	mg/kg	26.1			22.4		J
Cobalt	mg/kg	5.7	U	U	14.9		
Copper	mg/kg	73.9			46.8		
Iron	mg/kg	52600			31900		J
Lead	mg/kg	19.8			17.3		
Magnesium	mg/kg	7360			3590		
Manganese	mg/kg	56.4			129		
Nickel	mg/kg	41.3			25.9		
Potassium	mg/kg	1130			798		
Selenium	mg/kg	3.0			1.0		
Silver	mg/kg	3.1			1.1	U	U
Sodium	mg/kg	124	B	B	566	U	U
Thallium	mg/kg	0.46	B	B	1.1	U	U
Vanadium	mg/kg	8.3			5.7	U	U
Zinc	mg/kg	154			73.4		
SW7471_S							
Mercury	mg/kg	0.11			0.037	U	U
SEMIVOLATILES							
SW8270_S							
1,2,4-Trichlorobenzene	mg/kg	.37	U	U	.37	U	U
1,2-Dichlorobenzene	mg/kg	.37	U	U	.37	U	U
1,3-Dichlorobenzene	mg/kg	.37	U	U	.37	U	U
1,4-Dichlorobenzene	mg/kg	.37	U	U	.37	U	U

Summary of Validated Subsurface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	*Sample Depth:*	4 - 6			1 - 5		
Lab Method							
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES							
SW8270_S							
2,4,5-Trichlorophenol	mg/kg	.37	U	U	.37	U	U
2,4,6-Trichlorophenol	mg/kg	.37	U	U	.37	U	U
2,4-Dichlorophenol	mg/kg	.37	U	U	.37	U	U
2,4-Dimethylphenol	mg/kg	.37	U	U	.37	U	U
2,4-Dinitrophenol	mg/kg	1.8	U	UJ	1.8	U	U
2,4-Dinitrotoluene	mg/kg	.37	U	U	.37	U	U
2,6-Dinitrotoluene	mg/kg	.37	U	U	.37	U	U
2-Chloronaphthalene	mg/kg	.37	U	U	.37	U	U
2-Chlorophenol	mg/kg	.37	U	U	.37	U	U
2-Methylnaphthalene	mg/kg	.37	U	U	.37	U	U
2-Methylphenol	mg/kg	.37	U	U	.37	U	U
2-Nitroaniline	mg/kg	1.8	U	U	1.8	U	UJ
2-Nitrophenol	mg/kg	.37	U	U	.37	U	U
3,3-Dichlorobenzidine	mg/kg	1.8	U	U	1.8	U	U
3-Nitroaniline	mg/kg	1.8	U	U	1.8	U	U
4,6-Dinitro-2-methylphenol	mg/kg	1.8	U	U	1.8	U	U
4-Bromophenyl phenyl ether	mg/kg	.37	U	U	.37	U	U
4-Chloro-3-methylphenol	mg/kg	.37	U	U	.37	U	U
4-Chloroaniline	mg/kg	.37	U	U	.37	U	U
4-Chlorophenyl phenyl ether	mg/kg	.37	U	U	.37	U	U
4-Methylphenol	mg/kg	.37	U	U	.37	U	U
4-Nitroaniline	mg/kg	1.8	U	U	1.8	U	U
4-Nitrophenol	mg/kg	1.8	U	U	1.8	U	UJ
Acenaphthene	mg/kg	.37	U	U	.37	U	U
Acenaphthylene	mg/kg	.37	U	U	.37	U	U
Anthracene	mg/kg	.37	U	U	.37	U	U
Benzo(a)anthracene	mg/kg	.37	U	U	.37	U	U
Benzo(a)pyrene	mg/kg	.37	U	U	.37	U	U
Benzo(b)fluoranthene	mg/kg	.37	U	U	.37	U	U
Benzo(ghi)perylene	mg/kg	.37	U	U	.37	U	U
Benzo(k)fluoranthene	mg/kg	.37	U	U	.37	U	UJ

Summary of Validated Subsurface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	Sample Depth:	4 - 6			1 - 5		
Lab Method							
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual
SEMIVOLATILES							
SW8270_S							
Butyl benzyl phthalate	mg/kg	.37	U	U	.37	U	U
Carbazole	mg/kg	.37	U	UJ	.37	U	U
Chrysene	mg/kg	.37	U	U	.37	U	U
Di-n-butyl phthalate	mg/kg	.37	U	U	.37	U	U
Di-n-octyl phthalate	mg/kg	.37	U	U	.37	U	U
Dibenz(a,h)anthracene	mg/kg	.37	U	U	.37	U	U
Dibenzofuran	mg/kg	.37	U	U	.37	U	U
Diethyl phthalate	mg/kg	.37	U	U	.37	U	U
Dimethyl phthalate	mg/kg	.37	U	U	.37	U	U
Fluoranthene	mg/kg	.37	U	U	.37	U	U
Fluorene	mg/kg	.37	U	U	.37	U	U
Hexachlorobenzene	mg/kg	.37	U	U	.37	U	U
Hexachlorobutadiene	mg/kg	.37	U	U	.37	U	U
Hexachlorocyclopentadiene	mg/kg	1.8	U	UJ	1.8	U	UJ
Hexachloroethane	mg/kg	.37	U	U	.37	U	U
Indeno(1,2,3-cd)pyrene	mg/kg	.37	U	U	.37	U	U
Isophorone	mg/kg	.37	U	U	.37	U	U
Naphthalene	mg/kg	.37	U	U	.37	U	U
Nitrobenzene	mg/kg	.37	U	U	.37	U	U
Pentachlorophenol	mg/kg	1.8	U	U	1.8	U	U
Phenanthrene	mg/kg	.37	U	U	.37	U	U
Phenol	mg/kg	.37	U	U	.37	U	U
Pyrene	mg/kg	.37	U	U	.37	U	U
bis(2-Chloroethoxy)methane	mg/kg	.37	U	U	.37	U	U
bis(2-Chloroethyl)ether	mg/kg	.37	U	U	.37	U	U
bis(2-Chloroisopropyl)ether	mg/kg	.37	U	UJ	.37	U	U
bis(2-Ethylhexyl)phthalate	mg/kg	.05	J	J	.37	U	U
n-Nitroso-di-n-propylamine	mg/kg	.37	U	U	.37	U	U
n-Nitrosodiphenylamine	mg/kg	.37	U	U	.37	U	U

Summary of Validated Subsurface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	*Sample Depth:*	4 - 6			1 - 5		
Lab Method							
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES							
SW8260_S							
1,1,1,2-Tetrachloroethane	mg/kg	.0057	U	UJ	.0057	U	U
1,1,1-Trichloroethane	mg/kg	.0057	U	U	.0057	U	U
1,1,2,2-Tetrachloroethane	mg/kg	.0057	U	U	.0057	U	U
1,1,2-Trichloroethane	mg/kg	.0057	U	UJ	.0057	U	U
1,1-Dichloroethane	mg/kg	.0057	U	U	.0057	U	U
1,1-Dichloroethene	mg/kg	.0057	U	U	.0057	U	U
1,1-Dichloropropene	mg/kg	.0057	U	U	.0057	U	U
1,2,3-Trichlorobenzene	mg/kg	.0057	U	U	.0057	U	UJ
1,2,3-Trichloropropane	mg/kg	.0057	U	U	.0057	U	U
1,2,4-Trichlorobenzene	mg/kg	.0057	U	U	.0057	U	UJ
1,2,4-Trimethylbenzene	mg/kg	.0057	U	U	.0057	U	U
1,2-Dibromo-3-Chloropropane	mg/kg	.011	U	R	.011	U	U
1,2-Dibromoethane	mg/kg	.0057	U	UJ	.0057	U	U
1,2-Dichlorobenzene	mg/kg	.0057	U	U	.0057	U	U
1,2-Dichloroethane	mg/kg	.0057	U	UJ	.0057	U	U
1,2-Dichloropropane	mg/kg	.0057	U	U	.0057	U	U
1,2-Dimethylbenzene	mg/kg	.0057	U	U	.0057	U	U
1,3,5-Trimethylbenzene	mg/kg	.0057	U	U	.0057	U	U
1,3-Dichlorobenzene	mg/kg	.0057	U	U	.0057	U	U
1,3-Dichloropropane	mg/kg	.0057	U	UJ	.0057	U	U
1,4-Dichlorobenzene	mg/kg	.0057	U	U	.0057	U	U
2-Butanone	mg/kg	.023	U	R	.023	U	U
2-Hexanone	mg/kg	.023	U	R	.023	U	U
4-Methyl-2-pentanone	mg/kg	.023	U	UJ	.023	U	U
Acetone	mg/kg	.019	J	J	.023	U	R
Benzene	mg/kg	.0057	U	U	.0057	U	U
Bromobenzene	mg/kg	.0057	U	U	.0057	U	U
Bromochloromethane	mg/kg	.0057	U	R	.0057	U	U
Bromodichloromethane	mg/kg	.0057	U	UJ	.0057	U	U
Bromoform	mg/kg	.0057	U	UJ	.0057	U	U
Bromomethane	mg/kg	.002	J B	B	.011	U	R

Summary of Validated Subsurface Soil Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	Sample Depth:	4 - 6			1 - 5		
Lab Method							
Parameter	Units	Result	Qual	VQual	Result	Qual	VQual
VOLATILES							
SW8260_S							
Carbon disulfide	mg/kg	.0057	U	UJ	.0057	U	U
Carbon tetrachloride	mg/kg	.0057	U	U	.0057	U	U
Chlorobenzene	mg/kg	.0057	U	U	.0057	U	U
Chloroethane	mg/kg	.011	U	U	.011	U	UJ
Chloroform	mg/kg	.0057	U	U	.0057	U	U
Chloromethane	mg/kg	.0018	J B	B	.011	U	U
Cumene	mg/kg	.0057	U	U	.0057	U	U
Dibromochloromethane	mg/kg	.0057	U	UJ	.0057	U	U
Dibromomethane	mg/kg	.0057	U	R	.0057	U	U
Dichlorodifluoromethane	mg/kg	.011	U	UJ	.011	U	U
Ethylbenzene	mg/kg	.0057	U	U	.0057	U	U
Hexachlorobutadiene	mg/kg	.0057	U	U	.0057	U	UJ
Methylene chloride	mg/kg	.0031	J B	B	.0023	J B	B
Naphthalene	mg/kg	.0057	U	UJ	.0057	U	UJ
Styrene	mg/kg	.0057	U	U	.0057	U	U
Tetrachloroethene	mg/kg	.0057	U	U	.0057	U	U
Toluene	mg/kg	.0057	U	U	.0057	U	U
Trichloroethene	mg/kg	.0057	U	U	.0057	U	U
Trichlorofluoromethane	mg/kg	.011	U	U	.011	U	U
Vinyl chloride	mg/kg	.011	U	U	.011	U	U
cis-1,2-Dichloroethene	mg/kg	.0057	U	U	.0057	U	U
cis-1,3-Dichloropropene	mg/kg	.0057	U	U	.0057	U	U
m,p-Xylenes	mg/kg	.0057	U	U	.0057	U	U
n-Butylbenzene	mg/kg	.0057	U	UJ	.0057	U	U
n-Propylbenzene	mg/kg	.0057	U	U	.0057	U	U
o-Chlorotoluene	mg/kg	.0057	U	U	.0057	U	U
p-Chlorotoluene	mg/kg	.0057	U	U	.0057	U	U
p-Cymene	mg/kg	.0057	U	U	.0057	U	U
sec-Butylbenzene	mg/kg	.0057	U	U	.0057	U	U
sec-Dichloropropane	mg/kg	.0057	U	U	.0057	U	U
tert-Butylbenzene	mg/kg	.0057	U	U	.0057	U	U

Summary of Validated Subsurface Soil Data

Training Aids Building (Parcel 166)

Fort McClellan, Alabama

Report Date: 06/18/01

	Location Code:	FTA-166-GP01			FTA-166-GP02		
	Associated Site:	FTA-166			FTA-166		
	Sample No:	EL0002			EL0006		
	Sample Date:	07-JAN-99			12-OCT-98		
User Test Group	*Sample Depth:*	4 - 6			1 - 5		
Lab Method							
Parameter	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES							
SW8260_S							
trans-1,2-Dichloroethene	mg/kg	.0057	U	U	.0057	U	U
trans-1,3-Dichloropropene	mg/kg	.0057	U	U	.0057	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE														
SW8151A														
2,2-Dichloropropanoic Acid		mg/L										.0002	U	U
2,4,5-T		mg/L										.0002	U	U
2,4,5-TP		mg/L										.0002	U	U
2,4-D		mg/L										.0002	U	U
2,4-DB		mg/L										.0002	U	U
Dicamba		mg/L										.0002	U	U
Dichloroprop		mg/L										.0002	U	U
Dinoseb		mg/L										.0002	U	U
MCPA		mg/L										.1	U	U
MCPP		mg/L										.1	U	U
CL PESTICIDES														
SW8081A														
4,4'-DDD		mg/L										.00011	J	J
4,4'-DDE		mg/L										.00019	U	U
4,4'-DDT		mg/L										.00011	J	J
Aldrin		mg/L										.000097	U	U
Dieldrin		mg/L										.00019	U	U
Endosulfan I		mg/L										.000097	U	U
Endosulfan II		mg/L										.00019	U	U
Endosulfan sulfate		mg/L										.00019	U	U
Endrin		mg/L										.00019	U	U
Endrin aldehyde		mg/L										.000029	J	J
Endrin ketone		mg/L										.00019	U	U
Heptachlor		mg/L										.000097	U	U
Heptachlor epoxide		mg/L										.000097	U	U
Methoxychlor		mg/L										.00097	U	U
Toxaphene		mg/L										.0019	U	U
alpha-BHC		mg/L										.000097	U	U
alpha-Chlordane		mg/L										.000061	J	J
beta-BHC		mg/L										.000097	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL HERBICIDE								
SW8151A								
2,2-Dichloropropanoic Acid		mg/L	.0002	U	U	.0002	U	U
2,4,5-T		mg/L	.0002	U	U	.0002	U	U
2,4,5-TP		mg/L	.0002	U	U	.0002	U	U
2,4-D		mg/L	.0002	U	U	.0002	U	U
2,4-DB		mg/L	.0002	U	U	.0002	U	U
Dicamba		mg/L	.0002	U	U	.0002	U	U
Dichloroprop		mg/L	.0002	U	U	.0002	U	U
Dinoseb		mg/L	.0002	U	U	.0002	U	U
MCPA		mg/L	.1	U	U	.1	U	U
MCPP		mg/L	.1	U	U	.1	U	U
CL PESTICIDES								
SW8081A								
4,4'-DDD		mg/L	.00019	U	U	.00019	U	U
4,4'-DDE		mg/L	.00019	U	U	.00019	U	U
4,4'-DDT		mg/L	.00019	U	U	.00019	U	U
Aldrin		mg/L	.000097	U	U	.000097	U	U
Dieldrin		mg/L	.00019	U	U	.00019	U	U
Endosulfan I		mg/L	.000097	U	U	.000097	U	U
Endosulfan II		mg/L	.00019	U	U	.00019	U	U
Endosulfan sulfate		mg/L	.00019	U	U	.00019	U	U
Endrin		mg/L	.00019	U	U	.00019	U	U
Endrin aldehyde		mg/L	.00019	U	U	.00019	U	U
Endrin ketone		mg/L	.00019	U	U	.00019	U	U
Heptachlor		mg/L	.000097	U	U	.000097	U	U
Heptachlor epoxide		mg/L	.000097	U	U	.000097	U	U
Methoxychlor		mg/L	.00097	U	U	.00097	U	U
Toxaphene		mg/L	.0019	U	U	.0019	U	U
alpha-BHC		mg/L	.000097	U	U	.000097	U	U
alpha-Chlordane		mg/L	.000097	U	U	.000097	U	U
beta-BHC		mg/L	.000097	U	U	.000097	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL PESTICIDES														
SW8081A														
delta-BHC		mg/L										.000097	U	U
gamma-BHC (Lindane)		mg/L										.000097	U	U
gamma-Chlordane		mg/L										.000078	J	J
CYANIDE														
SW9014														
Cyanide		mg/L										.01	U	U
METALS														
SW6010B														
Aluminum		mg/L										.194	J	J
Antimony		mg/L										.1	U	U
Arsenic		mg/L										.01	U	U
Barium		mg/L										.0281		
Beryllium		mg/L										.001	U	U
Cadmium		mg/L										.01	U	U
Calcium		mg/L										134		
Chromium		mg/L										.01	U	U
Cobalt		mg/L										.02	U	U
Copper		mg/L										.02	U	U
Iron		mg/L										2.45		
Lead		mg/L										.01	U	U
Magnesium		mg/L										76.3		
Manganese		mg/L										.462		
Nickel		mg/L										.0143	J	J
Potassium		mg/L										2.06	J	J
Selenium		mg/L										.01	U	U
Silver		mg/L										.01	U	U
Sodium		mg/L										17.4		
Thallium		mg/L										.01	U	U
Vanadium		mg/L										.01	U	U
Zinc		mg/L										.02	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
CL PESTICIDES								
SW8081A								
delta-BHC		mg/L	.000097	U	U	.000097	U	U
gamma-BHC (Lindane)		mg/L	.000097	U	U	.000097	U	U
gamma-Chlordane		mg/L	.000097	U	U	.000097	U	U
CYANIDE								
SW9014								
Cyanide		mg/L	.01	U	U	.01	U	U
METALS								
SW6010B								
Aluminum		mg/L	.221			.194	J	J
Antimony		mg/L	.1	U	U	.0371	J	B
Arsenic		mg/L	.01	U	U	.01	U	U
Barium		mg/L	.0193			.0419		
Beryllium		mg/L	.001	U	U	.001	U	U
Cadmium		mg/L	.01	U	U	.01	U	U
Calcium		mg/L	61.2			64.5		
Chromium		mg/L	.01	U	U	.01	U	U
Cobalt		mg/L	.02	U	U	.02	U	U
Copper		mg/L	.02	U	U	.02	U	U
Iron		mg/L	1.45			1.21		
Lead		mg/L	.01	U	U	.01	U	U
Magnesium		mg/L	42.2			35.3		
Manganese		mg/L	.454			.313		
Nickel		mg/L	.02	U	U	.02	U	U
Potassium		mg/L	3.95	J	J	3.99	J	J
Selenium		mg/L	.00223	J	J	.01	U	U
Silver		mg/L	.01	U	U	.01	U	U
Sodium		mg/L	697			19		
Thallium		mg/L	.01	U	U	.01	U	U
Vanadium		mg/L	.01	U	U	.01	U	U
Zinc		mg/L	.02	U	U	.02	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS														
SW6010_W														
Aluminum		mg/L	.2	U	U	.879			.707		J			
Antimony		mg/L	.06	U	U	.06	U	U	.06	U	UJ			
Arsenic		mg/L	.01	U	U	.01	U	U	.01	U	UJ			
Barium		mg/L	.0183	B	J	.0264	B	J	.0271	B	J			
Beryllium		mg/L	.005	U	U	.005	U	U	.005	U	UJ			
Cadmium		mg/L	.005	U	U	.005	U	U	.005	U	UJ			
Calcium		mg/L	230			206			217		J			
Chromium		mg/L	.01	U	U	.01	U	U	.01	U	UJ			
Cobalt		mg/L	.05	U	U	.05	U	U	.05	U	UJ			
Copper		mg/L	.025	U	U	.025	U	U	.025	U	UJ			
Iron		mg/L	1.09		J	2.74		J	2.53		J			
Lead		mg/L	.003	U	U	.0019	B	J	.003	U	UJ			
Magnesium		mg/L	110			104			109		J			
Manganese		mg/L	.647			.293			.308		J			
Nickel		mg/L	.04	U	U	.04	U	U	.04	U	UJ			
Potassium		mg/L	1.73	B	B	3.34	B	J	3.47	B	J			
Selenium		mg/L	.005	U	U	.005	U	U	.005	U	UJ			
Silver		mg/L	.01	U	U	.01	U	U	.01	U	UJ			
Sodium		mg/L	41.4			73.5			78.2		J			
Thallium		mg/L	.01	U	U	.01	U	U	.01	U	UJ			
Vanadium		mg/L	.05	U	U	.05	U	U	.05	U	UJ			
Zinc		mg/L	.02	U	U	.02	U	U	.02	U	UJ			
SW7470A														
Mercury		mg/L										.0005	U	U
SW7470_W														
Mercury		mg/L	.0002	U	U	.0002	U	U	.000058	B	B			
OP PESTICIDES														
SW8141														
Azinphosmethyl		mg/L										.001	U	U

		Location Code:		FTA-166-MW02			FTA-166-MW03	
		Associated Site:		FTA-166			FTA-166	
		Sample No:		EL3008			EL3009	
		Sample Date:		05-APR-01			05-APR-01	
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
METALS								
SW6010_W								
Aluminum		mg/L						
Antimony		mg/L						
Arsenic		mg/L						
Barium		mg/L						
Beryllium		mg/L						
Cadmium		mg/L						
Calcium		mg/L						
Chromium		mg/L						
Cobalt		mg/L						
Copper		mg/L						
Iron		mg/L						
Lead		mg/L						
Magnesium		mg/L						
Manganese		mg/L						
Nickel		mg/L						
Potassium		mg/L						
Selenium		mg/L						
Silver		mg/L						
Sodium		mg/L						
Thallium		mg/L						
Vanadium		mg/L						
Zinc		mg/L						
SW7470A								
Mercury		mg/L	.0005	U	U	.0005	U	U
SW7470_W								
Mercury		mg/L						
OP PESTICIDES								
SW8141								
Azinphosmethyl		mg/L	.001	U	U	.001	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
OP PESTICIDES														
SW8141														
Bolstar		mg/L										.001	U	U
Chlorpyrifos		mg/L										.001	U	U
Coumaphos		mg/L										.001	U	U
Demeton		mg/L										.001	U	U
Diazinon		mg/L										.001	U	U
Dichlorvos		mg/L										.001	U	U
Dimethoate		mg/L										.001	U	U
Disulfoton		mg/L										.001	U	U
Ethoprop		mg/L										.001	U	U
Famphur		mg/L										.001	U	U
Fensulfothion		mg/L										.001	U	U
Fenthion		mg/L										.001	U	U
Malathion		mg/L										.001	U	U
Merphos		mg/L										.001	U	U
Methyl Parathion		mg/L										.001	U	U
Mevinphos		mg/L										.001	U	U
Naled		mg/L										.001	U	U
Parathion		mg/L										.001	U	U
Phorate		mg/L										.001	U	U
Ronnel		mg/L										.001	U	U
Stirophos		mg/L										.001	U	U
Sulfotep		mg/L										.001	U	U
Thionazin		mg/L										.001	U	U
Tokuthion		mg/L										.001	U	U
Trichloronate		mg/L										.001	U	U
PEST/PCB														
SW8082														
Aroclor 1016		mg/L										.00097	U	U
Aroclor 1221		mg/L										.00097	U	U
Aroclor 1232		mg/L										.00097	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
OP PESTICIDES								
SW8141								
Bolstar		mg/L	.001	U	U	.001	U	U
Chlorpyrifos		mg/L	.001	U	U	.001	U	U
Coumaphos		mg/L	.001	U	U	.001	U	U
Demeton		mg/L	.001	U	U	.001	U	U
Diazinon		mg/L	.001	U	U	.001	U	U
Dichlorvos		mg/L	.001	U	U	.001	U	U
Dimethoate		mg/L	.001	U	U	.001	U	U
Disulfoton		mg/L	.001	U	U	.001	U	U
Ethoprop		mg/L	.001	U	U	.001	U	U
Famphur		mg/L	.001	U	U	.001	U	U
Fensulfothion		mg/L	.001	U	U	.001	U	U
Fenthion		mg/L	.001	U	U	.001	U	U
Malathion		mg/L	.001	U	U	.001	U	U
Merphos		mg/L	.001	U	U	.001	U	U
Methyl Parathion		mg/L	.001	U	U	.001	U	U
Mevinphos		mg/L	.001	U	U	.001	U	U
Naled		mg/L	.001	U	U	.001	U	U
Parathion		mg/L	.001	U	U	.001	U	U
Phorate		mg/L	.001	U	U	.001	U	U
Ronnel		mg/L	.001	U	U	.001	U	U
Stirophos		mg/L	.001	U	U	.001	U	U
Sulfotep		mg/L	.001	U	U	.001	U	U
Thionazin		mg/L	.001	U	U	.001	U	U
Tokuthion		mg/L	.001	U	U	.001	U	U
Trichloronate		mg/L	.001	U	U	.001	U	U
PEST/PCB								
SW8082								
Aroclor 1016		mg/L	.00097	U	U	.00097	U	U
Aroclor 1221		mg/L	.00097	U	U	.00097	U	U
Aroclor 1232		mg/L	.00097	U	U	.00097	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group	*Lab Method*	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
PEST/PCB																
	SW8082															
		Aroclor 1242		mg/L										.0019	U	U
		Aroclor 1248		mg/L										.00097	U	U
		Aroclor 1254		mg/L										.00097	U	U
		Aroclor 1260		mg/L										.00097	U	U
SEMIVOLATILES																
	SW8270C															
		1,2,4-Trichlorobenzene		mg/L										.0097	U	U
		1,2-Dichlorobenzene		mg/L										.0097	U	U
		1,3-Dichlorobenzene		mg/L										.0097	U	U
		1,4-Dichlorobenzene		mg/L										.0097	U	U
		2,4,5-Trichlorophenol		mg/L										.0097	U	U
		2,4,6-Trichlorophenol		mg/L										.024	U	U
		2,4-Dichlorophenol		mg/L										.0097	U	U
		2,4-Dimethylphenol		mg/L										.0097	U	U
		2,4-Dinitrophenol		mg/L										.024	U	U
		2,4-Dinitrotoluene		mg/L										.0097	U	U
		2,6-Dinitrotoluene		mg/L										.0097	U	U
		2-Chloronaphthalene		mg/L										.0097	U	U
		2-Chlorophenol		mg/L										.0097	U	U
		2-Methylnaphthalene		mg/L										.0097	U	U
		2-Methylphenol		mg/L										.0097	U	U
		2-Nitroaniline		mg/L										.024	U	U
		2-Nitrophenol		mg/L										.0097	U	U
		3,3-Dichlorobenzidine		mg/L										.024	U	U
		3-Nitroaniline		mg/L										.024	U	U
		4,6-Dinitro-2-methylphenol		mg/L										.024	U	U
		4-Bromophenyl phenyl ether		mg/L										.0097	U	U
		4-Chloro-3-methylphenol		mg/L										.0097	U	U
		4-Chloroaniline		mg/L										.0097	U	U
		4-Chlorophenyl phenyl ether		mg/L										.0097	U	U

	Location Code:		FTA-166-MW02			FTA-166-MW03		
	Associated Site:		FTA-166			FTA-166		
	Sample No:		EL3008			EL3009		
	Sample Date:		05-APR-01			05-APR-01		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
PEST/PCB								
SW8082								
Aroclor 1242		mg/L	.0019	U	U	.0019	U	U
Aroclor 1248		mg/L	.00097	U	U	.00097	U	U
Aroclor 1254		mg/L	.00097	U	U	.00097	U	U
Aroclor 1260		mg/L	.00097	U	U	.00097	U	U
SEMIVOLATILES								
SW8270C								
1,2,4-Trichlorobenzene		mg/L	.0096	U	U	.0097	U	U
1,2-Dichlorobenzene		mg/L	.0096	U	U	.0097	U	U
1,3-Dichlorobenzene		mg/L	.0096	U	U	.0097	U	U
1,4-Dichlorobenzene		mg/L	.0096	U	U	.0097	U	U
2,4,5-Trichlorophenol		mg/L	.0096	U	U	.0097	U	U
2,4,6-Trichlorophenol		mg/L	.024	U	U	.024	U	U
2,4-Dichlorophenol		mg/L	.0096	U	U	.0097	U	U
2,4-Dimethylphenol		mg/L	.0096	U	U	.0097	U	U
2,4-Dinitrophenol		mg/L	.024	U	U	.024	U	U
2,4-Dinitrotoluene		mg/L	.0096	U	U	.0097	U	U
2,6-Dinitrotoluene		mg/L	.0096	U	U	.0097	U	U
2-Chloronaphthalene		mg/L	.0096	U	U	.0097	U	U
2-Chlorophenol		mg/L	.0096	U	U	.0097	U	U
2-Methylnaphthalene		mg/L	.0096	U	U	.0097	U	U
2-Methylphenol		mg/L	.0096	U	U	.0097	U	U
2-Nitroaniline		mg/L	.024	U	U	.024	U	U
2-Nitrophenol		mg/L	.0096	U	U	.0097	U	U
3,3-Dichlorobenzidine		mg/L	.024	U	U	.024	U	U
3-Nitroaniline		mg/L	.024	U	U	.024	U	U
4,6-Dinitro-2-methylphenol		mg/L	.024	U	U	.024	U	U
4-Bromophenyl phenyl ether		mg/L	.0096	U	U	.0097	U	U
4-Chloro-3-methylphenol		mg/L	.0096	U	U	.0097	U	U
4-Chloroaniline		mg/L	.0096	U	U	.0097	U	U
4-Chlorophenyl phenyl ether		mg/L	.0096	U	U	.0097	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

Report Date: 06/18/01

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270C														
4-Methylphenol		mg/L										.0097	U	U
4-Nitroaniline		mg/L										.0097	U	U
4-Nitrophenol		mg/L										.024	U	U
Acenaphthene		mg/L										.0097	U	U
Acenaphthylene		mg/L										.0097	U	U
Anthracene		mg/L										.0097	U	U
Benzo(a)anthracene		mg/L										.0097	U	U
Benzo(a)pyrene		mg/L										.0097	U	U
Benzo(b)fluoranthene		mg/L										.0097	U	U
Benzo(ghi)perylene		mg/L										.0097	U	U
Benzo(k)fluoranthene		mg/L										.0097	U	U
Butyl benzyl phthalate		mg/L										.0097	U	U
Carbazole		mg/L										.0097	U	U
Chrysene		mg/L										.0097	U	U
Di-n-butyl phthalate		mg/L										.0097	U	U
Di-n-octyl phthalate		mg/L										.0097	U	U
Dibenz(a,h)anthracene		mg/L										.0097	U	U
Dibenzofuran		mg/L										.0097	U	U
Diethyl phthalate		mg/L										.0097	U	U
Dimethyl phthalate		mg/L										.0097	U	U
Fluoranthene		mg/L										.0097	U	U
Fluorene		mg/L										.0097	U	U
Hexachlorobenzene		mg/L										.0097	U	U
Hexachlorobutadiene		mg/L										.0097	U	U
Hexachlorocyclopentadiene		mg/L										.0097	U	U
Hexachloroethane		mg/L										.0097	U	U
Indeno(1,2,3-cd)pyrene		mg/L										.0097	U	U
Isophorone		mg/L										.0097	U	U
Naphthalene		mg/L										.0097	U	U
Nitrobenzene		mg/L										.0097	U	U
Pentachlorophenol		mg/L										.024	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES								
SW8270C								
4-Methylphenol		mg/L	.0096	U	U	.0097	U	U
4-Nitroaniline		mg/L	.0096	U	U	.0097	U	U
4-Nitrophenol		mg/L	.024	U	U	.024	U	U
Acenaphthene		mg/L	.0096	U	U	.0097	U	U
Acenaphthylene		mg/L	.0096	U	U	.0097	U	U
Anthracene		mg/L	.0096	U	U	.0097	U	U
Benzo(a)anthracene		mg/L	.0096	U	U	.0097	U	U
Benzo(a)pyrene		mg/L	.0096	U	U	.0097	U	U
Benzo(b)fluoranthene		mg/L	.0096	U	U	.0097	U	U
Benzo(ghi)perylene		mg/L	.0096	U	U	.0097	U	U
Benzo(k)fluoranthene		mg/L	.0096	U	U	.0097	U	U
Butyl benzyl phthalate		mg/L	.0096	U	U	.0097	U	U
Carbazole		mg/L	.0096	U	U	.0097	U	U
Chrysene		mg/L	.0096	U	U	.0097	U	U
Di-n-butyl phthalate		mg/L	.0096	U	U	.0097	U	U
Di-n-octyl phthalate		mg/L	.0096	U	U	.0097	U	U
Dibenz(a,h)anthracene		mg/L	.0096	U	U	.0097	U	U
Dibenzofuran		mg/L	.0096	U	U	.0097	U	U
Diethyl phthalate		mg/L	.0096	U	U	.0097	U	U
Dimethyl phthalate		mg/L	.0096	U	U	.0097	U	U
Fluoranthene		mg/L	.0096	U	U	.0097	U	U
Fluorene		mg/L	.0096	U	U	.0097	U	U
Hexachlorobenzene		mg/L	.0096	U	U	.0097	U	U
Hexachlorobutadiene		mg/L	.0096	U	U	.0097	U	U
Hexachlorocyclopentadiene		mg/L	.0096	U	U	.0097	U	U
Hexachloroethane		mg/L	.0096	U	U	.0097	U	U
Indeno(1,2,3-cd)pyrene		mg/L	.0096	U	U	.0097	U	U
Isophorone		mg/L	.0096	U	U	.0097	U	U
Naphthalene		mg/L	.0096	U	U	.0097	U	U
Nitrobenzene		mg/L	.0096	U	U	.0097	U	U
Pentachlorophenol		mg/L	.024	U	U	.024	U	U

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270C														
Phenanthrene		mg/L										.0097	U	U
Phenol		mg/L										.0097	U	U
Pyrene		mg/L										.0097	U	U
bis(2-Chloroethoxy)methane		mg/L										.0097	U	U
bis(2-Chloroethyl)ether		mg/L										.0097	U	U
bis(2-Chloroisopropyl)ether		mg/L										.0097	U	U
bis(2-Ethylhexyl)phthalate		mg/L										.0097	U	U
n-Nitroso-di-n-propylamine		mg/L										.0097	U	U
n-Nitrosodiphenylamine		mg/L										.0097	U	U
SW8270_W														
1,2,4-Trichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
1,2-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
1,3-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
1,4-Dichlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,4,5-Trichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,4,6-Trichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,4-Dichlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,4-Dimethylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,4-Dinitrophenol		mg/L	.05	U	U	.05	U	U	.05	U	U			
2,4-Dinitrotoluene		mg/L	.01	U	U	.01	U	U	.01	U	U			
2,6-Dinitrotoluene		mg/L	.01	U	U	.01	U	U	.01	U	U			
2-Chloronaphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U			
2-Chlorophenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2-Methylnaphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U			
2-Methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
2-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U			
2-Nitrophenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
3,3-Dichlorobenzidine		mg/L	.05	U	U	.05	U	U	.05	U	U			
3-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U			
4,6-Dinitro-2-methylphenol		mg/L	.05	U	U	.05	U	U	.05	U	U			
4-Bromophenyl phenyl ether		mg/L	.01	U	U	.01	U	U	.01	U	U			

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES								
SW8270C								
Phenanthrene		mg/L	.0096	U	U	.0097	U	U
Phenol		mg/L	.0096	U	U	.0097	U	U
Pyrene		mg/L	.0096	U	U	.0097	U	U
bis(2-Chloroethoxy)methane		mg/L	.0096	U	U	.0097	U	U
bis(2-Chloroethyl)ether		mg/L	.0096	U	U	.0097	U	U
bis(2-Chloroisopropyl)ether		mg/L	.0096	U	U	.0097	U	U
bis(2-Ethylhexyl)phthalate		mg/L	.0036	J	J	.0097	U	U
n-Nitroso-di-n-propylamine		mg/L	.0096	U	U	.0097	U	U
n-Nitrosodiphenylamine		mg/L	.0096	U	U	.0097	U	U
SW8270_W								
1,2,4-Trichlorobenzene		mg/L						
1,2-Dichlorobenzene		mg/L						
1,3-Dichlorobenzene		mg/L						
1,4-Dichlorobenzene		mg/L						
2,4,5-Trichlorophenol		mg/L						
2,4,6-Trichlorophenol		mg/L						
2,4-Dichlorophenol		mg/L						
2,4-Dimethylphenol		mg/L						
2,4-Dinitrophenol		mg/L						
2,4-Dinitrotoluene		mg/L						
2,6-Dinitrotoluene		mg/L						
2-Chloronaphthalene		mg/L						
2-Chlorophenol		mg/L						
2-Methylnaphthalene		mg/L						
2-Methylphenol		mg/L						
2-Nitroaniline		mg/L						
2-Nitrophenol		mg/L						
3,3-Dichlorobenzidine		mg/L						
3-Nitroaniline		mg/L						
4,6-Dinitro-2-methylphenol		mg/L						
4-Bromophenyl phenyl ether		mg/L						

	Location Code:		FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
	Associated Site:		FTA-166			FTA-166			FTA-166			FTA-166		
	Sample No:		EL3001			EL3002			EL3003			EL3007		
	Sample Date:		05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
4-Chloro-3-methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
4-Chloroaniline		mg/L	.01	U	U	.01	U	U	.01	U	U			
4-Chlorophenyl phenyl ether		mg/L	.01	U	U	.01	U	U	.01	U	U			
4-Methylphenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
4-Nitroaniline		mg/L	.05	U	U	.05	U	U	.05	U	U			
4-Nitrophenol		mg/L	.05	U	UJ	.05	U	UJ	.05	U	UJ			
Acenaphthene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Acenaphthylene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Benzo(a)anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Benzo(a)pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Benzo(b)fluoranthene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Benzo(ghi)perylene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Benzo(k)fluoranthene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Butyl benzyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U			
Carbazole		mg/L	.01	U	U	.01	U	U	.01	U	U			
Chrysene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Di-n-butyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U			
Di-n-octyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U			
Dibenz(a,h)anthracene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Dibenzofuran		mg/L	.01	U	U	.01	U	U	.01	U	U			
Diethyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U			
Dimethyl phthalate		mg/L	.01	U	U	.01	U	U	.01	U	U			
Fluoranthene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Fluorene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Hexachlorobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Hexachlorobutadiene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Hexachlorocyclopentadiene		mg/L	.05	U	U	.05	U	U	.05	U	U			
Hexachloroethane		mg/L	.01	U	U	.01	U	U	.01	U	U			
Indeno(1,2,3-cd)pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Isophorone		mg/L	.01	U	U	.01	U	U	.01	U	U			

		Location Code:		FTA-166-MW02			FTA-166-MW03	
		Associated Site:		FTA-166			FTA-166	
		Sample No:		EL3008			EL3009	
		Sample Date:		05-APR-01			05-APR-01	
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES								
SW8270_W								
4-Chloro-3-methylphenol		mg/L						
4-Chloroaniline		mg/L						
4-Chlorophenyl phenyl ether		mg/L						
4-Methylphenol		mg/L						
4-Nitroaniline		mg/L						
4-Nitrophenol		mg/L						
Acenaphthene		mg/L						
Acenaphthylene		mg/L						
Anthracene		mg/L						
Benzo(a)anthracene		mg/L						
Benzo(a)pyrene		mg/L						
Benzo(b)fluoranthene		mg/L						
Benzo(ghi)perylene		mg/L						
Benzo(k)fluoranthene		mg/L						
Butyl benzyl phthalate		mg/L						
Carbazole		mg/L						
Chrysene		mg/L						
Di-n-butyl phthalate		mg/L						
Di-n-octyl phthalate		mg/L						
Dibenz(a,h)anthracene		mg/L						
Dibenzofuran		mg/L						
Diethyl phthalate		mg/L						
Dimethyl phthalate		mg/L						
Fluoranthene		mg/L						
Fluorene		mg/L						
Hexachlorobenzene		mg/L						
Hexachlorobutadiene		mg/L						
Hexachlorocyclopentadiene		mg/L						
Hexachloroethane		mg/L						
Indeno(1,2,3-cd)pyrene		mg/L						
Isophorone		mg/L						

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES														
SW8270_W														
Naphthalene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Nitrobenzene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Pentachlorophenol		mg/L	.05	U	U	.05	U	U	.05	U	U			
Phenanthrene		mg/L	.01	U	U	.01	U	U	.01	U	U			
Phenol		mg/L	.01	U	U	.01	U	U	.01	U	U			
Pyrene		mg/L	.01	U	U	.01	U	U	.01	U	U			
bis(2-Chloroethoxy)methane		mg/L	.01	U	U	.01	U	U	.01	U	U			
bis(2-Chloroethyl)ether		mg/L	.01	U	U	.01	U	U	.01	U	U			
bis(2-Chloroisopropyl)ether		mg/L	.01	U	U	.01	U	U	.01	U	U			
bis(2-Ethylhexyl)phthalate		mg/L	.01	U	U	.0075	J	J	.0022	J	J			
n-Nitroso-di-n-propylamine		mg/L	.01	U	U	.01	U	U	.01	U	U			
n-Nitrosodiphenylamine		mg/L	.01	U	U	.01	U	U	.01	U	U			
VOLATILES														
SW8260B														
1,1,1,2-Tetrachloroethane		mg/L										.005	U	U
1,1,1-Trichloroethane		mg/L										.005	U	U
1,1,2,2-Tetrachloroethane		mg/L										.005	U	U
1,1,2-Trichloroethane		mg/L										.005	U	U
1,1-Dichloroethane		mg/L										.005	U	U
1,1-Dichloroethene		mg/L										.005	U	U
1,1-Dichloropropene		mg/L										.005	U	U
1,2,3-Trichlorobenzene		mg/L										.005	U	U
1,2,3-Trichloropropane		mg/L										.005	U	U
1,2,4-Trichlorobenzene		mg/L										.005	U	U
1,2,4-Trimethylbenzene		mg/L										.005	U	U
1,2-Dibromo-3-Chloropropane		mg/L										.01	U	U
1,2-Dibromoethane		mg/L										.005	U	U
1,2-Dichlorobenzene		mg/L										.005	U	U
1,2-Dichloroethane		mg/L										.005	U	U
1,2-Dichloropropane		mg/L										.005	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group / *Lab Method* / *Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
SEMIVOLATILES								
SW8270_W								
Naphthalene		mg/L						
Nitrobenzene		mg/L						
Pentachlorophenol		mg/L						
Phenanthrene		mg/L						
Phenol		mg/L						
Pyrene		mg/L						
bis(2-Chloroethoxy)methane		mg/L						
bis(2-Chloroethyl)ether		mg/L						
bis(2-Chloroisopropyl)ether		mg/L						
bis(2-Ethylhexyl)phthalate		mg/L						
n-Nitroso-di-n-propylamine		mg/L						
n-Nitrosodiphenylamine		mg/L						
VOLATILES								
SW8260B								
1,1,1,2-Tetrachloroethane		mg/L	.005	U	U	.005	U	U
1,1,1-Trichloroethane		mg/L	.005	U	U	.005	U	U
1,1,2,2-Tetrachloroethane		mg/L	.005	U	U	.005	U	U
1,1,2-Trichloroethane		mg/L	.005	U	U	.005	U	U
1,1-Dichloroethane		mg/L	.005	U	U	.005	U	U
1,1-Dichloroethene		mg/L	.005	U	U	.005	U	U
1,1-Dichloropropene		mg/L	.005	U	U	.005	U	U
1,2,3-Trichlorobenzene		mg/L	.005	U	U	.005	U	U
1,2,3-Trichloropropane		mg/L	.005	U	U	.005	U	U
1,2,4-Trichlorobenzene		mg/L	.005	U	U	.005	U	U
1,2,4-Trimethylbenzene		mg/L	.005	U	U	.005	U	U
1,2-Dibromo-3-Chloropropane		mg/L	.01	U	U	.01	U	U
1,2-Dibromoethane		mg/L	.005	U	U	.005	U	U
1,2-Dichlorobenzene		mg/L	.005	U	U	.005	U	U
1,2-Dichloroethane		mg/L	.005	U	U	.005	U	U
1,2-Dichloropropane		mg/L	.005	U	U	.005	U	U

Summary of Validated Groundwater Data
Training Aids Building (Parcel 166)
Fort McClellan, Alabama

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES															
SW8260B															
	1,2-Dimethylbenzene		mg/L										.005	U	U
	1,3,5-Trimethylbenzene		mg/L										.005	U	U
	1,3-Dichlorobenzene		mg/L										.005	U	U
	1,3-Dichloropropane		mg/L										.005	U	U
	1,4-Dichlorobenzene		mg/L										.005	U	U
	2-Butanone		mg/L										.02	U	U
	2-Hexanone		mg/L										.02	U	U
	4-Methyl-2-pentanone		mg/L										.01	U	U
	Acetone		mg/L										.02	U	R
	Benzene		mg/L										.005	U	U
	Bromobenzene		mg/L										.005	U	U
	Bromochloromethane		mg/L										.005	U	U
	Bromodichloromethane		mg/L										.005	U	U
	Bromoform		mg/L										.005	U	U
	Bromomethane		mg/L										.005	U	U
	Carbon disulfide		mg/L										.005	U	UJ
	Carbon tetrachloride		mg/L										.005	U	U
	Chlorobenzene		mg/L										.005	U	U
	Chloroethane		mg/L										.005	U	U
	Chloroform		mg/L										.005	U	U
	Chloromethane		mg/L										.005	U	U
	Cumene		mg/L										.005	U	U
	Dibromochloromethane		mg/L										.005	U	U
	Dibromomethane		mg/L										.005	U	U
	Dichlorodifluoromethane		mg/L										.005	U	UJ
	Ethylbenzene		mg/L										.005	U	U
	Hexachlorobutadiene		mg/L										.005	U	U
	Methylene chloride		mg/L										.005	U	U
	Naphthalene		mg/L										.005	U	U
	Styrene		mg/L										.005	U	U
	Tetrachloroethene		mg/L										.005	U	U

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES								
SW8260B								
1,2-Dimethylbenzene		mg/L	.005	U	U	.005	U	U
1,3,5-Trimethylbenzene		mg/L	.005	U	U	.005	U	U
1,3-Dichlorobenzene		mg/L	.005	U	U	.005	U	U
1,3-Dichloropropane		mg/L	.005	U	U	.005	U	U
1,4-Dichlorobenzene		mg/L	.005	U	U	.005	U	U
2-Butanone		mg/L	.02	U	UJ	.02	U	U
2-Hexanone		mg/L	.02	U	U	.02	U	U
4-Methyl-2-pentanone		mg/L	.01	U	U	.01	U	U
Acetone		mg/L	.02	U	R	.02	U	R
Benzene		mg/L	.005	U	U	.005	U	U
Bromobenzene		mg/L	.005	U	U	.005	U	U
Bromochloromethane		mg/L	.005	U	U	.005	U	U
Bromodichloromethane		mg/L	.005	U	U	.005	U	U
Bromoform		mg/L	.005	U	U	.005	U	U
Bromomethane		mg/L	.005	U	U	.005	U	U
Carbon disulfide		mg/L	.005	U	UJ	.005	U	UJ
Carbon tetrachloride		mg/L	.005	U	U	.005	U	U
Chlorobenzene		mg/L	.005	U	U	.005	U	U
Chloroethane		mg/L	.005	U	U	.005	U	U
Chloroform		mg/L	.005	U	U	.005	U	U
Chloromethane		mg/L	.005	U	U	.005	U	U
Cumene		mg/L	.005	U	U	.005	U	U
Dibromochloromethane		mg/L	.005	U	U	.005	U	U
Dibromomethane		mg/L	.005	U	U	.005	U	U
Dichlorodifluoromethane		mg/L	.005	U	UJ	.005	U	UJ
Ethylbenzene		mg/L	.005	U	U	.005	U	U
Hexachlorobutadiene		mg/L	.005	U	U	.005	U	U
Methylene chloride		mg/L	.005	U	U	.0014	J	B
Naphthalene		mg/L	.005	U	UJ	.005	U	U
Styrene		mg/L	.005	U	U	.005	U	U
Tetrachloroethene		mg/L	.005	U	U	.005	U	U

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260B														
Toluene		mg/L										.005	U	U
Trichloroethene		mg/L										.005	U	U
Trichlorofluoromethane		mg/L										.005	U	U
Vinyl chloride		mg/L										.005	U	U
cis-1,2-Dichloroethene		mg/L										.005	U	U
cis-1,3-Dichloropropene		mg/L										.005	U	U
m,p-Xylenes		mg/L										.01	U	U
n-Butylbenzene		mg/L										.005	U	U
n-Propylbenzene		mg/L										.005	U	U
o-Chlorotoluene		mg/L										.005	U	U
p-Chlorotoluene		mg/L										.005	U	U
p-Cymene		mg/L										.005	U	U
sec-Butylbenzene		mg/L										.005	U	U
sec-Dichloropropane		mg/L										.005	U	U
tert-Butylbenzene		mg/L										.005	U	U
trans-1,2-Dichloroethene		mg/L										.005	U	U
trans-1,3-Dichloropropene		mg/L										.005	U	U
SW8260_W														
1,1,1,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1,1-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1,2,2-Tetrachloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1,2-Trichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,1-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2,3-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2,3-Trichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2,4-Trichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2,4-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2-Dibromo-3-Chloropropane		mg/L	.002	U	R	.002	U	R	.002	U	R			
1,2-Dibromoethane		mg/L	.001	U	U	.001	U	U	.001	U	U			

		Location Code:	FTA-166-MW02			FTA-166-MW03		
		Associated Site:	FTA-166			FTA-166		
		Sample No:	EL3008			EL3009		
		Sample Date:	05-APR-01			05-APR-01		
User Test Group								
Lab Method								
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES								
SW8260B								
Toluene		mg/L	.005	U	U	.005	U	U
Trichloroethene		mg/L	.005	U	U	.005	U	U
Trichlorofluoromethane		mg/L	.005	U	U	.005	U	U
Vinyl chloride		mg/L	.005	U	U	.005	U	U
cis-1,2-Dichloroethene		mg/L	.005	U	U	.005	U	U
cis-1,3-Dichloropropene		mg/L	.005	U	U	.005	U	U
m,p-Xylenes		mg/L	.01	U	U	.01	U	U
n-Butylbenzene		mg/L	.005	U	U	.005	U	U
n-Propylbenzene		mg/L	.005	U	U	.005	U	U
o-Chlorotoluene		mg/L	.005	U	U	.005	U	U
p-Chlorotoluene		mg/L	.005	U	U	.005	U	U
p-Cymene		mg/L	.005	U	U	.005	U	U
sec-Butylbenzene		mg/L	.005	U	U	.005	U	U
sec-Dichloropropane		mg/L	.005	U	U	.005	U	U
tert-Butylbenzene		mg/L	.005	U	U	.005	U	U
trans-1,2-Dichloroethene		mg/L	.005	U	U	.005	U	U
trans-1,3-Dichloropropene		mg/L	.005	U	U	.005	U	U
SW8260_W								
1,1,1,2-Tetrachloroethane		mg/L						
1,1,1-Trichloroethane		mg/L						
1,1,2,2-Tetrachloroethane		mg/L						
1,1,2-Trichloroethane		mg/L						
1,1-Dichloroethane		mg/L						
1,1-Dichloroethene		mg/L						
1,1-Dichloropropene		mg/L						
1,2,3-Trichlorobenzene		mg/L						
1,2,3-Trichloropropane		mg/L						
1,2,4-Trichlorobenzene		mg/L						
1,2,4-Trimethylbenzene		mg/L						
1,2-Dibromo-3-Chloropropane		mg/L						
1,2-Dibromoethane		mg/L						

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
1,2-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2-Dichloroethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,2-Dimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,3,5-Trimethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,3-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,3-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U			
1,4-Dichlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
2-Butanone		mg/L	.005	U	R	.005	U	R	.005	U	R			
2-Hexanone		mg/L	.005	U	U	.005	U	U	.005	U	U			
4-Methyl-2-pentanone		mg/L	.005	U	U	.005	U	U	.005	U	U			
Acetone		mg/L	.01	U	R	.01	U	R	.01	U	R			
Benzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Bromobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Bromochloromethane		mg/L	.001	U	R	.001	U	R	.001	U	R			
Bromodichloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
Bromoform		mg/L	.001	U	U	.001	U	U	.001	U	U			
Bromomethane		mg/L	.002	U	U	.002	U	U	.002	U	U			
Carbon disulfide		mg/L	.001	U	U	.001	U	U	.001	U	U			
Carbon tetrachloride		mg/L	.001	U	U	.001	U	U	.001	U	U			
Chlorobenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Chloroethane		mg/L	.002	U	U	.002	U	U	.002	U	U			
Chloroform		mg/L	.001	U	U	.001	U	U	.001	U	U			
Chloromethane		mg/L	.002	U	U	.002	U	U	.002	U	U			
Cumene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Dibromochloromethane		mg/L	.001	U	U	.001	U	U	.001	U	U			
Dibromomethane		mg/L	.001	U	R	.001	U	R	.001	U	R			
Dichlorodifluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U			
Ethylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Hexachlorobutadiene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Methylene chloride		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ			

		Location Code:		FTA-166-MW02			FTA-166-MW03	
		Associated Site:		FTA-166			FTA-166	
		Sample No:		EL3008			EL3009	
		Sample Date:		05-APR-01			05-APR-01	
User Test Group								
Lab Method	*Parameter*	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES									
SW8260_W									
	1,2-Dichlorobenzene		mg/L						
	1,2-Dichloroethane		mg/L						
	1,2-Dichloropropane		mg/L						
	1,2-Dimethylbenzene		mg/L						
	1,3,5-Trimethylbenzene		mg/L						
	1,3-Dichlorobenzene		mg/L						
	1,3-Dichloropropane		mg/L						
	1,4-Dichlorobenzene		mg/L						
	2-Butanone		mg/L						
	2-Hexanone		mg/L						
	4-Methyl-2-pentanone		mg/L						
	Acetone		mg/L						
	Benzene		mg/L						
	Bromobenzene		mg/L						
	Bromochloromethane		mg/L						
	Bromodichloromethane		mg/L						
	Bromoform		mg/L						
	Bromomethane		mg/L						
	Carbon disulfide		mg/L						
	Carbon tetrachloride		mg/L						
	Chlorobenzene		mg/L						
	Chloroethane		mg/L						
	Chloroform		mg/L						
	Chloromethane		mg/L						
	Cumene		mg/L						
	Dibromochloromethane		mg/L						
	Dibromomethane		mg/L						
	Dichlorodifluoromethane		mg/L						
	Ethylbenzene		mg/L						
	Hexachlorobutadiene		mg/L						
	Methylene chloride		mg/L						

		Location Code:	FTA-166-GP01			FTA-166-GP02			FTA-166-GP02			FTA-166-MW01		
		Associated Site:	FTA-166			FTA-166			FTA-166			FTA-166		
		Sample No:	EL3001			EL3002			EL3003			EL3007		
		Sample Date:	05-FEB-99			05-FEB-99			05-FEB-99			05-APR-01		
User Test Group														
Lab Method														
Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES														
SW8260_W														
Naphthalene		mg/L	.001	U	UJ	.001	U	UJ	.001	U	UJ			
Styrene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Tetrachloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Toluene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Trichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U			
Trichlorofluoromethane		mg/L	.002	U	U	.002	U	U	.002	U	U			
Vinyl chloride		mg/L	.002	U	U	.002	U	U	.002	U	U			
cis-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U			
cis-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U			
m,p-Xylenes		mg/L	.001	U	U	.001	U	U	.001	U	U			
n-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
n-Propylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
o-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U			
p-Chlorotoluene		mg/L	.001	U	U	.001	U	U	.001	U	U			
p-Cymene		mg/L	.001	U	U	.001	U	U	.001	U	U			
sec-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
sec-Dichloropropane		mg/L	.001	U	U	.001	U	U	.001	U	U			
tert-Butylbenzene		mg/L	.001	U	U	.001	U	U	.001	U	U			
trans-1,2-Dichloroethene		mg/L	.001	U	U	.001	U	U	.001	U	U			
trans-1,3-Dichloropropene		mg/L	.001	U	U	.001	U	U	.001	U	U			

		Location Code:		FTA-166-MW02			FTA-166-MW03	
		Associated Site:		FTA-166			FTA-166	
		Sample No:		EL3008			EL3009	
		Sample Date:		05-APR-01			05-APR-01	
User Test Group								
Lab Method								
	Parameter	*Flt*	*Units*	*Result*	*Qual*	*VQual*	*Result*	*Qual*	*VQual*
VOLATILES									
SW8260_W									
	Naphthalene		mg/L						
	Styrene		mg/L						
	Tetrachloroethene		mg/L						
	Toluene		mg/L						
	Trichloroethene		mg/L						
	Trichlorofluoromethane		mg/L						
	Vinyl chloride		mg/L						
	cis-1,2-Dichloroethene		mg/L						
	cis-1,3-Dichloropropene		mg/L						
	m,p-Xylenes		mg/L						
	n-Butylbenzene		mg/L						
	n-Propylbenzene		mg/L						
	o-Chlorotoluene		mg/L						
	p-Chlorotoluene		mg/L						
	p-Cymene		mg/L						
	sec-Butylbenzene		mg/L						
	sec-Dichloropropane		mg/L						
	tert-Butylbenzene		mg/L						
	trans-1,2-Dichloroethene		mg/L						
	trans-1,3-Dichloropropene		mg/L						