


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 18 July 02
Grid Number: F-27 Inspected By: PAKSI
Start Time: 0640 AM PM Stop Time: 0705 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSI	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 18 Jun 02
Grid Number: F-28 Inspected By: PAKS
Start Time: 0705 AM PM Stop Time: 0715 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKS	.20	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Doeth	.20				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 20 Jul 02
Grid Number: F-29 Inspected By: Paksi
Start Time: 0630 AM PM Stop Time: 0645 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paksi	.25	OE Found			
UXO Tech III			Anomalies			
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.			

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 19 15 Jun 102
Grid Number: F-30 Inspected By: PAKS
Start Time: 0715 AM PM Stop Time: 0730 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKS	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Boutl	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 10 102
Grid Number: F-31 Inspected By: _____
Start Time: 9:30 AM PM Stop Time: 10:00 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K Jones	.50	OE Found		✓	
UXO Tech III			Anomalies	✓		2
UXO Tech II	Pajareu	.50				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated
Remarks: 2 nails 4" deep & 2 pieces BAAW

Draw the approximate location and depth of items that were answered Yes in QC Results.



F-31
SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/04/02
Grid Number: F32 Inspected By: K. Jones
Start Time: 10:15 (AM) PM Stop Time: 11:00 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO/QCS	K. Jones	.75	OE Found		✓	
UXO Tech III			Anomalies	✓		4
UXO Tech II	P. JARIN	.75				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: Anomalies were Brass Carts Below surface.
Grid was cleared using Shovelhead & White.

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 10 02
Grid Number: F-33 Inspected By: K. Jones
Start Time: 11:15 AM PM Stop Time: 11:40 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones		OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	P. J. Ariz					
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



^{F-33}
SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 10 12
 Grid Number: F 34 Inspected By: K. Jones
 Start Time: 12:11 AM PM Stop Time: 12:31 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.33</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>P. Jones</u>	<u>.33</u>	Pass Insp.	<input checked="" type="checkbox"/>		
UXO Tech I						

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/04/02
Grid Number: F35 Inspected By: K Jones
Start Time: 12:32 AM PM Stop Time: 12:52 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K Jones	.33	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Pajarin	.33				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/04/02
Grid Number: F36 Inspected By: K. Jones
Start Time: 12:53 AM (PM) Stop Time: 13:05 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO/QCS	K. Jones	.20	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	PAJAREN	.20				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 20 MAY 02
Grid Number: F37 Inspected By: L. MAZERA
Start Time: 1445 AM (PM) Stop Time: 1500 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	.25	OE Found		✓	
UXO Tech III			Anomalies	✓		1
UXO Tech II	D. BROWN	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/08/02
Grid Number: F-38 Inspected By: K. Jones
Start Time: 1338 AM PM Stop Time: 1355 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.21</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.27</u>	Pass Insp.	<input checked="" type="checkbox"/>		
UXO Tech I						

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07 10 8 102
 Grid Number: F-39 Inspected By: K. Jones
 Start Time: 1258 AM PM Stop Time: 1312 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.24	OE Found		/	
UXO Tech III			Anomalies		/	
UXO Tech II	R. Booth	.24				
UXO Tech I			Pass Insp.	/		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/03/02
Grid Number: F-40 Inspected By: K. Jones
Start Time: 0816 (AM) PM Stop Time: 0854 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.75	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.75				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 1/1
Grid Number: F-41 Inspected By: K. Jones
Start Time: 0853 AM PM Stop Time: 0912 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.31</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.31</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *Ken Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M 101 Date: 26 11 102
Grid Number: F-42 Inspected By: K. Jones
Start Time: 0945 **(AM)** PM Stop Time: 1000 **(AM)** PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pagan	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones

USA Environmental, Inc. QC Inspection Record


Site/Location: M101 Date: 06/11/02
Grid Number: F-43 Inspected By: K. Jones
Start Time: 1001 AM PM Stop Time: 1011 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.10	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajarin	.10				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.

Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Kon Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/11/02
Grid Number: F.44 Inspected By: K Jones
Start Time: 1012 (AM) PM Stop Time: 1022 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.10	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajacki	.10				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: K Jones M101 Date: 06 16 102
Grid Number: F-45 Inspected By: K Jones
Start Time: 1023 (AM) PM Stop Time: 1034 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K Jones	.11	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	✓ Pagnier	.11				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/11/02
Grid Number: F-46 Inspected By: K. Jones
Start Time: 1037 (AM) PM Stop Time: 1051 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	24	OE Found		/	
UXO Tech III			Anomalies		/	
UXO Tech II	P. Payne	24				
UXO Tech I			Pass Insp.	/		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 13 02
Grid Number: F-47 Inspected By: K. Jones
Start Time: 0939 (AM) PM Stop Time: 0949 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.15	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajaris	.15				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 00113102
Grid Number: F-48 Inspected By: K. Jones
Start Time: 0955 AM PM Stop Time: 1012 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.25</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>V. Pajarin</u>	<u>.25</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

17% Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *K. Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/11/02
Grid Number: F-49 Inspected By: K Jones
Start Time: 1052 AM PM Stop Time: 1106 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO/QCS	K. Jones	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajon	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: 11101 Date: 06/11/02
 Grid Number: F50 Inspected By: K. Jones
 Start Time: 1107 **(AM)** PM Stop Time: 1119 **(AM)** PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.15</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>V. Pajazaj</u>	<u>.15</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Kenneth Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 02/11/02
Grid Number: F51 Inspected By: K. Jones
Start Time: 11:20 (AM) PM Stop Time: 11:32 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.20</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>V. Pajarew</u>	<u>.20</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *Ken Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 0611102
Grid Number: F52 Inspected By: _____
Start Time: 1133 **(AM)** PM Stop Time: 1147 **(AM)** PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.11	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajaron	.11				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/11/02
Grid Number: F53 Inspected By: K. Jones
Start Time: 1145 AM PM Stop Time: 1151 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.10</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>N. Pajon</u>	<u>.10</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 11 102
Grid Number: F54 Inspected By: K. Jones
Start Time: 1152 (AM) PM Stop Time: 1220 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.50	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. PAJARIU	.50				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 0611102
Grid Number: F55 Inspected By: K. Jones
Start Time: 1221 AM (PM) Stop Time: 1228 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.10	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajarin	.15				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/UE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1101 Date: 0611 102
Grid Number: F56 Inspected By: K. Jones
Start Time: 12.28 AM PM Stop Time: 12.35 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.15	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	V. Pajaron	.15				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 20 MAY 07
Grid Number: F57 Inspected By: L. MAZZOLA
Start Time: 1430 AM (PM) Stop Time: 1445 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZZOLA	.25	OE Found		✓	
UXO Tech III			Anomalies	✓		1
UXO Tech II	D. BLOWN	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 02
Grid Number: F 58 Inspected By: L. MAZERA
Start Time: 0800 (AM) PM Stop Time: 1000 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	2	OE Found		✓	
UXO Tech III			Anomalies	✓		11
UXO Tech II	D. BLOWN	2				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: NUMEROUS NAILS IN SPOILS THROUGHOUT
CRW

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 25 APR 02
Grid Number: F59 Inspected By: L. MAZORAC
Start Time: 0800 AM PM Stop Time: 1015 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZORAC		OE Found		✓	
UXO Tech III			Anomalies	✓		86
UXO Tech II						
UXO Tech I			Pass Insp.		✓	

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: NAILS EVERYWHERE THAT HAVE NOT BEEN DUG

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 07102102
Grid Number: F60 Inspected By: K. Jones
Start Time: 1358 AM (PM) Stop Time: 1407 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.14	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.14				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones

USA Environmental, Inc. QC Inspection Record


Site/Location: M 101 Date: 17 JUN 02
Grid Number: F-61 Inspected By: FAKSi
Start Time: 0745 AM PM Stop Time: 0800 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO/QCS	D Parks	25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III	Booth	25	Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	125		<input checked="" type="checkbox"/>		
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.

1290



SW Corner of Grid

Failed
QA

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: F-61 Inspected By: K. Jones
Start Time: 1308 AM PM Stop Time: 1228 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.33</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Bratt</u>	<u>.33</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 27 JUN 02
Grid Number: F-62 Inspected By: PAKSJ
Start Time: 0810 AM PM Stop Time: 0825 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSJ	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 11 JUN 10
Grid Number: F-63 Inspected By: PAKSI
Start Time: 0825 AM PM Stop Time: 0835 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSI	.20	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.20				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 1302102
Grid Number: F-64 Inspected By: PAKS
Start Time: 0835 AM PM Stop Time: 0850 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKS	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 10 2
Grid Number: F-65 Inspected By: PAKS:
Start Time: 0850 AM PM Stop Time: 0905 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO/QCS	PAKS:	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Boehl	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 11 15th 102
Grid Number: F-66 Inspected By: Paks
Start Time: 0905 AM PM Stop Time: 0925 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paks	.31	OE Found		✓	
UXO Tech III	Quah	.37	Anomalies		✓	
UXO Tech II	Booth	.31				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: _____


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 02
 Grid Number: F-67 Inspected By: Jaksi
 Start Time: 0925 AM PM Stop Time: 0950 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Jaksi	.45	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Book	.45				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Jaksi


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 102
Grid Number: F-68 Inspected By: Paksi
Start Time: 0950 AM PM Stop Time: 1005 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paksi	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 11 JUN 02
Grid Number: F-69 Inspected By: PAKSI
Start Time: 1010 AM PM Stop Time: 1045 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSI	.25	OE Found			
UXO Tech III	Booth	.25	Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: _____

USA Environmental, Inc. QC Inspection Record


Site/Location: M101 Date: 17 150102
Grid Number: F-70 Inspected By: PAKS
Start Time: 1025 AM PM Stop Time: 1040 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKS	.25	OE Found		✓	
UXO Tech III		.25	Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.

1290



SW Corner of Grid

QC Officer Signature: _____


USA Environmental, Inc. QC Inspection Record

Site/Location: FT McCLELLAN Date: 22 MAY 02
Grid Number: F71 Inspected By: L. MAZUREK
Start Time: 1000 AM PM Stop Time: 1045 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZUREK	.75	OE Found	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies	<input checked="" type="checkbox"/>		3
UXO Tech II	D. BROWN	.75				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 02
Grid Number: F72 Inspected By: L. MAZECA
Start Time: 1415 AM (PM) Stop Time: 1445 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZECA	.5	OE Found		✓	
UXO Tech III			Anomalies	✓		3
UXO Tech II	P. Brown	.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 22 MAY 02
Grid Number: F 73 Inspected By: L. MAZERAS
Start Time: 0800 AM PM Stop Time: 0900 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>L. MAZERAS</u>		OE Found		✓	
UXO Tech III			Anomalies	✓		✓
UXO Tech II	<u>D. BROWN</u>					
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: L. Mazer


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 22 MAY 02
Grid Number: F74 Inspected By: L. MAZERA
Start Time: 0915 AM PM Stop Time: 0945 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	.5	OE Found		✓	
UXO Tech III			Anomalies	✓		9
UXO Tech II	D. BROWN	.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT McCLELLAN Date: 22 MAY 02
Grid Number: F75 Inspected By: L. MAZERA
Start Time: 0945 (AM) PM Stop Time: 1000 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	.25	OE Found		✓	
UXO Tech III			Anomalies	✓		3
UXO Tech II	P. BROWN	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: G-01 Inspected By: K. Jones
Start Time: 0814 AM PM Stop Time: 0830 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.24	OE Found		/	
UXO Tech III			Anomalies		/	
UXO Tech II	R. Booth	.24				
UXO Tech I			Pass Insp.	/		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: _____


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: G-02 Inspected By: K. Jones
Start Time: 0756 AM PM Stop Time: 0815 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.32</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.32</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: G03 Inspected By: K. Jones
Start Time: 0725 AM PM Stop Time: 0755 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.50</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.50</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *K. Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/08/02
Grid Number: G-04 Inspected By: K. Jones
Start Time: 1315 AM (PM) Stop Time: 1335 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.33	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.33				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07103102
 Grid Number: G-05 Inspected By: K. Jones
 Start Time: 0915 AM PM Stop Time: 0933 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.28	OE Found		/	
UXO Tech III			Anomalies		/	
UXO Tech II	R. Booth	.28				
UXO Tech I			Pass Insp.	/		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07103102
Grid Number: G-6 Inspected By: K. Jones
Start Time: 0934 AM PM Stop Time: 0947 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.22	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.22				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUL 10
Grid Number: G-07 Inspected By: Paks
Start Time: 1400 AM PM Stop Time: 1415 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paks	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 02
Grid Number: G-08 Inspected By: PAKS:
Start Time: 1415 AM PM Stop Time: 1430 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKS:	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	BOGAL	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/03/02
Grid Number: G-09 Inspected By: K. Jones
Start Time: 1115 AM PM Stop Time: 1122 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.12	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.12				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones

USA Environmental, Inc. QC Inspection Record


Site/Location: M101 Date: 06/19/02
Grid Number: 6-10 Inspected By: K Jones
Start Time: 1328 AM PM Stop Time: 1340 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.16	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	V. Pagnier	.16				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.

17'±



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 18 JUN 02
Grid Number: G-11 Inspected By: PAKSi
Start Time: 0735 AM PM Stop Time: 0750 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSi	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 31/MAY/02
 Grid Number: G-12 Inspected By: L. MAZERA
 Start Time: 1300 AM PM Stop Time: 1945 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	.75	OE Found		✓	
UXO Tech III			Anomalies	✓		1
UXO Tech II	V. PAJARIN	.75				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 31 MAY 02
 Grid Number: G13 Inspected By: L. MAZZAL
 Start Time: 1200 AM (PM) Stop Time: 1300 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZZAL	1	OE Found		✓	
UXO Tech III			Anomalies	✓		2
UXO Tech II	V. PASARIV	1				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 31 MAY 02
Grid Number: G-14 Inspected By: L. MAZCEK
Start Time: 10 00 AM PM Stop Time: 11 30 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZCEK	1.5	OE Found		✓	
UXO Tech III			Anomalies	✓		7
UXO Tech II	V. PAJARIK	1.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: L. Mazcek


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McChellan Date: 22 MAY 02
 Grid Number: G15 Inspected By: L. MAZZERA
 Start Time: 1045 AM PM Stop Time: 1115 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZZERA	.5	OE Found		✓	
UXO Tech III			Anomalies	✓		12
UXO Tech II	D. BROWN	.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 10 2
Grid Number: G16 Inspected By: L. MAZORAC
Start Time: 1300 AM PM Stop Time: 1400 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZORAC	1	OE Found		✓	
UXO Tech III			Anomalies	✓		1
UXO Tech II	D. BROWN	1				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 10 2
Grid Number: G17 Inspected By: L. MAZELAC
Start Time: 1400 AM PM Stop Time: 1415 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZELAC	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies	<input checked="" type="checkbox"/>		1
UXO Tech II	D. BROWN	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/24/02
Grid Number: A-18 Inspected By: K. Jones
Start Time: 12:15 ~~AM~~ PM Stop Time: 12:55 AM ~~PM~~

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K Jones	.60	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.60				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07108102
Grid Number: G-19 Inspected By: K. Jones
Start Time: 0854 AM PM Stop Time: 0910 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.26	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.26				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *K. Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07 10 02
Grid Number: G-20 Inspected By: K. Jones
Start Time: 0844 (AM) PM Stop Time: 0854 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.18</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.18</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *K. Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: G-21 Inspected By: _____
Start Time: 10:40 ~~AM~~ ~~PM~~ Stop Time: 1:00 ~~AM~~ ~~PM~~

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.33</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.30</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *[Signature]*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07 10 3 10 2
Grid Number: G-22 Inspected By: K. Jones
Start Time: 0950 AM PM Stop Time: 1025 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.55</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>R. Booth</u>	<u>.55</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *Ken Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/08/02
Grid Number: G-23 Inspected By: K. Jones
Start Time: 0913 AM PM Stop Time: 0935 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.30	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	R. Booth	.30				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 12 01 02
Grid Number: G-24 Inspected By: K. Jones
Start Time: 1231 AM PM Stop Time: 1244 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>K. Jones</u>	<u>.25</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>V. Page</u>	<u>.25</u>				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *K. Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 02 10 02
Grid Number: G-24 Inspected By: K. Jones
Start Time: 1035 AM PM Stop Time: 1048 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.21	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.21				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 02
Grid Number: G-25 Inspected By: PAKSi
Start Time: 1430 AM PM Stop Time: 1445 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	PAKSi	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/03/02
Grid Number: G-25 Inspected By: K. Jones
Start Time: 1050 AM PM Stop Time: 1108 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.27	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.27				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/11
 Grid Number: G-26 Inspected By: K. Jones
 Start Time: 1215 AM PM Stop Time: 1230 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajon	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]

USA Environmental, Inc. QC Inspection Record


Site/Location: M101 Date: 17 Jun 102
Grid Number: G-27 Inspected By: Paks.
Start Time: 1130 AM PM Stop Time: 1150 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>Paks</u>	<u>.31</u>	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	<u>Booth</u>	<u>.31</u>	Pass Insp.	<input checked="" type="checkbox"/>		
UXO Tech I						

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.

1790



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 JUN 04
 Grid Number: G-28 Inspected By: Paksi
 Start Time: 1115 AM PM Stop Time: 1130 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paksi	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 29 APR 10
Grid Number: 629 Inspected By: I. MAZERA
Start Time: 1100 AM PM Stop Time: 1430 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	<u>L MAZERA</u>		OE Found		✓	
UXO Tech III			Anomalies	✓		<u>49</u>
UXO Tech II						
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: FENCE STAPLES THROUGHOUT THE GRID

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 31 MAY 02
Grid Number: G-30 Inspected By: L. MAZERAL
Start Time: 1345 AM PM Stop Time: 1415 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERAL		OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. PAJANIP					
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 31 MAY 02
Grid Number: Q G 31 Inspected By: L. MAZPARA
Start Time: 1415 AM PM Stop Time: 1430 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZPARA	.25	OE Found		✓	
UXO Tech III			Anomalies	✓		1
UXO Tech II	✓ PASARIV	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 22 MAY 02
 Grid Number: G32 Inspected By: L. MAZORAL
 Start Time: 1115 (AM) PM Stop Time: 1130 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZORAL	.25	OE Found		✓	
UXO Tech III			Anomalies	✓		3
UXO Tech II	P. BROWN	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06/20/02
Grid Number: G733 Inspected By: K. Jones
Start Time: 1306 AM AM PM Stop Time: 1210 AM AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.15	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	V. Paganini	.15				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: *Ken Jones*


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
 Grid Number: G234 Inspected By: K. Jones
 Start Time: 0852 AM PM Stop Time: 0917 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXO QCS	K. Jones	.32	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.32				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/02/02
Grid Number: G35 Inspected By: K. Jones
Start Time: 0920 (AM) PM Stop Time: 0940 (M) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.30	OE Found		/	
UXO Tech III			Anomalies		/	
UXO Tech II	R. Booth	.30				
UXO Tech I			Pass Insp.	/		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07 10 06
 Grid Number: G-34 Inspected By: K Jones
 Start Time: 0945 (AM) PM Stop Time: 0955 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K Jones	.19	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.18				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/08/02
Grid Number: G-37 Inspected By: K. Jones
Start Time: 0956 (AM) PM Stop Time: 1006 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.18	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.18				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/08/02
Grid Number: G-38 Inspected By: K. Jones
Start Time: 1007 AM PM Stop Time: 019 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.22	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	R. Booth	.22				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: K. Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 06 19 02
Grid Number: G39 Inspected By: K. Jones
Start Time: 1245 AM (PM) Stop Time: 1257 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.26	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V Pajarín	.24				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M1.01 Date: 07/22/02
Grid Number: G-39 Inspected By: K. Jones
Start Time: 0834 (AM) PM Stop Time: 0844 (AM) PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.18	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II						
UXO Tech I			Pass Insp.	✓		
SUXDS	L. MAZERAC	.19				

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: Ken Jones


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 19 NOV 10 2
Grid Number: G-40 Inspected By: Paks!
Start Time: 1430 AM PM Stop Time: 1455 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paks!	.45	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Boath	.45				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 19 JUN 01
Grid Number: G-41 Inspected By: Paksj
Start Time: 1415 AM PM Stop Time: 1430 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paksj	.25	OE Found		<input checked="" type="checkbox"/>	
UXO Tech III			Anomalies		<input checked="" type="checkbox"/>	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	<input checked="" type="checkbox"/>		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: M101 Date: 17 Jun 02
Grid Number: G-42 Inspected By: Paks
Start Time: 1245 AM PM Stop Time: 1300 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	Paks	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	Booth	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 29 APR, 02
Grid Number: C43 Inspected By: L. MAZZERAS
Start Time: 1430 AM (PM) Stop Time: 1600 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZZERAS	1.5	OE Found		✓	
UXO Tech III			Anomalies	✓		25
UXO Tech II						
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: BLASS + STAPLES

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 102
Grid Number: G44 Inspected By: L. MAZERRA
Start Time: 1100 AM PM Stop Time: 1130 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERRA	.5	OE Found		✓	
UXO Tech III			Anomalies	✓		4
UXO Tech II	D. BROWN	.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record

Site/Location: FT. McCLELLAN Date: 21 MAY 07
Grid Number: C-45 Inspected By: L. MAZERAS
Start Time: 1145 AM PM Stop Time: 1245 AM PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERAS	.5	OE Found		✓	
UXO Tech III			Anomalies	✓		9
UXO Tech II	D. BLOWN	.5				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



SW Corner of Grid

QC Officer Signature: [Signature]


USA Environmental, Inc. QC Inspection Record *

Site/Location: FT. McCLELLAN Date: 21 MAY 02
Grid Number: G-46 Inspected By: L. MAZERA
Start Time: 1245 AM (PM) Stop Time: 1300 AM (PM)

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	L. MAZERA	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	P. BROWN	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.



QC Officer Signature: L. Mazera

USA Environmental, Inc. QC Inspection Record


Site/Location: M101 Date: 06119102
 Grid Number: G-47 Inspected By: K. Jones
 Start Time: 0936 **(AM)** PM Stop Time: 0957 **(AM)** PM

Personnel:			QC Results:			
Position	Name	Hours	Item	Yes	No	Quantity
UXOQCS	K. Jones	.25	OE Found		✓	
UXO Tech III			Anomalies		✓	
UXO Tech II	V. Pajard	.25				
UXO Tech I			Pass Insp.	✓		

Note: Include if anomaly/OE encountered was previously investigated.
 Remarks: _____

Draw the approximate location and depth of items that were answered Yes in QC Results.

17 1/2



SW Corner of Grid

QC Officer Signature: [Handwritten Signature]