PARCEL 514(7)

Quality Assurance Report
Site Investigation at the Old Burn Pit, Parcel 514(7)
Fort McClellan, Alabama

1.0 Overview

Seven soil samples and four groundwater samples were collected in support of the investigation at Fort McClellan (FTMC) Parcel CWM-514, Old Burn Pit. Samples were submitted to EMAX Laboratories, Inc. and Severn Trent Laboratories, Inc (STL) for analysis. QC samples consisted of the following types and quantities: 2 field duplicates, 1 matrix spike/matrix spike duplicate (MS/MSD) pair, 3 trip blanks and 2 equipment rinsates. Analytical summaries cross-referencing sample location, sample number, and contaminants of concern is presented in Attachment A.

One hundred (100%) percent of samples were validated and reviewed in accordance with the *USEPA Contract Laboratory Program National Functional Guidelines for Evaluating Inorganic Data Review (EPA, February 1994)* and *USEPA Contract Laboratory Program National Functional Guidelines for Organic Review (EPA, October 1999)* for all areas except blanks. Region III *Laboratory Data Validation Functional Guidelines for Inorganic Analyses (EPA, April 1993)* and Region III *National Functional Guidelines for Organic Data Review (EPA, June 1992)* were applied to the areas associated with blank contamination. Data qualifiers assigned to results were based on guidance outlined in the referenced documents and the *Installation-Wide Sampling and Analysis Plan (IT, March 2000)* for FTMC.

Table 1.0-1
Laboratory Data Qualifier Definitions

Data Qualifier	Laboratory Data Qualifier Definition
B	Analyte detected in method blank at concentration greater than the reporting limit (and greater than zero).
C	Confirming data obtained using second GC column or GC/MS.
E	Analyte concentration exceeded calibration range.
I	Analyte identification suspect. See narrative for explanation.
J	Result is less than or equal to specified reporting limit but greater than the method detection limit (MDL).
P	Analyte not confirmed. Results from primary and secondary GC columns differ by greater than 10 percent
S	Analyte concentration obtained using Method of Standard Additions (MSA).
U	Not detected. The value represented indicates the reporting limit for the analysis.
D	Sample analyzed as a dilution. The result reported has been calculated using the appropriate dilution factor.
No Code	Confirmed identification.

Table 1.0-2
Validation Data Qualifier Definitions

Validation Qualifier	Validation Data Qualifier Definition
U	Not detected. The associated number indicates approximate sample concentration necessary to be detected.
No Code	Confirmed identification.
B	Not detected substantially above the level reported in laboratory or field blanks.
R	Unusable result. Analyte may or may not be present in the sample.
N	Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.
J	Analyte present. Reported value may not be accurate or precise. Considered an estimate.
NJ	Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.
NV	Result was not validated.

The Data Validation Summary Report is presented in Attachment B.

2.0 Summary

Data were evaluated to verify compliance with precision, accuracy, representativeness, comparability, completeness, and sensitivity. To verify that project data quality objectives (DQOs) were met, laboratory analytical results and data packages were examined for compliance with SW846 8260B, 8270C, 6010B/7470A/7471A and Chemical Warfare Degradates by 8270 Modified (M) and 8321 quality control (QC) method. Laboratory nonconformances and discrepancies in the data were also examined to determine their impact on the data. The results of this review are presented in the following sections.

2.1 Sample Receipt and Analytical Holding Times

All sample results generated by the laboratory during this investigation have been reviewed with respect to condition of samples as received by the laboratory, chain-of-custody, and analysis holding times. All coolers were received by EMAX in good condition under proper chain-of-custody.

All extraction and analytical holding times were met.

2.2 Rejected Data

Table 2.2-1 lists all rejected analytical data. Sample re-collection at this time is not warranted due to all rejected results being reported as non-detect.

Table 2.2-1 Rejected Analytical Results

Sample Delivery Group	Sample Number	Contaminant	Reason
10514-01	TT0006 and TT0007	2-Butanone (MEK)	Continuing Calibration Relative Response Factor (RRF) <0.05.
10514-02	TT3001	4-Methyl-2-pentanone (MIBK) 2-Hexanone (MBK) Carbon disulfide 2-Butanone (MEK) 1,2-Dibromo-3-chloropropane	Initial and Continuing Calibration Relative Response Factor (RRF) <0.05.
10514-03	TT3002 and TT3004	Acetone 2-Butanone (MEK)	Initial and Continuing Calibration Relative Response Factor (RRF) <0.05.
		Bromochloromethane	Initial Calibration Relative Response Factor (RRF) <0.05.
	TT3003	2-Butanone (MEK)	Initial and Continuing Calibration Relative Response Factor (RRF) <0.05.
		Bromochloromethane	Initial Calibration Relative Response Factor (RRF) <0.05.

2.3 Blank Results

Descriptions of the type of blank samples which were collected, processed, and evaluated for background and/or process contamination during this sampling are as follows:

- Trip blanks (TBs) consist of aqueous VOC sample vials filled in the laboratory with ASTM Type II reagent grade water, transported to the sampling site, handled like an environmental sample and returned to the laboratory for analysis. Trip blanks are prepared only when aqueous VOC samples are collected and analyzed. Trip blanks are used to assess the potential introduction of contaminants from sample containers during the transportation and/or storage procedures. Trip blanks were sent with all aqueous samples shipped to the laboratory requiring volatile analysis.

- Equipment rinsates (ER) are samples of analyte-free deionized water poured into, over, or pumped through the sampling device, collected in a sample container, and transported to the laboratory for analysis. Equipment rinsates are used to assess the effectiveness of equipment decontamination procedures.

- Method blanks (MB) are used in the laboratory to assess and document any possible contamination resulting from the analytical process. A method blank is an analyte-free matrix to which all reagents are added in the same volumes or proportions as used in sample processing. The method blank shall be carried through the complete sample preparation and analytical procedure.

- Initial and continuing calibration blanks (ICB and CCB) are instrument blanks consisting of an analyte-free matrix. ICBs and CCBs are analyzed to verify the analysis system is free of contamination and are analyzed immediately after the initial and continuing calibrations are performed.

Field sample concentrations were evaluated to determine if the sample results could have been biased by the presence of any contamination measured in trip blanks, equipment rinsate blanks, method blanks and/or initial/continuing calibration blanks. Sample data affected by blank contamination are summarized in Table 2.3-1.

Table 2.3-1
Summary of Blank Contamination

Sample Delivery Group	Sample Number	Contaminant	Action
10514-01	TT0006 and TT0007	Methylene chloride	Methylene chloride results for samples TT0006 and TT0007 were "B" qualified due to MB and ER contamination.
	TT0001, TT0002, TT0003, TT0004, TT0005 and TT0006	Beryllium	Beryllium results for samples TT0001, TT0002, TT0003, TT0004, TT0005 and TT0006 were "B" qualified due to ICB/CCB contamination.
	TT0001	Antimony	Antimony result for sample TT0001 was "B" qualified due to ICB/CCB contamination.
	TT0001, TT0002, TT0005, TT0006 and TT0007	Mercury	Mercury results for samples TT0001, TT0002, TT0005, TT0006 and TT0007 were "B" qualified due to ICB/CCB contamination.
	TT0004	Selenium	Selenium result for sample TT0004 was "B" qualified due to ICB/CCB contamination.
	TT0006 and TT0007	Calcium	Calcium results for samples TT0006 and TT0007 were "B" qualified due to ICB/CCB contamination.
10514-02	TT3001	Methylene chloride	Methylene chloride result for sample TT3001 was "B" qualified due to ER contamination.
10514-03	TT3004	Chloroform	Chloroform result for sample TT3004 was "B" qualified due to TB contamination.
	TT3004	Thallium	Thallium result for sample TT3004 was "B" qualified due to ICB/CCB contamination.

2.4 Analytical Precision

Precision is defined as a measurement of mutual agreement among individual measurements of the same property, usually under "prescribed similar conditions." Analytical precision is calculated as relative percent difference (%RPD) based on the following formula:

$$\%RPD = \left| \frac{(A-B)}{(A+B)/2} \right| \times 100$$

where:

%RPD = Relative Percent Difference
A = original result
B = duplicate result

A high RPD between an original sample and its field duplicate may be attributable to the difference in sample matrix or distribution of the contaminant within the sample, rather than the precision of the collection process. Also, when "estimated" results are reported, there is a potential for increased variability between the primary and duplicate sample results. This occurs because, at low concentrations, the relative difference in results is magnified by the RPD calculation even though the results are comparable in absolute terms. There is also increased uncertainty in the results as the lower limit of detection is approached, due to decreasing analytical accuracy. The RPD calculation cannot be performed in cases where non-detected results are reported with corresponding samples that contain detectable concentrations.

Overall sampling and analysis precision for this task was assessed using field duplicate (FD) samples. Laboratory precision was assessed by laboratory control sample/laboratory control sample duplicate (LCS/LCSD) and matrix spike/matrix spike duplicate (MS/MSD) recoveries. Results indicate that an acceptable analytical precision was achieved. Table 2.4-1 lists precision acceptance criteria for LCS/LCSD, MS/MSD organic analyses and field duplicate comparisons. Table 2.4-2 lists all field duplicate, LCS/LCSD and MS/MSD RPDs that exceeded QC criteria.

Table 2.4-1 Precision Acceptance Criteria

Field/Laboratory QC Type	Matrix	
	Aqueous	Soil
Field Duplicate (Both Organic & Inorganic)	RPD < 35%	RPD < 50%
TCL Volatiles LCS/LCSD and MS/MSD	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"
TCL Semivolatiles LCS/LCSD and MS/MSD	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"
Nitroaromatic/Nitramine Explosives LCS/LCSD and MS/MSD	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"	Refer to Table 8-1 of FTMC "Installation Wide Sample and Analysis Plan - Appendix B"
Chemical Agent Breakdown LCS/LCSD and MS/MSD	1,4-Oxathiane RPD<19% 1,4-Dithiane RPD<33% p-Chlorophenylmethylsulfoxide RPD<74% p-Chlorophenylmethylsulfone RPD<55% DIMP RPD<13% DMMP RPD<13% EMPA RPD<13% IMPA RPD<14% MPA RPD<14% Thiodiglycol RPD<12%	1,4-Oxathiane RPD<28% 1,4-Dithiane RPD<28% p-Chlorophenylmethylsulfoxide RPD<27% p-Chlorophenylmethylsulfone RPD<26% DIMP RPD<10% DMMP RPD<10% EMPA RPD<10% IMPA RPD<10% MPA RPD<10% Thiodiglycol RPD<8%
Metals LCS/LCSD and MS/MSD	RPD < 20%	RPD < 20%
Total Organic Carbon LCS/LCSD and MS/MSD	NA	RPD < 20%

Table 2.4-2
Summary of Field Duplicate, LCS/LCSD & MS/MSD RPD Anomalies

Sample Delivery Group	Sample Number	Contaminant	Assigned Validation Qualifier
10514-01	TT3003 (Parent) / TT3004 (FD)	Aluminum (54%) Calcium (107%) Iron (92%)	Aluminum, calcium and iron results for samples TT3003 and TT3004 were "J" qualified due to the parent sample and its corresponding field duplicate RPDs exceeding QC criteria.

2.5 Analytical Accuracy Assessment

Accuracy is a measure of the degree of agreement of a result against an accepted reference or true value. Accuracy is expressed as a percent recovery (%R) calculated by the ratio of the measurement and accepted true value as shown in the following equation:

$$\%R = (|X_s - X_u|/K) \times 100$$

where:

X_s = measured value of the spiked sample
X_u = measured value of the unspiked sample
K = known amount of the spike in the sample

Surrogate recoveries, MS/MSD and LCS/LCSD were used to measure analytical accuracy as described in SW846 8260B, 8270C, 6010B/7470A/7471A and Chemical Warfare Degradates by 8270 Modified (M) and 8321. Reported results indicate that an acceptable level of analytical accuracy was achieved. Surrogate, LCS/LCSD and MS/MSD spike recoveries, which exceed QC criteria are summarized in Table 2.5-1.

Table 2.5-1
Summary of Surrogate, LCS/LCSD and MS/MSD Spike Recovery Criteria Exceedances

Sample Delivery Group	Sample Number	Contaminant	Action
10514-01	IPK015SL (LCS)	Potassium (LB)	Potassium results for samples TT0001, TT0002, TT0003, TT0004, TT0005, TT0006 and TT0007 were "J" qualified due to LCS spike recovery exceeding QC criteria.
10514-03	VO05B27L/C (LCS/LCSD)	Benzene (LB) Toluene (LB)	Benzene and toluene results for sample TT3002 were "UJ" qualified due to LCS/LCSD spike recoveries exceeding QC criteria.
	TT3002 MS/MSD	Calcium (LB)	Calcium results for samples TT3002, TT3003 and TT3004 were "J" qualified due to MS/MSD spike recoveries exceeding QC criteria.

LB - Low bias

2.6 Data Representativeness

Representativeness is a qualitative parameter that expresses the degree to which sample data actually represent the matrix conditions. Standardized requirements and procedures for sample collection, handling and analyses were employed to maximize sample representativeness.

Soil sample locations selected for this investigation will confirm whether the soil has been impacted by contaminant releases from former activities at this site. Groundwater samples were collected to determine the quality of groundwater in the aquifer.

2.7 Data Comparability

Comparability is a qualitative parameter expressing the confidence with which one data set can be compared with another. By employing well-recognized techniques and accepted standardized methods for sampling and analysis, data comparability was achieved during this sampling event.

2.8 Data Completeness

Completeness is calculated for the aggregation of data for each analyte measured during the investigation of Parcel 514(7). The formula for calculating completeness is listed below:

$$\% \text{ Completeness} = (X_V / X_T) \times 100$$

where:

X_V = number of valid (i.e., non-"R"-flagged) results
X_T = number of possible results

Parcel CWM-514 goal for completeness is 95% for both aqueous and soil samples. The % Completeness for this task is calculated to be 99.2%.

- % Completeness = (1756 / 1771) x 100 = 99.2%

2.9 Sensitivity

Sensitivity is defined as the ability of the laboratory's established method detection limits (MDL)/method reporting limits (MRL or RL) to meet project-specific DQOs or site-specific screening levels (SSSL) and or ecological screening values (ESV).

MDL is the minimum concentration of a substance that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. MDLs are determined from an analysis of a sample in a given matrix containing the target analyte of interest. The MRL is a threshold value based upon the sensitivity capability of method and instrument. MRLs are normally set at a minimum of two times the MDL. MRLs are adjusted based on the sample matrix, moisture (solids only), and any necessary sample dilutions. The laboratory cannot reliably quantitate values reported above the MDL but below the MRL. Therefore, these analyte values must be flagged as estimated quantities ("J"-flagged).

To evaluate method sensitivity, a general comparison of the laboratory's MDLs/MRLs and the site investigation screening levels (background values, human health SSSL for residential reuse, and ESV) was performed and presented to the FTMC Base Realignment and Closure Team (BCT) (November 1999). The comparison summarized the relationship between the MDL/MRLs and SSSL/ESVs for each parameter typically reported for all of the major analytical methods used at FTMC. The few cases identified where the MDL and/or MRL values exceeded their corresponding human health SSSL and/or ESV were specifically highlighted and explained. It was understood that for these cases, the standard analytical method of analysis was not going to provide MDLs/MRLs, which met human health SSSLs or ESVs without significant uncertainty and the possibility of reporting false negatives. It was generally accepted that standard EPA SW846 analytical methods would provide sufficient sensitivity for data reported and used in the site screening process at FTMC.

3.0 Data Usability

Data quality indicators (DQI) provide an internal guide for control and review to verify that data are scientifically sound, defensible, and of known and acceptable quality. Factors such as precision, accuracy, representativeness, comparability, completeness, and sensitivity were evaluated to determine if the project's DQOs were met. A review of the data revealed that the majority of QA/QC indicators were within acceptable control limits. Any data anomalies encountered during data validation and overall site evaluations have been summarized in the previous sections of this document.

Based on the results of data validation and QA review, IT has concluded that representative samples were collected and analyzed and the results are indicative of the media analyzed. The data are to be considered representative of site conditions and are usable for their intended purpose.

4.0 Attachments

Attachment A - Analytical Summary Table
Attachment B - Data Validation Summary Report

ATTACHMENT A

ANALYTICAL SUMMARY TABLE

Ft. McClellan
Parcel CWM-514
Old Burn Pit Soil Analytical Summary
Project No. 796887

Sample Location	Sample Name	Sample Number	Date Sampled	Sample Depth	Analytical Suite	Sample Type	Sample Purpose
CWM-514-MW01	CWM-514-MW01-SS-TT0001-REG	TT0001	6-Nov-01	0 to 1 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	SS	REG
	CWM-514-MW01-DS-TT0002-REG	TT0002	6-Nov-01	11 to 12 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	DS	REG
CWM-514-MW02	CWM-514-MW02-SS-TT0003-REG	TT0003	6-Nov-01	0 to 1 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	SS	REG
	CWM-514-MW02-DS-TT0004-REG	TT0004	6-Nov-01	9 to 10 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	DS	REG
CWM-514-MW03	CWM-514-MW03-SS-TT0005-REG	TT0005	6-Nov-01	0 to 1 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	SS	REG
	CWM-514-MW03-DS-TT0006-REG	TT0006	6-Nov-01	11 to 12 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	DS	REG
	CWM-514-MW03-DS-TT0007-FD	TT0007	6-Nov-01	11 to 12 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7471A Volatiles by 8260B	DS	FD

Ft. McClellan
Parcel CWM-514
Old Burn Pit Groundwater Analytical Summary
Project No. 796887

Sample Location	Sample Name	Sample Number	Date Sampled	Sample Depth	Analytical Suite	Sample Type	Sample Purpose
CWM-514-MW01	CWM-514-MW01-GW-TT3001-REG	TT3001	5-Feb-02	55 - 65 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	REG
CWM-514-MW02	CWM-514-MW02-GW-TT3002-REG	TT3002	8-Feb-02	58.5 - 68.5 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	REG
	CWM-514-MW02-GW-TT3002-MS-MS	TT3002-MS	8-Feb-02	58.5 - 68.5 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	MS
	CWM-514-MW02-GW-TT3002-MSD-MSD	TT3002-MSD	8-Feb-02	58.5 - 68.5 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	MSD
CWM-514-MW03	CWM-514-MW03-GW-TT3003-REG	TT3003	7-Feb-02	43 - 58 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	REG
	CWM-514-MW03-GW-TT3004-FD	TT3004	7-Feb-02	43 - 58 ft	Chem. Agt. Breakdown by 8270CWM Chem. Agt. Breakdown by 8321CWM Semivolatiles by 8270C TAL Metals by 6010B/7470A Volatiles by 8260B	GW	FD

ATTACHMENT B

DATA VALIDATION SUMMARY REPORT

Data Validation Summary Report
Site/Remedial Investigation at the Old Burn Pit, Parcel 514(7)
Fort McClellan, Calhoun County, Alabama

1.0 Introduction

Level III data validation was performed on 100 percent of the environmental samples collected at Parcel 514(7). The analytical data consisted of sample delivery groups (SDG) 10514-01 through 10514-10, which were analyzed by EMAX and Severn Trent Laboratories. Soil and water matrices were validated. The chemical parameters, for which the samples were analyzed, are identified below:

Parameter (Method)
Volatile Organics by GC/MS SW846 8260B
Semivolatile Organics by GC/MS SW846 8270C
Metals by SW846 6010B and 7471A/7470A
Chemical Warfare Degradates (SW846 8321 and SW846 8270M)

2.0 Procedures

The sample data were validated following the logic identified in the 2002 *EPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review* and the 1999 *EPA Contract Laboratory Program National Functional Guidelines for Organic Review* for all areas except blanks. *EPA Region III Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses* (April 1993) and *Region III National Functional Guidelines for Organic Data Review* (September 1994) were applied to the areas associated with blank contamination. Specific quality control (QC) criteria as identified in the quality assurance plan (QAP), analytical methods, and laboratory standard operating procedures (SOP) were applied to all sample results. As a result of the use of Update III SW846 test methods for the analytical data and the application of the Contract Laboratory Program (CLP) guidelines during the validation process, there were instances where specific QC requirements for all target compounds were not defined. This primarily occurred in the organic, gas chromatography (GC) and GC/mass spectrometry (MS) calibration areas and is due to the fact that the analytical methods are performance-based and allow the use of average calibration responses in lieu of individual responses, which are defined by CLP protocol. In light of applying CLP guidelines to SW846 methods and evaluating the usability of the data during the validation process, specific QC criteria were determined to address all target compounds and are identified in this report for each parameter, as well as in the validation checklists, which function as worksheets. All completed validation checklists are on file in the Knoxville office. For those analytical methods not addressed by the CLP and Region III guidelines, the validation was based on the method requirements (i.e., SW846, Code of Federal Regulations, SOPs) and technical judgement,

following the logic of the CLP validation guidelines.

3.0 Summary of Data Validation Findings

The overall quality of the data was determined to be acceptable with minimal qualifications. The only rejected data ("R" qualified) was due to "poor performing" volatile compounds (ketones, some halogenated hydrocarbons, etc.), which experienced poor calibration responses in the associated calibration data, and samples that were reanalyzed and have multiple results reported. The "R" qualifier was assigned to the samples with more than one set of results to indicate that a given result should not be used to characterize a particular constituent or an analysis for a given sample.

Individual validation reports have been prepared for each parameter, and the overall results of the validation findings are summarized in this report. The validation qualifier data entry verification report (Attachment 1) is also provided. This is a complete listing of all of the analytical results and the validation qualifiers assigned for the site investigation at CWM-514. It also identifies the "use" column, which indicates which result to use in the event of a reanalysis. A listing of the validation qualifiers and the reason codes, along with their definitions, is also found in Attachment 1. The following section highlights the key findings of the data validation for each analysis.

4.0 Analysis-Specific Data Validation Summaries

4.1 Volatile Organics by GC/MS SW846 8260B

Overall, the data are of good quality and are usable as reported by the laboratory with the exceptions noted below. Data were reviewed for the following:

Holding Times

Technical holding time criteria were met for all samples.

Initial and Continuing Calibration

The initial calibration (ICAL) and continuing calibrations (CCAL) associated with the project samples met QC criteria, with the following exception(s):

- The following exhibited individual ICAL/CCAL relative response factor (RRF) <0.1:

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-01	TT0006, TT0007	2-Butanone	R

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-02	TT3001	1,2-Dibromo-3-chloropropane, 2-Butanone, 2-Hexanone, 4-Methyl-2-Pentanone, Acetone, Carbon Disulfide	J/R
10514-03	TT3002, TT3003, TT3004	Acetone, 2-Butanone, Bromochloromethane	J/R
10514-04	TT0010, TT0011, TT0012, TT0013	Acetone	R
10514-05	TT0008, TT0009, TT0014, TT0015	Acetone	B/R/J
	TT0015	2-Butanone	R
10514-06	TT0016, TT0017	Acetone, 2-Butanone	J/R
10514-07	TT3010	2-Butanone, 2-Hexanone, Acetone	R
10514-08	TT3005, TT3011, TT3012, TT3013, TT3016	2-Butanone, 2-Hexanone, Acetone	J/R
10514-09	T3017	Acetone, 2-Butanone	R
10514-10	TT3006, TT3007, TT3008, TT3009, TT3014, TT3015	2-Butanone, 2-Hexanone, Acetone	J/R

- The following exhibited individual CCAL percent difference (%D) >20:

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-01	TT0001, TT0002, TT0003, TT0004, TT0005	Carbon Disulfide, Carbon Tetrachloride, Dibromochloromethane, Dichlorodifluoromethane, Trichlorofluoromethane	UJ
	TT0006, TT0007	Chloromethane	UJ
10514-03	All Samples	Acetone, 1,1-Dichloropropene, Carbon Disulfide, Hexachlorobutadiene, m,p-Xylenes	R/UJ
	TT3002	1,3,5-Trimethylbenzene, Benzene, Cumene, Methylene Chloride, p-Cymene, sec-Butylbenzene, tert-Butylbenzene	UJ
10514-04	TT0010, TT0011, TT0012, TT0013	1,2,3-Trichlorobenzene, 1,2,4-Trichlorobenzene, Carbon disulfide, Hexachlorobutadiene, Naphthalene	UJ
10514-05	TT0008, TT0009, TT0014, TT0015	sec-Dichloropropane	UJ
	TT0008	Acetone	J
	TT0015	2-Butanone, 2-Hexanone, 4-Methyl-2-pentanone, Bromomethane, Carbon tetrachloride, Dibromomethane	UJ
10514-06	TT0016, TT0017	Acetone	J
10514-07	TT3010	2-Butanone, 2-Hexanone, 4-Methyl-2-pentanone, Dibromochloromethane, Trans-1,3-Dichloropropene, Trichlorofluoromethane, sec-Dichloropropane	R/UJ
10514-09	T3017	Carbon disulfide, Chloromethane	UJ
10514-10	TT3006, TT3007, TT3008, TT3009, TT3014	Bromomethane, Naphthalene	UJ

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
	TT3015	Bromomethane, Dichlorodifluoromethane	UJ

Blanks

The 5X/10X rule for contaminants found in the associated equipment rinses, trip blanks, and method blanks was applied to all sample results. All were found to be acceptable with the following exception(s):

SDG	Samples Affected	Compound(s)	Blank Contaminant	Validation Qualifier
10514-01	TT0006, TT0007	Methylene chloride	Method/ER	B
10514-02	TT3001	Methylene Chloride	ER	B
10514-03	TT3004	Chloroform	TB	B
10514-05	TT0008, TT0009, TT0014, TT0015	Methylene Chloride	Method/ER	B
	TT0008	2-Butanone	ER	B
	TT0014, TT0015	Acetone	ER	B

Surrogate Recoveries

All surrogate recoveries were within QC limits.

Matrix Spike / Matrix Spike Duplicate

Matrix Spike/Matrix Spike Duplicate (MS/MSD) analysis was performed for the project samples, and all QC criteria were met.

Laboratory Control Sample

Laboratory Control Sample (LCS) analysis was performed for the project samples, and all QC criteria were met.

Field Duplicates

Original and field duplicate results were evaluated and no problems were identified.

Internal Standards

All internal standards met QC criteria.

Quantitation

Results quantitated between the method detection limit (MDL) and the reporting limit (RL), which the lab qualified as "J", were qualified as estimated "J" unless blank contamination was present

or the results were rejected. Results rejected in favor of a preferred result (e.g., due to dilution or reanalysis) were qualified as rejected "R".

4.2 Semivolatile Organics by GC/MS SW846 8270C

Overall, the data are of good quality and are usable as reported by the laboratory with the exceptions noted below. Data were reviewed for the following:

Holding Times

Technical holding time criteria were met for all samples.

Initial and Continuing Calibration

The initial calibration (ICAL) and continuing calibrations (CCAL) associated with the project samples met QC criteria, with the following exception(s):

- The following exhibited individual CCAL percent difference (%D) >20:

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-05	TT0008, TT0009, TT0014, TT0015	2-Nitroaniline, 4-Nitrophenol	UJ
10514-06	TT0016, TT0017	2,4-Dinitrophenol	UJ

Blanks

The 5X/10X rule for contaminants found in the associated equipment rinses and method blanks was applied to all sample results. All were found to be acceptable.

Surrogate Recoveries

All surrogate recoveries were within QC criteria.

Matrix Spike / Matrix Spike Duplicate

MS/MSD analysis was performed for the project samples, and all QC criteria were met.

Laboratory Control Sample

LCS analysis was performed for the project samples, and all QC criteria were met.

Field Duplicates

Original and field duplicate results were evaluated, and all QC criteria were met.

Internal Standards

All internal standards met QC criteria.

Quantitation

Results quantified between the MDL and the RL, which the lab qualified as "J," were qualified as estimated "J" unless blank contamination was present or the results were rejected.

4.3 Metals by SW846 6010B/7471A/7470A

Overall, the data are of good quality and are usable as reported by the laboratory with the exceptions noted below. Data were reviewed for the following:

Holding Times

Technical holding time criteria were met for all samples.

Initial and Continuing Calibrations

All initial and continuing calibrations associated with the project samples met QC criteria.

Blanks

The 5X rule for contaminants found in the associated equipment rinse, calibration, and method blanks was applied to all sample results. All were acceptable with the following exception(s):

SDG	Samples Affected	Compound(s)	Blank Contaminant	Validation Qualifier
10514-01	TT0001, TT0002, TT0003, TT0004, TT0005, TT0006	Beryllium	Calibration	B
	TT0001	Antimony	Calibration	B
10514-01	TT0001, TT0002, TT0005, TT0006, TT0007	Mercury	Calibration	B
	TT0004	Selenium	Calibration	B
	TT0006, TT0007	Calcium	Calibration	B
10514-03	TT3004	Thallium	Calibration	B
10514-04	TT0011	Calcium	ER	B
	TT0012	Selenium	Calibration	B
10514-05	TT0008	Selenium	Calibration	B
	TT0015	Potassium	Calibration	B
10514-06	TT0016, TT0017	Sodium	Method	B
10514-07	TT3010	Calcium, Copper, Magnesium, Potassium, Sodium	ER	B

SDG	Samples Affected	Compound(s)	Blank Contaminant	Validation Qualifier
10514-08	TT3005, TT3011, TT3012, TT3013, TT3016	Aluminum, Potassium, Magnesium, Sodium	Method/Calibration/ ER	B
	TT3011, TT3012	Calcium	ER	B
	TT3005, TT3011	Arsenic	Calibration	B
10514-09	TT3017	Calcium, Magnesium, Potassium, Selenium, Sodium	ER	B
10514-10	TT3006, TT3008, TT3009, TT3014, TT3015	Potassium	Calibration/ER	B
	TT3006	Thallium	Calibration	B
	TT3006, TT3007, TT3008, TT3014	Magnesium	ER	B
	TT3006, TT3007, TT3008, TT3009, TT3014, TT3015	Sodium	ER	B
	TT3007	Barium	ER	B
	TT3007, TT3008	Calcium	ER	B

Matrix Spike / Matrix Spike Duplicate

MS/MSD analysis was performed for the project samples, and all QC criteria were met, with the following exception(s):

SDG	Samples Affected	Compound(s)	Validation Qualifier
10514-03	All Samples	Calcium	J
10514-05	TT0008, TT0009, TT0014, TT0015	Antimony	UJ

Laboratory Control Sample

LCS analysis was performed for the project samples, and all QC criteria were met.

Interference Check Sample

All Interference Check Sample (ICS) percent recoveries were acceptable. All QC criteria were met.

Inductively Coupled Plasma Serial Dilutions

All QC criteria were met for the serial dilutions associated with the project samples, with the following exception(s):

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-09	TT3017	Aluminum	J

Field Duplicates

Original and field duplicate results were evaluated, and no problems were identified, with the following exception(s):

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-03	TT3003 (Original) TT3004 (FD)	Aluminum, Calcium, Iron	J
10514-10	TT3007 (Original) TT3008 (FD)	Sodium	B*
	TT3009 (Original) TT3015 (FD)	Arsenic	J

- Sodium results were qualified B due to blank contamination.

Quantitation

Results quantified between the MDL and the RL, which the lab qualified as "J", were qualified as estimated "J" unless blank contamination was present or the results were rejected. Results rejected in favor of a preferred result (e.g., due to dilution or reanalysis) were qualified as rejected "R".

4.4 Chemical Warfare Degradates (SW846 8321 and SW846 8270M)

Overall, the data are of good quality and are usable as reported by the laboratory with the exceptions noted below. Data were reviewed for the following:

Holding Times

Technical holding time criteria were met for all samples.

Initial and Continuing Calibration

All initial and continuing calibrations associated with the project samples met QC criteria.

Blanks

The 5X rule for contaminants found in the associated equipment rinses and method blanks was applied to all sample results. All were found to be acceptable.

Surrogate Recoveries

All surrogate recoveries were within QC criteria.

Matrix Spike / Matrix Spike Duplicate

MS/MSD analysis was performed for the project samples, and all QC criteria were met, with the following exception(s):

SDG Number	Samples Affected	Compound(s)	Validation Qualifier
10514-05	TT0008, TT0009, TT0014, TT0015	Ethylmethylphosponic Acid, Isopropylmethylphosphonic Acid	UJ
10514-09	TT3017	Dimethylmethylphosphonic Acid, Methylphosphonic Acid	UJ

Laboratory Control Sample

LCS analysis was performed for the project samples, and all QC criteria were met.

Field Duplicates

Original and field duplicate results were evaluated, and no problems were identified.

Quantitation

Results quantified between the MDL and the RL, which the lab qualified as "J", were qualified as estimated "J" unless blank contamination was present or the results were rejected. Results rejected in favor of a preferred result (e.g., due to dilution or reanalysis) were qualified as rejected "R".

Attachment 1

Data Validation Qualifier Entry Verification Report

Validation Qualifiers

U Not detected. The compound/analyte was analyzed for, but not detected above the associated reporting limit.

J The compound/analyte was positively identified; the reported value is the estimated concentration of the constituent detected in the sample analyzed.

B The concentration reported was detected significantly above the levels reported in the associated equipment rinse samples and/or laboratory method and trip blanks. (5X/10X Rule was applied).

R The reported sample results are rejected due to the following:

1. Severe deficiencies in the supporting quality control data.
2. Anomalies noted in the sampling and/or analysis process which could affect the validity of the reported data.
3. The presence or absence of the constituent cannot be verified based on the data provided.
4. To indicate not to use a particular result in the event of a reanalysis.

UJ The compound/analyte was analyzed for, but not detected above the established reporting limit. However, review and evaluation of supporting QC data and/or sampling and analysis process have indicated that the "nondetect" may be inaccurate or imprecise. The nondetect result should be estimated.

Validation Reason Code Definitions

Reason Code	Definition
01	Sample received outside of 4+/-2 degrees Celsius
01A	Improper sample preservation
02	Holding time exceeded
02A	Extraction
02B	Analysis
03	Instrument performance – outside criteria
03A	BFB
03B	DFTPP
03C	DDT and/or Endrin % breakdown exceeds criteria
03D	Retention time windows
03E	Resolution
04	Initial calibration results outside specified criteria
04A	Compound mean RRF QC criteria not met
04B	Individual % RSD criteria not met
04C	Correlation coefficient >0.995
05	Continuing calibration results outside specified criteria
05A	Compound mean RRF QC criteria not met
05B	Compound % D QC criteria not met
06	Result qualified as a result of the 5x/10x blank correction
06A	Method or preparation blank
06B	ICB or CCB
06C	ER
06D	TB
06E	FB
07	Surrogate recoveries outside control limits
07A	Sample
07B	Associated method blank or LCS
08	MS/MSD/Duplicate results outside criteria
08A	MS and/or MSD recovery not within control limits (accuracy)
08B	% RPD outside acceptance criteria (precision)
09	Post digestion spike outside criteria (GFAA)
10	Internal standards outside specified control limits
10A	Recovery
10B	Retention time
11	Laboratory control sample recoveries outside specified limits
11A	Recovery
11B	% RPD (if run in duplicate)
12	Interference check standard
13	Serial dilution
14	Tentatively identified compounds
15	Quantitation
16	Multiple results available; alternate analysis preferred
17	Field duplicate RPD criteria is exceeded
18	Percent difference between original and second column exceeds QC criteria
19	Professional judgement was used to qualify the data
20	Pesticide clean-up checks
21	Target compound identification
22	Radiological calibration
23	Radiological quantitation
24	Reported result and/or lab qualifier revised to reflect validation findings

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0001	8321	SW3550	N 0 1	DIMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	11:40
				DMMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	11:40
				EMPA	.054	mg/kg	AAU	N	Y	U	U	ERS6					ENP9CS	11:40
				IMPA	.11	mg/kg	AAU	N	Y	U	U	ERS6					ENP9CS	11:40
				MPA	.54	mg/kg	AAU	N	Y	U	U	ERS6					ENP9CS	11:40
				THIODIGLYCOL	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	11:40
TT0002	8321	SW3550	N 0 1	DIMP	.06	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	12:04
				DMMP	.06	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	12:04
				EMPA	.06	mg/kg	AAU	N	Y	U	U	ERS6					ENP9FS	12:04
				IMPA	.12	mg/kg	AAU	N	Y	U	U	ERS6					ENP9FS	12:04
				MPA	.6	mg/kg	AAU	N	Y	U	U	ERS6					ENP9FS	12:04
				THIODIGLYCOL	.06	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	12:04
TT0003	8321	SW3550	N 0 1	DIMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	12:28
				DMMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	12:28
				EMPA	.054	mg/kg	AAU	N	Y	U	U	ERS6					ENP9GS	12:28
				IMPA	.11	mg/kg	AAU	N	Y	U	U	ERS6					ENP9GS	12:28
				MPA	.54	mg/kg	AAU	N	Y	U	U	ERS6					ENP9GS	12:28
				THIODIGLYCOL	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	12:28
TT0004	8321	SW3550	N 0 1	DIMP	.059	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	12:52
				DMMP	.059	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	12:52
				EMPA	.059	mg/kg	AAU	N	Y	U	U	ERS6					ENP9HS	12:52
				IMPA	.12	mg/kg	AAU	N	Y	U	U	ERS6					ENP9HS	12:52
				MPA	.59	mg/kg	AAU	N	Y	U	U	ERS6					ENP9HS	12:52
				THIODIGLYCOL	.059	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	12:52
TT0005	8321	SW3550	N 0 1	DIMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	13:16
				DMMP	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	13:16
				EMPA	.054	mg/kg	AAU	N	Y	U	U	ERS6					ENP9KS	13:16
				IMPA	.11	mg/kg	AAU	N	Y	U	U	ERS6					ENP9KS	13:16
				MPA	.54	mg/kg	AAU	N	Y	U	U	ERS6					ENP9KS	13:16
				THIODIGLYCOL	.054	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	13:16
TT0006	8321	SW3550	N 0 1	DIMP	.058	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	14:52
				DMMP	.058	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	14:52
				EMPA	.058	mg/kg	AAU	N	Y	U	U	ERS6					ENP9LS	14:52
				IMPA	.12	mg/kg	AAU	N	Y	U	U	ERS6					ENP9LS	14:52
				MPA	.58	mg/kg	AAU	N	Y	U	U	ERS6					ENP9LS	14:52
				THIODIGLYCOL	.058	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	14:52
TT0007	8321	SW3550	N 0 1	DIMP	.058	mg/kg	U	N	Y		U	ERS6					ENP9MS	15:17
				DMMP	.058	mg/kg	U	N	Y		U	ERS6					ENP9MS	15:17
				EMPA	.058	mg/kg	AAU	N	Y		U	ERS6					ENP9MS	15:17

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	8321	SW3550	N 0 1	IMPA	.12	mg/kg	AAU	N	Y		U	ERS6					ENP9MS	15:17
				MPA	.58	mg/kg	AAU	N	Y		U	ERS6					ENP9MS	15:17
				THIODIGLYCOL	.058	mg/kg	U	N	Y		U	ERS6					ENP9MS	15:17
TT0001	6010B	SW3050	N 0 1	ALUMINUM	18600	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				ANTIMONY	5.68	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-01	19:20
				ARSENIC	6.98	mg/kg		Y	Y	P		ERS6					K048-01	23:14
				BARIUM	59.9	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				BERYLLIUM	.541	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-01	19:20
				CADMIUM	1.09	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:20
				CALCIUM	239	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				CHROMIUM	20.4	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				COBALT	5.2	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				COPPER	8.5	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				IRON	54300	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				LEAD	11.9	mg/kg		Y	Y	P		ERS6					K048-01	23:14
				MAGNESIUM	570	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				MANGANESE	290	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				NICKEL	10.8	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				POTASSIUM	404	mg/kg	J	Y	Y	P	J	ERS6	11A	15			K048-01	19:20
				SELENIUM	1.09	mg/kg	U	N	Y	U	U	ERS6					K048-01	23:14
				SILVER	2.18	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:20
				SODIUM	109	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:20
				THALLIUM	2.18	mg/kg	U	N	Y	U	U	ERS6					K048-01	23:14
				VANADIUM	37.1	mg/kg		Y	Y	P		ERS6					K048-01	19:20
				ZINC	36.6	mg/kg		Y	Y	P		ERS6					K048-01	19:20
	7471A	TOTAL	N 0 1	MERCURY	.0508	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-01	12:38
TT0002	6010B	SW3050	N 0 1	ALUMINUM	41000	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				ANTIMONY	11.9	mg/kg	U	N	Y	U	U	ERS6					K048-02	19:25
				ARSENIC	10.3	mg/kg		Y	Y	P		ERS6					K048-02	23:19
				BARIUM	46.5	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				BERYLLIUM	.5	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-02	19:25
				CADMIUM	1.19	mg/kg	U	N	Y	U	U	ERS6					K048-02	19:25
				CALCIUM	80.9	mg/kg	J	Y	Y	P	J	ERS6	15				K048-02	19:25
				CHROMIUM	27.9	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				COBALT	4.03	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				COPPER	21.5	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				IRON	28800	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				LEAD	14.4	mg/kg		Y	Y	P		ERS6					K048-02	23:19
				MAGNESIUM	1030	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				MANGANESE	110	mg/kg		Y	Y	P		ERS6					K048-02	19:25

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0002	6010B	SW3050	N 0 1	NICKEL	19.7	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				POTASSIUM	732	mg/kg		Y	Y	P	J	ERS6	11A				K048-02	19:25
				SELENIUM	1.19	mg/kg	U	N	Y	U	U	ERS6					K048-02	23:19
				SILVER	2.38	mg/kg	U	N	Y	U	U	ERS6					K048-02	19:25
				SODIUM	119	mg/kg	U	N	Y	U	U	ERS6					K048-02	19:25
				THALLIUM	2.38	mg/kg	U	N	Y	U	U	ERS6					K048-02	23:19
				VANADIUM	56.9	mg/kg		Y	Y	P		ERS6					K048-02	19:25
				ZINC	57.5	mg/kg		Y	Y	P		ERS6					K048-02	19:25
	7471A	TOTAL	N 0 1	MERCURY	.045	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-02	12:41
TT0003	6010B	SW3050	N 0 1	ALUMINUM	18500	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				ANTIMONY	10.8	mg/kg	U	N	Y	U	U	ERS6					K048-03	19:30
				ARSENIC	5.45	mg/kg		Y	Y	P		ERS6					K048-03	23:25
				BARIUM	63.4	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				BERYLLIUM	.412	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-03	19:30
				CADMIUM	1.08	mg/kg	U	N	Y	U	U	ERS6					K048-03	19:30
				CALCIUM	294	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				CHROMIUM	21.1	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				COBALT	4.53	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				COPPER	10.1	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				IRON	15300	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				LEAD	9.42	mg/kg		Y	Y	P		ERS6					K048-03	23:25
				MAGNESIUM	733	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				MANGANESE	185	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				NICKEL	10	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				POTASSIUM	627	mg/kg		Y	Y	P	J	ERS6	11A				K048-03	19:30
				SELENIUM	1.08	mg/kg	U	N	Y	U	U	ERS6					K048-03	23:25
				SILVER	2.15	mg/kg	U	N	Y	U	U	ERS6					K048-03	19:30
				SODIUM	38.8	mg/kg	J	Y	Y	P	J	ERS6	15				K048-03	19:30
				THALLIUM	2.15	mg/kg	U	N	Y	U	U	ERS6					K048-03	23:25
				VANADIUM	30.2	mg/kg		Y	Y	P		ERS6					K048-03	19:30
				ZINC	30.8	mg/kg		Y	Y	P		ERS6					K048-03	19:30
	7471A	TOTAL	N 0 1	MERCURY	.108	mg/kg	U	N	Y	U	U	ERS6					K048-03	12:43
TT0004	6010B	SW3050	N 0 1	ALUMINUM	19900	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				ANTIMONY	11.8	mg/kg	U	N	Y	U	U	ERS6					K048-04	19:35
				ARSENIC	18	mg/kg		Y	Y	P		ERS6					K048-04	23:30
				BARIUM	57	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				BERYLLIUM	.704	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-04	19:35
				CADMIUM	1.18	mg/kg	U	N	Y	U	U	ERS6					K048-04	19:35
				CALCIUM	105	mg/kg	J	Y	Y	P	J	ERS6	15				K048-04	19:35
				CHROMIUM	36.6	mg/kg		Y	Y	P		ERS6					K048-04	19:35

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0004	6010B	SW3050	N 0 1	COBALT	9.3	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				COPPER	37.7	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				IRON	50000	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				LEAD	12.5	mg/kg		Y	Y	P		ERS6					K048-04	23:30
				MAGNESIUM	642	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				MANGANESE	76.7	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				NICKEL	27.7	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				POTASSIUM	1400	mg/kg		Y	Y	P	J	ERS6	11A				K048-04	19:35
				SELENIUM	.755	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-04	23:30
				SILVER	2.36	mg/kg	U	N	Y	U	U	ERS6					K048-04	19:35
				SODIUM	118	mg/kg	U	N	Y	U	U	ERS6					K048-04	19:35
				THALLIUM	2.36	mg/kg	U	N	Y	U	U	ERS6					K048-04	23:30
				VANADIUM	65.5	mg/kg		Y	Y	P		ERS6					K048-04	19:35
				ZINC	90.3	mg/kg		Y	Y	P		ERS6					K048-04	19:35
	7471A	TOTAL	N 0 1	MERCURY	.118	mg/kg	U	N	Y	U	U	ERS6					K048-04	12:46
TT0005	6010B	SW3050	N 0 1	ALUMINUM	18500	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				ANTIMONY	10.8	mg/kg	U	N	Y	U	U	ERS6					K048-05	19:39
				ARSENIC	6.63	mg/kg		Y	Y	P		ERS6					K048-05	23:35
				BARIUM	99.1	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				BERYLLIUM	.617	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-05	19:39
				CADMIUM	1.08	mg/kg	U	N	Y	U	U	ERS6					K048-05	19:39
				CALCIUM	440	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				CHROMIUM	15	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				COBALT	10.5	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				COPPER	12.4	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				IRON	16400	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				LEAD	15.7	mg/kg		Y	Y	P		ERS6					K048-05	23:35
				MAGNESIUM	769	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				MANGANESE	491	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				NICKEL	13.5	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				POTASSIUM	946	mg/kg		Y	Y	P	J	ERS6	11A				K048-05	19:39
				SELENIUM	1.08	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:35
				SILVER	2.16	mg/kg	U	N	Y	U	U	ERS6					K048-05	19:39
				SODIUM	42.5	mg/kg	J	Y	Y	P	J	ERS6	15				K048-05	19:39
				THALLIUM	2.16	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:35
				VANADIUM	28.8	mg/kg		Y	Y	P		ERS6					K048-05	19:39
				ZINC	36.8	mg/kg		Y	Y	P		ERS6					K048-05	19:39
	7471A	TOTAL	N 0 1	MERCURY	.048	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-05	12:55
TT0006	6010B	SW3050	N 0 1	ALUMINUM	29200	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				ANTIMONY	11.5	mg/kg	U	N	Y	U	U	ERS6					K048-06	19:44

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0006	6010B	SW3050	N 0 1	ARSENIC	9.09	mg/kg		Y	Y	P		ERS6					K048-06	23:40
				BARIUM	48.1	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				BERYLLIUM	.431	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-06	19:44
				CADMIUM	1.15	mg/kg	U	N	Y	U	U	ERS6					K048-06	19:44
				CALCIUM	32.4	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-06	19:44
				CHROMIUM	24.6	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				COBALT	5.04	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				COPPER	16.9	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				IRON	25800	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				LEAD	12.8	mg/kg		Y	Y	P		ERS6					K048-06	23:40
				MAGNESIUM	935	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				MANGANESE	93.1	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				NICKEL	15.8	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				POTASSIUM	857	mg/kg		Y	Y	P	J	ERS6	11A				K048-06	19:44
				SELENIUM	1.15	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:40
				SILVER	2.31	mg/kg	U	N	Y	U	U	ERS6					K048-06	19:44
				SODIUM	115	mg/kg	U	N	Y	U	U	ERS6					K048-06	19:44
				THALLIUM	2.31	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:40
				VANADIUM	46.4	mg/kg		Y	Y	P		ERS6					K048-06	19:44
				ZINC	47.2	mg/kg		Y	Y	P		ERS6					K048-06	19:44
	7471A	TOTAL	N 0 1	MERCURY	.0296	mg/kg	J	Y	Y	F	B	ERS6	06B	15			K048-06	12:58
TT0007	6010B	SW3050	N 0 1	ALUMINUM	26100	mg/kg		Y	Y			ERS6					K048-07	19:49
				ANTIMONY	11.5	mg/kg	U	N	Y		U	ERS6					K048-07	19:49
				ARSENIC	7.33	mg/kg		Y	Y			ERS6					K048-07	23:56
				BARIUM	40.7	mg/kg		Y	Y			ERS6					K048-07	19:49
				BERYLLIUM	1.15	mg/kg	U	N	Y		U	ERS6					K048-07	19:49
				CADMIUM	1.15	mg/kg	U	N	Y		U	ERS6					K048-07	19:49
				CALCIUM	28.3	mg/kg	J	Y	Y		B	ERS6	06B	15			K048-07	19:49
				CHROMIUM	29.5	mg/kg		Y	Y			ERS6					K048-07	19:49
				COBALT	4.29	mg/kg		Y	Y			ERS6					K048-07	19:49
				COPPER	15.2	mg/kg		Y	Y			ERS6					K048-07	19:49
				IRON	22600	mg/kg		Y	Y			ERS6					K048-07	19:49
				LEAD	11.3	mg/kg		Y	Y			ERS6					K048-07	23:56
				MAGNESIUM	847	mg/kg		Y	Y			ERS6					K048-07	19:49
				MANGANESE	74.2	mg/kg		Y	Y			ERS6					K048-07	19:49
				NICKEL	13.7	mg/kg		Y	Y			ERS6					K048-07	19:49
				POTASSIUM	673	mg/kg		Y	Y		J	ERS6	11A				K048-07	19:49
				SELENIUM	1.15	mg/kg	U	N	Y		U	ERS6					K048-07	23:56
				SILVER	2.29	mg/kg	U	N	Y		U	ERS6					K048-07	19:49
				SODIUM	115	mg/kg	U	N	Y		U	ERS6					K048-07	19:49

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	6010B	SW3050	N 0 1	THALLIUM	2.29	mg/kg	U	N	Y		U	ERS6					K048-07	23:56
				VANADIUM	43.8	mg/kg		Y	Y			ERS6					K048-07	19:49
				ZINC	41	mg/kg		Y	Y			ERS6					K048-07	19:49
	7471A	TOTAL	N 0 1	MERCURY	.0356	mg/kg	J	Y	Y		B	ERS6	06B	15			K048-07	13:00
TT0001	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.1	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	20:56
				1,4-OXATHIANE	0.54	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	20:56
				P-CHLOROPHENYLMETHYLSULFONE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	20:56
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9CS	20:56
TT0002	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.2	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	21:23
				1,4-OXATHIANE	0.60	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	21:23
				P-CHLOROPHENYLMETHYLSULFONE	6.0	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	21:23
				P-CHLOROPHENYLMETHYLSULFOXIDE	6.0	mg/kg	U	N	Y	U	U	ERS6					ENP9FS	21:23
TT0003	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.1	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	21:50
				1,4-OXATHIANE	0.54	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	21:50
				P-CHLOROPHENYLMETHYLSULFONE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	21:50
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9GS	21:50
TT0004	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.2	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	22:16
				1,4-OXATHIANE	0.59	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	22:16
				P-CHLOROPHENYLMETHYLSULFONE	5.9	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	22:16
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.9	mg/kg	U	N	Y	U	U	ERS6					ENP9HS	22:16
TT0005	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.1	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	22:43
				1,4-OXATHIANE	0.54	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	22:43
				P-CHLOROPHENYLMETHYLSULFONE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	22:43
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.4	mg/kg	U	N	Y	U	U	ERS6					ENP9KS	22:43
TT0006	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.2	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	23:09
				1,4-OXATHIANE	0.58	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	23:09
				P-CHLOROPHENYLMETHYLSULFONE	5.8	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	23:09
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.8	mg/kg	U	N	Y	U	U	ERS6					ENP9LS	23:09
TT0007	8270CWM	METHOD	N 0 1	1,4-DITHIANE	1.2	mg/kg	U	N	Y		U	ERS6					ENP9MS	23:36
				1,4-OXATHIANE	0.58	mg/kg	U	N	Y		U	ERS6					ENP9MS	23:36
				P-CHLOROPHENYLMETHYLSULFONE	5.8	mg/kg	U	N	Y		U	ERS6					ENP9MS	23:36
				P-CHLOROPHENYLMETHYLSULFOXIDE	5.8	mg/kg	U	N	Y		U	ERS6					ENP9MS	23:36
TT0001	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				1,2-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				1,3-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				1,4-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,4,5-TRICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,4,6-TRICHLOROPHENOL	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,4-DICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0001	8270C	SW3550	N 0 1	2,4-DIMETHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,4-DINITROPHENOL	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,4-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2,6-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-CHLORONAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-CHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-METHYLNAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-NITROANILINE	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				2-NITROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				3,3'-DICHLOROBENZIDINE	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				3-NITROANILINE	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4,6-DINITRO-2-METHYLPHENOL	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-BROMOPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-CHLORO-3-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-CHLOROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-CHLOROPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-NITROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				4-NITROPHENOL	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				ACENAPHTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				ACENAPHTHYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BENZO(A)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BENZO(A)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BENZO(B)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BENZO(G,H,I)PERYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BENZO(K)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BIS(2-CHLOROETHOXY)METHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BIS(2-CHLOROETHYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BIS(2-CHLOROISOPROPYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BIS(2-ETHYLHEXYL)PHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				BUTYLBENZYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				CARBAZOLE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				CHRYSENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				DI-N-BUTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				DI-N-OCTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				DIBENZO(A,H)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				DIBENZOFURAN	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				DIETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0001	8270C	SW3550	N 0 1	DIMETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				FLUORENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				HEXACHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				HEXACHLOROBUTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				HEXACHLOROCYCLOPENTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				HEXACHLOROETHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				INDENO(1,2,3-CD)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				ISOPHORONE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				N-NITROSO-DI-N-PROPYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				N-NITROSODIPHENYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				NAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				NITROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				PENTACHLOROPHENOL	.69	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				PHENANTHRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				PHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
				PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-01	20:59
TT0002	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				1,2-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				1,3-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				1,4-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4,5-TRICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4,6-TRICHLOROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4-DICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4-DIMETHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4-DINITROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,4-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2,6-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-CHLORONAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-CHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-METHYLNAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-NITROANILINE	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				2-NITROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				3,3'-DICHLOROBENZIDINE	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				3-NITROANILINE	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4,6-DINITRO-2-METHYLPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-BROMOPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-CHLORO-3-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-CHLOROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0002	8270C	SW3550	N 0 1	4-CHLOROPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-NITROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				4-NITROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				ACENAPHTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				ACENAPHTHYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BENZO(A)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BENZO(A)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BENZO(B)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BENZO(G,H,I)PERYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BENZO(K)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BIS(2-CHLOROETHOXY)METHANE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BIS(2-CHLOROETHYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BIS(2-CHLOROISOPROPYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BIS(2-ETHYLHEXYL)PHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				BUTYLBENZYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				CARBAZOLE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				CHRYSENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DI-N-BUTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DI-N-OCTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DIBENZO(A,H)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DIBENZOFURAN	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DIETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				DIMETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				FLUORENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				HEXACHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				HEXACHLOROBUTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				HEXACHLOROCYCLOPENTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				HEXACHLOROETHANE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				INDENO(1,2,3-CD)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				ISOPHORONE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				N-NITROSO-DI-N-PROPYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				N-NITROSODIPHENYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				NAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				NITROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				PENTACHLOROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				PHENANTHRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
				PHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0002	8270C	SW3550	N 0 1	PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-02	21:30
TT0003	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				1,2-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				1,3-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				1,4-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4,5-TRICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4,6-TRICHLOROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4-DICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4-DIMETHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4-DINITROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,4-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2,6-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-CHLORONAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-CHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-METHYLNAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-NITROANILINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				2-NITROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				3,3'-DICHLOROBENZIDINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				3-NITROANILINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4,6-DINITRO-2-METHYLPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-BROMOPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-CHLORO-3-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-CHLOROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-CHLOROPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-NITROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				4-NITROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				ACENAPHTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				ACENAPHTHYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BENZO(A)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BENZO(A)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BENZO(B)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BENZO(G,H,I)PERYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BENZO(K)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BIS(2-CHLOROETHOXY)METHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BIS(2-CHLOROETHYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BIS(2-CHLOROISOPROPYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				BIS(2-ETHYLHEXYL)PHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0003	8270C	SW3550	N 0 1	BUTYLBENZYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				CARBAZOLE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				CHRYSENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DI-N-BUTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DI-N-OCTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DIBENZO(A,H)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DIBENZOFURAN	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DIETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				DIMETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				FLUORENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				HEXACHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				HEXACHLOROBUTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				HEXACHLOROCYCLOPENTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				HEXACHLOROETHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				INDENO(1,2,3-CD)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				ISOPHORONE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				N-NITROSO-DI-N-PROPYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				N-NITROSODIPHENYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				NAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				NITROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				PENTACHLOROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				PHENANTHRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				PHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
				PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-03	22:00
TT0004	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				1,2-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				1,3-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				1,4-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4,5-TRICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4,6-TRICHLOROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4-DICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4-DIMETHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4-DINITROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,4-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2,6-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2-CHLORONAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2-CHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2-METHYLNAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0004	8270C	SW3550	N 0 1	2-NITROANILINE	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				2-NITROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				3,3'-DICHLOROBENZIDINE	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				3-NITROANILINE	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4,6-DINITRO-2-METHYLPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-BROMOPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-CHLORO-3-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-CHLOROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-CHLOROPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-NITROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				4-NITROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				ACENAPHTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				ACENAPHTHYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BENZO(A)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BENZO(A)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BENZO(B)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BENZO(G,H,I)PERYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BENZO(K)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BIS(2-CHLOROETHOXY)METHANE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BIS(2-CHLOROETHYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BIS(2-CHLOROISOPROPYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BIS(2-ETHYLHEXYL)PHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				BUTYLBENZYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				CARBAZOLE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				CHRYSENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DI-N-BUTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DI-N-OCTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DIBENZO(A,H)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DIBENZOFURAN	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DIETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				DIMETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				FLUORENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				HEXACHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				HEXACHLOROBUTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				HEXACHLOROCYCLOPENTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				HEXACHLOROETHANE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				INDENO(1,2,3-CD)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0004	8270C	SW3550	N 0 1	ISOPHORONE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				N-NITROSO-DI-N-PROPYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				N-NITROSODIPHENYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				NAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				NITROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				PENTACHLOROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				PHENANTHRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				PHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
				PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					K048-04	22:30
TT0005	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				1,2-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				1,3-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				1,4-DICHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4,5-TRICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4,6-TRICHLOROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4-DICHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4-DIMETHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4-DINITROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,4-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2,6-DINITROTOLUENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-CHLORONAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-CHLOROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-METHYLNAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-NITROANILINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				2-NITROPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				3,3'-DICHLOROBENZIDINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				3-NITROANILINE	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4,6-DINITRO-2-METHYLPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-BROMOPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-CHLORO-3-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-CHLOROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-CHLOROPHENYL-PHENYL ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-METHYLPHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-NITROANILINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				4-NITROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				ACENAPHTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				ACENAPHTHYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BENZO(A)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0005	8270C	SW3550	N 0 1	BENZO(A)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BENZO(B)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BENZO(G,H,I)PERYLENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BENZO(K)FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BIS(2-CHLOROETHOXY)METHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BIS(2-CHLOROETHYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BIS(2-CHLOROISOPROPYL)ETHER	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BIS(2-ETHYLHEXYL)PHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				BUTYLBENZYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				CARBAZOLE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				CHRYSENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DI-N-BUTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DI-N-OCTYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DIBENZO(A,H)ANTHRACENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DIBENZOFURAN	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DIETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				DIMETHYLPHTHALATE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				FLUORANTHENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				FLUORENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				HEXACHLOROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				HEXACHLOROBUTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				HEXACHLOROCYCLOPENTADIENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				HEXACHLOROETHANE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				INDENO(1,2,3-CD)PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				ISOPHORONE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				N-NITROSO-DI-N-PROPYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				N-NITROSODIPHENYLAMINE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				NAPHTHALENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				NITROBENZENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				PENTACHLOROPHENOL	.68	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				PHENANTHRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				PHENOL	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
				PYRENE	.36	mg/kg	U	N	Y	U	U	ERS6					K048-05	23:00
TT0006	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				1,2-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				1,3-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				1,4-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,4,5-TRICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,4,6-TRICHLOROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,4-DICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0006	8270C	SW3550	N 0 1	2,4-DIMETHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,4-DINITROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,4-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2,6-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-CHLORONAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-CHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-METHYLNAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-NITROANILINE	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				2-NITROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				3,3'-DICHLOROBENZIDINE	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				3-NITROANILINE	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4,6-DINITRO-2-METHYLPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-BROMOPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-CHLORO-3-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-CHLOROANILINE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-CHLOROPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-NITROANILINE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				4-NITROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				ACENAPHTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				ACENAPHTHYLENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BENZO(A)ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BENZO(A)PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BENZO(B)FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BENZO(G,H,I)PERYLENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BENZO(K)FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BIS(2-CHLOROETHOXY)METHANE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BIS(2-CHLOROETHYL)ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BIS(2-CHLOROISOPROPYL)ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BIS(2-ETHYLHEXYL)PHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				BUTYLBENZYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				CARBAZOLE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				CHRYSENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				DI-N-BUTYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				DI-N-OCTYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				DIBENZO(A,H)ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				DIBENZOFURAN	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				DIETHYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0006	8270C	SW3550	N 0 1	DIMETHYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				FLUORENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				HEXACHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				HEXACHLOROBUTADIENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				HEXACHLOROCYCLOPENTADIENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				HEXACHLOROETHANE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				INDENO(1,2,3-CD)PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				ISOPHORONE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				N-NITROSO-DI-N-PROPYLAMINE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				N-NITROSODIPHENYLAMINE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				NAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				NITROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				PENTACHLOROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				PHENANTHRENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				PHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
				PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					K048-06	23:30
TT0007	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				1,2-DICHLOROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				1,3-DICHLOROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				1,4-DICHLOROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4,5-TRICHLOROPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4,6-TRICHLOROPHENOL	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4-DICHLOROPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4-DIMETHYLPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4-DINITROPHENOL	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,4-DINITROTOLUENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2,6-DINITROTOLUENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-CHLORONAPHTHALENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-CHLOROPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-METHYLNAPHTHALENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-METHYLPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-NITROANILINE	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				2-NITROPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				3,3'-DICHLOROBENZIDINE	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				3-NITROANILINE	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4,6-DINITRO-2-METHYLPHENOL	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-BROMOPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-CHLORO-3-METHYLPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-CHLOROANILINE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	8270C	SW3550	N 0 1	4-CHLOROPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-METHYLPHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-NITROANILINE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				4-NITROPHENOL	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				ACENAPHTHENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				ACENAPHTHYLENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				ANTHRACENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BENZO(A)ANTHRACENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BENZO(A)PYRENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BENZO(B)FLUORANTHENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BENZO(G,H,I)PERYLENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BENZO(K)FLUORANTHENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BIS(2-CHLOROETHOXY)METHANE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BIS(2-CHLOROETHYL)ETHER	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BIS(2-CHLOROISOPROPYL)ETHER	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BIS(2-ETHYLHEXYL)PHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				BUTYLBENZYLPHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				CARBAZOLE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				CHRYSENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DI-N-BUTYLPHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DI-N-OCTYLPHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DIBENZO(A,H)ANTHRACENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DIBENZOFURAN	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DIETHYLPHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				DIMETHYLPHTHALATE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				FLUORANTHENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				FLUORENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				HEXACHLOROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				HEXACHLOROBUTADIENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				HEXACHLOROCYCLOPENTADIENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				HEXACHLOROETHANE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				INDENO(1,2,3-CD)PYRENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				ISOPHORONE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				N-NITROSO-DI-N-PROPYLAMINE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				N-NITROSODIPHENYLAMINE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				NAPHTHALENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				NITROBENZENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				PENTACHLOROPHENOL	.72	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				PHENANTHRENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
				PHENOL	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	8270C	SW3550	N 0 1	PYRENE	.38	mg/kg	U	N	Y		U	ERS6					K048-07	00:00
TT0001	8260B	SW5035	N 0 .78	1,1,1,2-TETRACHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1,1-TRICHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1,2,2-TETRACHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1,2-TRICHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1-DICHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1-DICHLOROETHENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,1-DICHLOROPROPENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2,3-TRICHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2,3-TRICHLOROPROPANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2,4-TRICHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2,4-TRIMETHYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2-DIBROMO-3-CHLOROPROPANE	.0085	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2-DIBROMOETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2-DICHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2-DICHLOROETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,2-DICHLOROPROPANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,3,5-TRIMETHYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,3-DICHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,3-DICHLOROPROPANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				1,4-DICHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				2,2-DICHLOROPROPANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				2-BUTANONE	.0049	mg/kg	J	Y	Y	P	J	ERS6	15				K048-01	19:42
				2-CHLOROTOLUENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				2-HEXANONE	.017	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				4-CHLOROTOLUENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				4-METHYL-2-PENTANONE	.017	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				ACETONE	.14	mg/kg		Y	Y	P		ERS6					K048-01	19:42
				BENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				BROMOBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				BROMOCHLOROMETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				BROMODICHLOROMETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				BROMOFORM	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				BROMOMETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				CARBON DISULFIDE	.0042	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-01	19:42
				CARBON TETRACHLORIDE	.0042	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-01	19:42
				CHLOROBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				CHLOROETHANE	.0085	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				CHLOROFORM	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				CHLOROMETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0001	8260B	SW5035	N 0 .78	CIS-1,2-DICHLOROETHENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				CIS-1,3-DICHLOROPROPENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				DIBROMOCHLOROMETHANE	.0042	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-01	19:42
				DIBROMOMETHANE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				DICHLORODIFLUOROMETHANE	.0085	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-01	19:42
				ETHYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				HEXACHLOROBUTADIENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				ISOPROPYL BENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				M/P-XYLENES	.0085	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				METHYLENE CHLORIDE	.0085	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				N-BUTYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				N-PROPYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				NAPHTHALENE	.0085	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				O-XYLENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				P-ISOPROPYLTOLUENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				SEC-BUTYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				STYRENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TERT-BUTYLBENZENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TETRACHLOROETHENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TOLUENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TRANS-1,2-DICHLOROETHENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TRANS-1,3-DICHLOROPROPENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TRICHLOROETHENE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
				TRICHLOROFLUOROMETHANE	.0042	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-01	19:42
				VINYL CHLORIDE	.0042	mg/kg	U	N	Y	U	U	ERS6					K048-01	19:42
TT0002	8260B	SW5035	N 0 .77	1,1,1,2-TETRACHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1,1-TRICHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1,2,2-TETRACHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1,2-TRICHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1-DICHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1-DICHLOROETHENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,1-DICHLOROPROPENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2,3-TRICHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2,3-TRICHLOROPROPANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2,4-TRICHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2,4-TRIMETHYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2-DIBROMO-3-CHLOROPROPANE	.0092	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2-DIBROMOETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2-DICHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,2-DICHLOROETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0002	8260B	SW5035	N 0 .77	1,2-DICHLOROPROPANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,3,5-TRIMETHYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,3-DICHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,3-DICHLOROPROPANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				1,4-DICHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				2,2-DICHLOROPROPANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				2-BUTANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				2-CHLOROTOLUENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				2-HEXANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				4-CHLOROTOLUENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				4-METHYL-2-PENTANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				ACETONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BROMOBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BROMOCHLOROMETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BROMODICHLOROMETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BROMOFORM	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				BROMOMETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CARBON DISULFIDE	.0046	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-02	20:17
				CARBON TETRACHLORIDE	.0046	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-02	20:17
				CHLOROBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CHLOROETHANE	.0092	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CHLOROFORM	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CHLOROMETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CIS-1,2-DICHLOROETHENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				CIS-1,3-DICHLOROPROPENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				DIBROMOCHLOROMETHANE	.0046	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-02	20:17
				DIBROMOMETHANE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				DICHLORODIFLUOROMETHANE	.0092	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-02	20:17
				ETHYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				HEXACHLOROBUTADIENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				ISOPROPYL BENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				M/P-XYLENES	.0092	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				METHYLENE CHLORIDE	.0092	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				N-BUTYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				N-PROPYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				NAPHTHALENE	.0092	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				O-XYLENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				P-ISOPROPYLTOLUENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				SEC-BUTYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0002	8260B	SW5035	N 0 .77	STYRENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TERT-BUTYLBENZENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TETRACHLOROETHENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TOLUENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TRANS-1,2-DICHLOROETHENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TRANS-1,3-DICHLOROPROPENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TRICHLOROETHENE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
				TRICHLOROFLUOROMETHANE	.0046	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-02	20:17
				VINYL CHLORIDE	.0046	mg/kg	U	N	Y	U	U	ERS6					K048-02	20:17
TT0003	8260B	SW5035	N 0 .84	1,1,1,2-TETRACHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1,1-TRICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1,2,2-TETRACHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1,2-TRICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1-DICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,1-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2,3-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2,3-TRICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2,4-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2,4-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2-DIBROMO-3-CHLOROPROPANE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2-DIBROMOETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2-DICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,3,5-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,3-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,3-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				1,4-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				2,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				2-BUTANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				2-CHLOROTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				2-HEXANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				4-CHLOROTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				4-METHYL-2-PENTANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				ACETONE	.1	mg/kg		Y	Y	P		ERS6					K048-03	20:52
				BENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				BROMOBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				BROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				BROMODICHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0003	8260B	SW5035	N 0 .84	BROMOFORM	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				BROMOMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CARBON DISULFIDE	.0045	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-03	20:52
				CARBON TETRACHLORIDE	.0045	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-03	20:52
				CHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CHLOROETHANE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CHLOROFORM	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CIS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				CIS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				DIBROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-03	20:52
				DIBROMOMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				DICHLORODIFLUOROMETHANE	.009	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-03	20:52
				ETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				HEXACHLOROBUTADIENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				ISOPROPYL BENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				M/P-XYLENES	.009	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				METHYLENE CHLORIDE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				N-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				N-PROPYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				NAPHTHALENE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				O-XYLENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				P-ISOPROPYLTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				SEC-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				STYRENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TERT-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TETRACHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TRANS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TRANS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TRICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
				TRICHLOROFLUOROMETHANE	.0045	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-03	20:52
				VINYL CHLORIDE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-03	20:52
TT0004	8260B	SW5035	N 0 .88	1,1,1,2-TETRACHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1,1-TRICHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1,2,2-TETRACHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1,2-TRICHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1-DICHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1-DICHLOROETHENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,1-DICHLOROPROPENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0004	8260B	SW5035	N 0 .88	1,2,3-TRICHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2,3-TRICHLOROPROPANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2,4-TRICHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2,4-TRIMETHYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2-DIBROMO-3-CHLOROPROPANE	.01	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2-DIBROMOETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2-DICHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2-DICHLOROETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,2-DICHLOROPROPANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,3,5-TRIMETHYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,3-DICHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,3-DICHLOROPROPANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				1,4-DICHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				2,2-DICHLOROPROPANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				2-BUTANONE	.021	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				2-CHLOROTOLUENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				2-HEXANONE	.021	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				4-CHLOROTOLUENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				4-METHYL-2-PENTANONE	.021	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				ACETONE	.0058	mg/kg	J	Y	Y	P	J	ERS6	15				K048-04	21:27
				BENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				BROMOBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				BROMOCHLOROMETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				BROMODICHLOROMETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				BROMOFORM	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				BROMOMETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CARBON DISULFIDE	.0052	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-04	21:27
				CARBON TETRACHLORIDE	.0052	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-04	21:27
				CHLOROBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CHLOROETHANE	.01	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CHLOROFORM	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CHLOROMETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CIS-1,2-DICHLOROETHENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				CIS-1,3-DICHLOROPROPENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				DIBROMOCHLOROMETHANE	.0052	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-04	21:27
				DIBROMOMETHANE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				DICHLORODIFLUOROMETHANE	.01	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-04	21:27
				ETHYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				HEXACHLOROBUTADIENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				ISOPROPYL BENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0004	8260B	SW5035	N 0 .88	M/P-XYLENES	.01	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				METHYLENE CHLORIDE	.01	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				N-BUTYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				N-PROPYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				NAPHTHALENE	.01	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				O-XYLENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				P-ISOPROPYLTOLUENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				SEC-BUTYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				STYRENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TERT-BUTYLBENZENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TETRACHLOROETHENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TOLUENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TRANS-1,2-DICHLOROETHENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TRANS-1,3-DICHLOROPROPENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TRICHLOROETHENE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
				TRICHLOROFLUOROMETHANE	.0052	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-04	21:27
				VINYL CHLORIDE	.0052	mg/kg	U	N	Y	U	U	ERS6					K048-04	21:27
TT0005	8260B	SW5035	N 0 .87	1,1,1,2-TETRACHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1,1-TRICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1,2,2-TETRACHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1,2-TRICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1-DICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,1-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2,3-TRICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2,3-TRICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2,4-TRICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2,4-TRIMETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2-DIBROMO-3-CHLOROPROPANE	.0094	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2-DIBROMOETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2-DICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,2-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,3,5-TRIMETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,3-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,3-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				1,4-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				2,2-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				2-BUTANONE	.0064	mg/kg	J	Y	Y	P	J	ERS6	15				K048-05	22:02
				2-CHLOROTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0005	8260B	SW5035	N 0 .87	2-HEXANONE	.019	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				4-CHLOROTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				4-METHYL-2-PENTANONE	.019	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				ACETONE	.17	mg/kg		Y	Y	P		ERS6					K048-05	22:02
				BENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				BROMOBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				BROMOCHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				BROMODICHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				BROMOFORM	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				BROMOMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CARBON DISULFIDE	.0047	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-05	22:02
				CARBON TETRACHLORIDE	.0047	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-05	22:02
				CHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CHLOROETHANE	.0094	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CHLOROFORM	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CIS-1,2-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				CIS-1,3-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				DIBROMOCHLOROMETHANE	.0047	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-05	22:02
				DIBROMOMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				DICHLORODIFLUOROMETHANE	.0094	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-05	22:02
				ETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				HEXACHLOROBUTADIENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				ISOPROPYL BENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				M/P-XYLENES	.0094	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				METHYLENE CHLORIDE	.0094	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				N-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				N-PROPYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				NAPHTHALENE	.0094	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				O-XYLENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				P-ISOPROPYLTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				SEC-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				STYRENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TERT-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TETRACHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TRANS-1,2-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TRANS-1,3-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TRICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
				TRICHLOROFLUOROMETHANE	.0047	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-05	22:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																				
TT0005	8260B	SW5035	N	0	.87	VINYL CHLORIDE	.0047	mg/kg	U	N	Y	U	U	ERS6					K048-05	22:02
TT0006	8260B	SW5035	N	0	.78	1,1,1,2-TETRACHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,1,1-TRICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,1,2,2-TETRACHLOROETHANE	.0012	mg/kg	J	Y	Y	P	J	ERS6	15				K048-06	22:31
						1,1,2-TRICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,1-DICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,1-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,1-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2,3-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2,3-TRICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2,4-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2,4-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2-DIBROMO-3-CHLOROPROPANE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2-DIBROMOETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2-DICHLOROETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,3,5-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,3-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,3-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						1,4-DICHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						2,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						2-BUTANONE	.018	mg/kg	U	N	Y	U	R	ERS6	05A				K048-06	22:31
						2-CHLOROTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						2-HEXANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						4-CHLOROTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						4-METHYL-2-PENTANONE	.018	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						ACETONE	.0099	mg/kg	J	Y	Y	P	J	ERS6	15				K048-06	22:31
						BENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						BROMOBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						BROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						BROMODICHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						BROMOFORM	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						BROMOMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CARBON DISULFIDE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CARBON TETRACHLORIDE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CHLOROBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CHLOROETHANE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CHLOROFORM	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
						CHLOROMETHANE	.0045	mg/kg	U	N	Y	U	UJ	ERS6	05B				K048-06	22:31

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0006	8260B	SW5035	N 0 .78	CIS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				CIS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				DIBROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				DIBROMOMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				DICHLORODIFLUOROMETHANE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				ETHYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				HEXACHLOROBUTADIENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				ISOPROPYL BENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				M/P-XYLENES	.009	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				METHYLENE CHLORIDE	.0014	mg/kg	J	Y	Y	F	B	ERS6	06A	06C	15		K048-06	22:31
				N-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				N-PROPYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				NAPHTHALENE	.009	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				O-XYLENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				P-ISOPROPYLTOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				SEC-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				STYRENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TERT-BUTYLBENZENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TETRACHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TOLUENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TRANS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TRANS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TRICHLOROETHENE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				TRICHLOROFLUOROMETHANE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
				VINYL CHLORIDE	.0045	mg/kg	U	N	Y	U	U	ERS6					K048-06	22:31
TT0007	8260B	SW5035	N 0 .79	1,1,1,2-TETRACHLOROETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,1,1-TRICHLOROETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,1,2,2-TETRACHLOROETHANE	.0015	mg/kg	J	Y	Y		J	ERS6	15				K048-07	23:06
				1,1,2-TRICHLOROETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,1-DICHLOROETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,1-DICHLOROETHENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,1-DICHLOROPROPENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2,3-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2,3-TRICHLOROPROPANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2,4-TRICHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2,4-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2-DIBROMO-3-CHLOROPROPANE	.0091	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2-DIBROMOETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2-DICHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,2-DICHLOROETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	8260B	SW5035	N 0 .79	1,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,3,5-TRIMETHYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,3-DICHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,3-DICHLOROPROPANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				1,4-DICHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				2,2-DICHLOROPROPANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				2-BUTANONE	.018	mg/kg	U	N	Y		R	ERS6	05A				K048-07	23:06
				2-CHLOROTOLUENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				2-HEXANONE	.018	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				4-CHLOROTOLUENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				4-METHYL-2-PENTANONE	.018	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				ACETONE	.0073	mg/kg	J	Y	Y		J	ERS6	15				K048-07	23:06
				BENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				BROMOBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				BROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				BROMODICHLOROMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				BROMOFORM	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				BROMOMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CARBON DISULFIDE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CARBON TETRACHLORIDE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CHLOROBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CHLOROETHANE	.0091	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CHLOROFORM	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CHLOROMETHANE	.0045	mg/kg	U	N	Y		UJ	ERS6	05B				K048-07	23:06
				CIS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				CIS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				DIBROMOCHLOROMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				DIBROMOMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				DICHLORODIFLUOROMETHANE	.0091	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				ETHYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				HEXACHLOROBUTADIENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				ISOPROPYL BENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				M/P-XYLENES	.0091	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				METHYLENE CHLORIDE	.0015	mg/kg	J	Y	Y		B	ERS6	06A	06C	15		K048-07	23:06
				N-BUTYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				N-PROPYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				NAPHTHALENE	.0091	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				O-XYLENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				P-ISOPROPYLTOLUENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				SEC-BUTYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-01																		
TT0007	8260B	SW5035	N 0 .79	STYRENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TERT-BUTYLBENZENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TETRACHLOROETHENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TOLUENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TRANS-1,2-DICHLOROETHENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TRANS-1,3-DICHLOROPROPENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TRICHLOROETHENE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				TRICHLOROFLUOROMETHANE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
				VINYL CHLORIDE	.0045	mg/kg	U	N	Y		U	ERS6					K048-07	23:06
10514-02																		
TT3001	6010B	SW3010	N 0 1	ALUMINUM	.2	mg/L		Y	Y	P		ERS6					B044-01	20:24
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				ARSENIC	.00181	mg/L	J	Y	Y	P	J	ERS6	15				B044-01	18:00
				BARIUM	.0382	mg/L		Y	Y	P		ERS6					B044-01	20:24
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				CALCIUM	88.5	mg/L		Y	Y	P		ERS6					B044-01	20:24
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				COBALT	.0146	mg/L	J	Y	Y	P	J	ERS6	15				B044-01	20:24
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				IRON	6.62	mg/L		Y	Y	P		ERS6					B044-01	20:24
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	18:00
				MAGNESIUM	4.43	mg/L		Y	Y	P		ERS6					B044-01	20:24
				MANGANESE	1.49	mg/L		Y	Y	P		ERS6					B044-01	20:24
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				POTASSIUM	7.14	mg/L		Y	Y	P		ERS6					B044-01	20:24
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	18:00
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				SODIUM	12.1	mg/L		Y	Y	P		ERS6					B044-01	20:24
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	18:00
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					B044-01	20:24
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					B044-01	16:45
TT3001	8270C	SW3520	N 0 1.02	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-02																		
TT3001	8270C	SW3520	N 0 1.02	2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				3-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				4-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				BIS(2-ETHYLHEXYL)PHTHALATE	.077	mg/L		Y	Y	P		ERS6					B044-01	17:20
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-02																		
TT3001	8270C	SW3520	N 0 1.02	DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
				PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B044-01	17:20
TT3001	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	R	ERS6	04A	05A			B044-01	22:50
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			B044-01	22:50

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-02																		
TT3001	8260B	SW5030	N 0 1	2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			B044-01	22:50
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			B044-01	22:50
				ACETONE	1.8	mg/L	E	Y	N	P	R	NO	16				B044-01	22:50
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	R	ERS6	04A	05A			B044-01	22:50
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CHLOROFORM	.00065	mg/L	J	Y	Y	P	J	ERS6	15				B044-01	22:50
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				METHYLENE CHLORIDE	.00095	mg/L	J	Y	Y	F	B	ERS6	06C	15			B044-01	22:50
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				TOLUENE	.00022	mg/L	J	Y	Y	P	J	ERS6	15				B044-01	22:50
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-02																		
TT3001	8260B	SW5030	N 0 1	TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B044-01	22:50
	8260B	SW5030	N 1 50	1,1,1,2-TETRACHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1,1-TRICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1,2,2-TETRACHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1,2-TRICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1-DICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,1-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2,3-TRICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2,3-TRICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2,4-TRICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2,4-TRIMETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2-DIBROMO-3-CHLOROPROPANE	.1	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2-DIBROMOETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2-DICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,2-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,3,5-TRIMETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,3-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,3-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				1,4-DICHLOROBENZENE	.25	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				2,2-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				2-BUTANONE	.5	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				2-CHLOROTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				2-HEXANONE	.5	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				4-CHLOROTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				4-METHYL-2-PENTANONE	.5	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				ACETONE	2.4	mg/L		Y	Y	P	J	ERS6	04A	05A			B044-01T	22:14
				BENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				BROMOBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				BROMOCHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				BROMODICHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				BROMOFORM	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				BROMOMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CARBON DISULFIDE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CARBON TETRACHLORIDE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CHLOROFORM	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-02																		
TT3001	8260B	SW5030	N 1 50	CHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CIS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				CIS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				DIBROMOCHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				DIBROMOMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				DICHLORODIFLUOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				ETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				HEXACHLOROBUTADIENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				ISOPROPYL BENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				M/P-XYLENES	.1	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				METHYLENE CHLORIDE	.1	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				N-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				N-PROPYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				NAPHTHALENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				O-XYLENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				P-ISOPROPYLTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				SEC-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				STYRENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TERT-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TETRACHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TRANS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TRANS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TRICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				TRICHLOROFLUOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
				VINYL CHLORIDE	.05	mg/L	U	N	N	U	R	NO	16				B044-01T	22:14
10514-03																		
TT3002	6010B	SW3010	N 0 1	ALUMINUM	.0648	mg/L	J	Y	Y	P	J	ERS6	15				B072-04	19:52
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	12:18
				BARIUM	.0362	mg/L		Y	Y	P		ERS6					B072-04	19:52
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				CALCIUM	93.7	mg/L		Y	Y	P	J	ERS6	08A				B072-04	19:52
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				IRON	.129	mg/L	J	Y	Y	P	J	ERS6	15				B072-04	19:52
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	12:18
				MAGNESIUM	3.78	mg/L		Y	Y	P		ERS6					B072-04	19:52

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3002	6010B	SW3010	N 0 1	MANGANESE	.171	mg/L		Y	Y	P		ERS6					B072-04	19:52
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				POTASSIUM	3.52	mg/L	J	Y	Y	P	J	ERS6	15				B072-04	19:52
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	12:18
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				SODIUM	3.78	mg/L		Y	Y	P		ERS6					B072-04	19:52
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	12:18
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					B072-04	19:52
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					B072-04	18:24
TT3003	6010B	SW3010	N 0 1	ALUMINUM	.0668	mg/L	J	Y	Y	P	J	ERS6	17	15			B064-03	20:49
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	12:50
				BARIUM	.00964	mg/L	J	Y	Y	P	J	ERS6	15				B064-03	20:49
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				CALCIUM	3.75	mg/L		Y	Y	P	J	ERS6	08A	17			B064-03	20:49
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				IRON	.0568	mg/L	J	Y	Y	P	J	ERS6	17	15			B064-03	20:49
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	12:50
				MAGNESIUM	.435	mg/L	J	Y	Y	P	J	ERS6	15				B064-03	20:49
				MANGANESE	.209	mg/L		Y	Y	P		ERS6					B064-03	20:49
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				POTASSIUM	2.14	mg/L	J	Y	Y	P	J	ERS6	15				B064-03	20:49
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	12:50
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				SODIUM	1.44	mg/L		Y	Y	P		ERS6					B064-03	20:49
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	12:50
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					B064-03	20:49
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					B064-03	18:26
TT3004	6010B	SW3010	N 0 1	ALUMINUM	.116	mg/L	J	Y	Y		J	ERS6	17	15			B064-04	20:54
				ANTIMONY	.1	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				ARSENIC	.01	mg/L	U	N	Y		U	ERS6					B064-04	12:55
				BARIUM	.0103	mg/L		Y	Y			ERS6					B064-04	20:54
				BERYLLIUM	.01	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				CADMIUM	.01	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				CALCIUM	4.14	mg/L		Y	Y		J	ERS6	08A	17			B064-04	20:54

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3004	6010B	SW3010	N 0 1	CHROMIUM	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				COBALT	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				COPPER	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				IRON	.154	mg/L	J	Y	Y		J	ERS6	17	15			B064-04	20:54
				LEAD	.01	mg/L	U	N	Y		U	ERS6					B064-04	12:55
				MAGNESIUM	.487	mg/L	J	Y	Y		J	ERS6	15				B064-04	20:54
				MANGANESE	.23	mg/L		Y	Y			ERS6					B064-04	20:54
				NICKEL	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				POTASSIUM	2.6	mg/L	J	Y	Y		J	ERS6	15				B064-04	20:54
				SELENIUM	.01	mg/L	U	N	Y		U	ERS6					B064-04	12:55
				SILVER	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				SODIUM	1.6	mg/L		Y	Y			ERS6					B064-04	20:54
				THALLIUM	.00607	mg/L	J	Y	Y		B	ERS6	06B	15			B064-04	12:55
				VANADIUM	.02	mg/L	U	N	Y		U	ERS6					B064-04	20:54
				ZINC	.1	mg/L	U	N	Y		U	ERS6					B064-04	20:54
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y		U	ERS6					B064-04	18:31
TT3002	8270C	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				3-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3002	8270C	SW3520	N 0 1	4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				4-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35
				PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04	22:35

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3003	8270C	SW3520	N 0 0.97	1,2,4-TRICHLOROBENZENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				1,2-DICHLOROBENZENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				1,3-DICHLOROBENZENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				1,4-DICHLOROBENZENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4,5-TRICHLOROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4,6-TRICHLOROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4-DICHLOROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4-DIMETHYLPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4-DINITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,4-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2,6-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-CHLORONAPHTHALENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-CHLOROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-METHYLNAPHTHALENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-METHYLPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-NITROANILINE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				2-NITROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				3,3'-DICHLOROBENZIDINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				3-NITROANILINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-CHLORO-3-METHYLPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-CHLOROANILINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-CHLOROPHENYL-PHENYL ETHER	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-METHYLPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-NITROANILINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				4-NITROPHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				ACENAPHTHENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				ACENAPHTHYLENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				ANTHRACENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BENZO(A)ANTHRACENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BENZO(A)PYRENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BENZO(B)FLUORANTHENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BENZO(G,H,I)PERYLENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BENZO(K)FLUORANTHENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BIS(2-CHLOROETHOXY)METHANE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BIS(2-CHLOROETHYL)ETHER	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BIS(2-CHLOROISOPROPYL)ETHER	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				BIS(2-ETHYLHEXYL)PHTHALATE	.045	mg/L		Y	Y	P		ERS6					B064-03	23:05
				BUTYLBENZYLPHTHALATE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3003	8270C	SW3520	N 0 0.97	CARBAZOLE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				CHRYSENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DI-N-BUTYLPHTHALATE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DI-N-OCTYLPHTHALATE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DIBENZO(A,H)ANTHRACENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DIBENZOFURAN	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				FLUORANTHENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				FLUORENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				HEXACHLOROBUTADIENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				HEXACHLOROCYCLOPENTADIENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				HEXACHLOROETHANE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				INDENO(1,2,3-CD)PYRENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				ISOPHORONE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				N-NITROSO-DI-N-PROPYLAMINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				N-NITROSODIPHENYLAMINE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				NAPHTHALENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				NITROBENZENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				PHENANTHRENE	.019	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				PHENOL	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
				PYRENE	.0097	mg/L	U	N	Y	U	U	ERS6					B064-03	23:05
TT3004	8270C	SW3520	N 0 0.99	1,2,4-TRICHLOROBENZENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				1,2-DICHLOROBENZENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				1,3-DICHLOROBENZENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				1,4-DICHLOROBENZENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4,5-TRICHLOROPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4,6-TRICHLOROPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4-DICHLOROPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4-DIMETHYLPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2-CHLORONAPHTHALENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2-CHLOROPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2-METHYLNAPHTHALENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2-METHYLPHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				2-NITROANILINE	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																
TT3004	8270C	SW3520	N 0 0.99	2-NITROPHENOL	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				3,3'-DICHLOROBENZIDINE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				3-NITROANILINE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-CHLORO-3-METHYLPHENOL	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-CHLOROANILINE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-CHLOROPHENYL-PHENYL ETHER	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-METHYLPHENOL	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-NITROANILINE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				4-NITROPHENOL	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				ACENAPHTHENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				ACENAPHTHYLENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				ANTHRACENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BENZO(A)ANTHRACENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BENZO(A)PYRENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BENZO(B)FLUORANTHENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BENZO(G,H,I)PERYLENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BENZO(K)FLUORANTHENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BIS(2-CHLOROETHOXY)METHANE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BIS(2-CHLOROETHYL)ETHER	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BIS(2-CHLOROISOPROPYL)ETHER	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				BUTYLBENZYLPHTHALATE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				CARBAZOLE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				CHRYSENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DI-N-BUTYLPHTHALATE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DI-N-OCTYLPHTHALATE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DIBENZO(A,H)ANTHRACENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DIBENZOFURAN	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DIETHYLPHTHALATE	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				DIMETHYLPHTHALATE	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				FLUORANTHENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				FLUORENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				HEXACHLOROBENZENE	.02	mg/L	U	N Y	U	ERS6					B064-04	23:35
				HEXACHLOROBUTADIENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				HEXACHLOROCYCLOPENTADIENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				HEXACHLOROETHANE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				INDENO(1,2,3-CD)PYRENE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35
				ISOPHORONE	.0099	mg/L	U	N Y	U	ERS6					B064-04	23:35

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3004	8270C	SW3520	N 0 0.99	N-NITROSO-DI-N-PROPYLAMINE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				N-NITROSODIPHENYLAMINE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				NAPHTHALENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				NITROBENZENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				PHENANTHRENE	.02	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				PHENOL	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
				PYRENE	.0099	mg/L	U	N	Y		U	ERS6					B064-04	23:35
TT3002	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,1,2,2-TETRACHLOROETHANE	.0017	mg/L		Y	Y	P		ERS6					B072-04R	17:53
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			B072-04R	17:53
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				2-HEXANONE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A	05B		B072-04R	17:53
				BENZENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B	11A			B072-04R	17:53
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R	ERS6	04A				B072-04R	17:53
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3002	8260B	SW5030	N 0 1	BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				M/P-XYLENES	.002	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B072-04R	17:53
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				TOLUENE	.001	mg/L	U	N	Y	U	UJ	ERS6	11A				B072-04R	17:53
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				TRICHLOROETHENE	.00092	mg/L	J	Y	Y	P	J	ERS6	15				B072-04R	17:53
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B072-04R	17:53
TT3003	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,1,2,2-TETRACHLOROETHANE	.33	mg/L	E	Y	N	P	R	NO	16				B064-03	01:47
				1,1,2-TRICHLOROETHANE	.001	mg/L		Y	Y	P		ERS6					B064-03	01:47
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B064-03	01:47
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3003	8260B	SW5030	N 0 1	1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			B064-03	01:47
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				2-HEXANONE	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				ACETONE	.0042	mg/L	J	Y	Y	P	J	ERS6	04A	05A	05B	15	B064-03	01:47
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	R	ERS6	04A				B064-03	01:47
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B064-03	01:47
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CHLOROFORM	.0014	mg/L		Y	Y	F		ERS6					B064-03	01:47
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				B064-03	01:47
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				M/P-XYLENES	.002	mg/L	U	N	Y	U	UJ	ERS6	05B				B064-03	01:47

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3003	8260B	SW5030	N 0 1	METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				TETRACHLOROETHENE	.0018	mg/L		Y	Y	P		ERS6					B064-03	01:47
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				TRICHLOROETHENE	.12	mg/L	E	Y	N	P	R	NO	16				B064-03	01:47
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					B064-03	01:47
	8260B	SW5030	N 1 50	1,1,1,2-TETRACHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,1,1-TRICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,1,2,2-TETRACHLOROETHANE	.29	mg/L		Y	Y	P		ERS6					B064-03T	19:42
				1,1,2-TRICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,1-DICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,1-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,1-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2,3-TRICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2,3-TRICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2,4-TRICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2,4-TRIMETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2-DIBROMO-3-CHLOROPROPANE	.1	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2-DIBROMOETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2-DICHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,2-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,3,5-TRIMETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,3-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,3-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				1,4-DICHLOROBENZENE	.25	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				2,2-DICHLOROPROPANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				2-BUTANONE	.5	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				2-CHLOROTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				2-HEXANONE	.5	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3003	8260B	SW5030	N 1 50	4-CHLOROTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				4-METHYL-2-PENTANONE	.5	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				ACETONE	.5	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BROMOBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BROMOCHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BROMODICHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BROMOFORM	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				BROMOMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CARBON DISULFIDE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CARBON TETRACHLORIDE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CHLOROETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CHLOROFORM	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CIS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				CIS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				DIBROMOCHLOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				DIBROMOMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				DICHLORODIFLUOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				ETHYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				HEXACHLOROBUTADIENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				ISOPROPYL BENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				M/P-XYLENES	.1	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				METHYLENE CHLORIDE	.1	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				N-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				N-PROPYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				NAPHTHALENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				O-XYLENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				P-ISOPROPYLTOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				SEC-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				STYRENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TERT-BUTYLBENZENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TETRACHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TOLUENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TRANS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TRANS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				TRICHLOROETHENE	.1	mg/L		Y	Y	P		ERS6					B064-03T	19:42
				TRICHLOROFLUOROMETHANE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42
				VINYL CHLORIDE	.05	mg/L	U	N	N	U	R	NO	16				B064-03T	19:42

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3004	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,1,2,2-TETRACHLOROETHANE	.31	mg/L	E	Y	N		R	NO	16				B064-04	01:12
				1,1,2-TRICHLOROETHANE	.001	mg/L		Y	Y			ERS6					B064-04	01:12
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		UJ	ERS6	05B				B064-04	01:12
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				2-BUTANONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A			B064-04	01:12
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				2-HEXANONE	.01	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				ACETONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A	05B		B064-04	01:12
				BENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				BROMOBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y		R	ERS6	04A				B064-04	01:12
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				BROMOFORM	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				BROMOMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				CARBON DISULFIDE	.001	mg/L	U	N	Y		UJ	ERS6	05B				B064-04	01:12
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				CHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				CHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				CHLOROFORM	.0014	mg/L		Y	Y		B	ERS6	06D				B064-04	01:12
				CHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3004	8260B	SW5030	N 0 1	CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				DIBROMOMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				ETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y		UJ	ERS6	05B				B064-04	01:12
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				M/P-XYLENES	.002	mg/L	U	N	Y		UJ	ERS6	05B				B064-04	01:12
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				N-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				N-PROPYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				NAPHTHALENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				O-XYLENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				STYRENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				TETRACHLOROETHENE	.0015	mg/L		Y	Y			ERS6					B064-04	01:12
				TOLUENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				TRICHLOROETHENE	.11	mg/L	E	Y	N		R	NO	16				B064-04	01:12
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
				VINYL CHLORIDE	.001	mg/L	U	N	Y		U	ERS6					B064-04	01:12
	8260B	SW5030	N 1 50	1,1,1,2-TETRACHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,1,1-TRICHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,1,2,2-TETRACHLOROETHANE	.26	mg/L		Y	Y			ERS6					B064-04T	20:18
				1,1,2-TRICHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,1-DICHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,1-DICHLOROETHENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,1-DICHLOROPROPENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2,3-TRICHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2,3-TRICHLOROPROPANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2,4-TRICHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2,4-TRIMETHYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2-DIBROMO-3-CHLOROPROPANE	.1	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2-DIBROMOETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2-DICHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2-DICHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,2-DICHLOROPROPANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																		
TT3004	8260B	SW5030	N 1 50	1,3,5-TRIMETHYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,3-DICHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,3-DICHLOROPROPANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				1,4-DICHLOROBENZENE	.25	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				2,2-DICHLOROPROPANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				2-BUTANONE	.5	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				2-CHLOROTOLUENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				2-HEXANONE	.5	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				4-CHLOROTOLUENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				4-METHYL-2-PENTANONE	.5	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				ACETONE	.5	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BROMOBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BROMOCHLOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BROMODICHLOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BROMOFORM	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				BROMOMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CARBON DISULFIDE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CARBON TETRACHLORIDE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CHLOROETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CHLOROFORM	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CHLOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CIS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				CIS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				DIBROMOCHLOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				DIBROMOMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				DICHLORODIFLUOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				ETHYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				HEXACHLOROBUTADIENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				ISOPROPYL BENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				M/P-XYLENES	.1	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				METHYLENE CHLORIDE	.1	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				N-BUTYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				N-PROPYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				NAPHTHALENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				O-XYLENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				P-ISOPROPYLTOLUENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				SEC-BUTYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
				STYRENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-03																				
TT3004	8260B	SW5030	N	1	50	TERT-BUTYLBENZENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						TETRACHLOROETHENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						TOLUENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						TRANS-1,2-DICHLOROETHENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						TRANS-1,3-DICHLOROPROPENE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						TRICHLOROETHENE	.098	mg/L		Y	Y			ERS6					B064-04T	20:18
						TRICHLOROFLUOROMETHANE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
						VINYL CHLORIDE	.05	mg/L	U	N	N		R	NO	16				B064-04T	20:18
10514-04																				
TT0010	8321	SW3550	N	0	1	DIMP	.065	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
						DMMP	.065	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
						EMPA	.065	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
						IMPA	.13	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
						MPA	.65	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
						THIODIGLYCOL	.065	mg/kg	U	N	Y	U	U	ERS6					FCA27S	09:20
TT0011	8321	SW3550	N	0	1	DIMP	.064	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
						DMMP	.064	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
						EMPA	.064	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
						IMPA	.13	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
						MPA	.64	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
						THIODIGLYCOL	.064	mg/kg	U	N	Y	U	U	ERS6					FCA28S	09:41
TT0012	8321	SW3550	N	0	1	DIMP	.056	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
						DMMP	.056	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
						EMPA	.056	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
						IMPA	.11	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
						MPA	.56	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
						THIODIGLYCOL	.056	mg/kg	U	N	Y	U	U	ERS6					FCA29S	10:02
TT0013	8321	SW3550	N	0	1	DIMP	.063	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
						DMMP	.063	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
						EMPA	.063	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
						IMPA	.13	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
						MPA	.63	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
						THIODIGLYCOL	.063	mg/kg	U	N	Y	U	U	ERS6					FCA3AS	10:24
TT0010	6010B	SW3050	N	0	1	ALUMINUM	16700	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
						ANTIMONY	12.8	mg/kg	U	N	Y	U	U	ERS6					02J283-01	20:26
						ARSENIC	8.32	mg/kg		Y	Y	P		ERS6					02J283-01	15:01
						BARIUM	47.4	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
						BERYLLIUM	.791	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-01	20:26
						CADMIUM	1.28	mg/kg	U	N	Y	U	U	ERS6					02J283-01	20:26

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0010	6010B	SW3050	N 0 1	CALCIUM	11300	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				CHROMIUM	16.6	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				COBALT	10.4	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				COPPER	23.3	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				IRON	44900	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				LEAD	16.3	mg/kg		Y	Y	P		ERS6					02J283-01	15:01
				MAGNESIUM	3800	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				MANGANESE	128	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				NICKEL	36.9	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				POTASSIUM	1140	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				SELENIUM	2.64	mg/kg		Y	Y	P		ERS6					02J283-01	15:01
				SILVER	2.57	mg/kg	U	N	Y	U	U	ERS6					02J283-01	20:26
				SODIUM	27	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-01	20:26
				THALLIUM	2.57	mg/kg	U	N	Y	U	U	ERS6					02J283-01	15:01
				VANADIUM	23.9	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
				ZINC	82.4	mg/kg		Y	Y	P		ERS6					02J283-01	20:26
	7471A	TOTAL	N 0 1	MERCURY	.128	mg/kg	U	N	Y	U	U	ERS6					02J283-01	13:13
TT0011	6010B	SW3050	N 0 1	ALUMINUM	23300	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				ANTIMONY	12.5	mg/kg	U	N	Y	U	U	ERS6					02J283-02	20:31
				ARSENIC	7.94	mg/kg		Y	Y	P		ERS6					02J283-02	15:06
				BARIUM	65.5	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				BERYLLIUM	2.66	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				CADMIUM	1.25	mg/kg	U	N	Y	U	U	ERS6					02J283-02	20:31
				CALCIUM	29.2	mg/kg	J	Y	Y	F	B	ERS6	06C	15			02J283-02	20:31
				CHROMIUM	32.3	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				COBALT	87.3	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				COPPER	99	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				IRON	57400	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				LEAD	38.3	mg/kg		Y	Y	P		ERS6					02J283-02	15:06
				MAGNESIUM	535	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				MANGANESE	688	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				NICKEL	30.7	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				POTASSIUM	1890	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				SELENIUM	4.15	mg/kg		Y	Y	P		ERS6					02J283-02	15:06
				SILVER	2.49	mg/kg	U	N	Y	U	U	ERS6					02J283-02	20:31
				SODIUM	24.4	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-02	20:31
				THALLIUM	1.65	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-02	15:06
				VANADIUM	31.6	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
				ZINC	123	mg/kg		Y	Y	P		ERS6					02J283-02	20:31
	7471A	TOTAL	N 0 1	MERCURY	.0333	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-02	13:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0012	6010B	SW3050	N 0 1	ALUMINUM	28400	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				ANTIMONY	12.1	mg/kg	U	N	Y	U	U	ERS6					02J283-03	20:45
				ARSENIC	11.8	mg/kg		Y	Y	P		ERS6					02J283-03	15:23
				BARIUM	50.6	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				BERYLLIUM	1.21	mg/kg	U	N	Y	U	U	ERS6					02J283-03	20:45
				CADMIUM	1.21	mg/kg	U	N	Y	U	U	ERS6					02J283-03	20:45
				CALCIUM	2760	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				CHROMIUM	28.7	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				COBALT	6.49	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				COPPER	29.3	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				IRON	34400	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				LEAD	13.3	mg/kg		Y	Y	P		ERS6					02J283-03	15:23
				MAGNESIUM	1070	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				MANGANESE	62.7	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				NICKEL	12.3	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				POTASSIUM	884	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				SELENIUM	2.26	mg/kg		Y	Y	F	B	ERS6	06A				02J283-03	15:23
				SILVER	2.42	mg/kg	U	N	Y	U	U	ERS6					02J283-03	20:45
				SODIUM	26.3	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-03	20:45
				THALLIUM	2.42	mg/kg	U	N	Y	U	U	ERS6					02J283-03	15:23
				VANADIUM	59.4	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
				ZINC	44.7	mg/kg		Y	Y	P		ERS6					02J283-03	20:45
	7471A	TOTAL	N 0 1	MERCURY	.0485	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-03	13:18
TT0013	6010B	SW3050	N 0 1	ALUMINUM	16400	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				ANTIMONY	12	mg/kg	U	N	Y	U	U	ERS6					02J283-04	20:49
				ARSENIC	12.2	mg/kg		Y	Y	P		ERS6					02J283-04	15:28
				BARIUM	45.3	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				BERYLLIUM	.611	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-04	20:49
				CADMIUM	1.2	mg/kg	U	N	Y	U	U	ERS6					02J283-04	20:49
				CALCIUM	88.2	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-04	20:49
				CHROMIUM	29	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				COBALT	6.4	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				COPPER	43.5	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				IRON	42800	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				LEAD	16.3	mg/kg		Y	Y	P		ERS6					02J283-04	15:28
				MAGNESIUM	584	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				MANGANESE	119	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				NICKEL	20.8	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				POTASSIUM	1300	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
				SELENIUM	3.01	mg/kg		Y	Y	P		ERS6					02J283-04	15:28

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																				
TT0013	6010B	SW3050	N	0	1	SILVER	2.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	20:49
						SODIUM	26.9	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-04	20:49
						THALLIUM	.825	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-04	15:28
						VANADIUM	60.7	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
						ZINC	70	mg/kg		Y	Y	P		ERS6					02J283-04	20:49
	7471A	TOTAL	N	0	1	MERCURY	.12	mg/kg	U	N	Y	U	U	ERS6					02J283-04	13:20
TT0010	8270CWM	SW3550	N	0	2	1,4-DITHIANE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						1,4-OXATHIANE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						P-CHLOROPHENYLMETHYL SULFONE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						P-CHLOROPHENYLMETHYL SULFOXIDE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
TT0011	8270CWM	SW3550	N	0	1	1,4-DITHIANE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
						1,4-OXATHIANE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
						P-CHLOROPHENYLMETHYL SULFONE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
						P-CHLOROPHENYLMETHYL SULFOXIDE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
TT0012	8270CWM	SW3550	N	0	2	1,4-DITHIANE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
						1,4-OXATHIANE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
						P-CHLOROPHENYLMETHYL SULFONE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
						P-CHLOROPHENYLMETHYL SULFOXIDE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
TT0013	8270CWM	SW3550	N	0	1	1,4-DITHIANE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
						1,4-OXATHIANE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
						P-CHLOROPHENYLMETHYL SULFONE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
						P-CHLOROPHENYLMETHYL SULFOXIDE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
TT0010	8270C	SW3550	N	0	2	1,2,4-TRICHLOROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						1,2-DICHLOROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						1,3-DICHLOROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						1,4-DICHLOROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4,5-TRICHLOROPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4,6-TRICHLOROPHENOL	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4-DICHLOROPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4-DIMETHYLPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4-DINITROPHENOL	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,4-DINITROTOLUENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2,6-DINITROTOLUENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-CHLORONAPHTHALENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-CHLOROPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-METHYLNAPHTHALENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-METHYLPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-NITROANILINE	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
						2-NITROPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0010	8270C	SW3550	N 0 2	3,3'-DICHLOROBENZIDINE	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				3-NITROANILINE	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4,6-DINITRO-2-METHYLPHENOL	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-BROMOPHENYL-PHENYL ETHER	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-CHLORO-3-METHYLPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-CHLOROANILINE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-CHLOROPHENYL-PHENYL ETHER	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-METHYLPHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-NITROANILINE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				4-NITROPHENOL	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				ACENAPHTHENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				ACENAPHTHYLENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				ANTHRACENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BENZO(A)ANTHRACENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BENZO(A)PYRENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BENZO(B)FLUORANTHENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BENZO(G,H,I)PERYLENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BENZO(K)FLUORANTHENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BIS(2-CHLOROETHOXY)METHANE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BIS(2-CHLOROETHYL)ETHER	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BIS(2-CHLOROISOPROPYL)ETHER	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BIS(2-ETHYLHEXYL)PHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				BUTYLBENZYLPHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				CARBAZOLE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				CHRYSENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DI-N-BUTYLPHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DI-N-OCTYLPHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DIBENZO(A,H)ANTHRACENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DIBENZOFURAN	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DIETHYLPHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				DIMETHYLPHTHALATE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				FLUORANTHENE	.26	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-01	21:58
				FLUORENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				HEXACHLOROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				HEXACHLOROBUTADIENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				HEXACHLOROCYCLOPENTADIENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				HEXACHLOROETHANE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				INDENO(1,2,3-CD)PYRENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				ISOPHORONE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				N-NITROSO-DI-N-PROPYLAMINE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0010	8270C	SW3550	N 0 2	N-NITROSODIPHENYLAMINE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				NAPHTHALENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				NITROBENZENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				PENTACHLOROPHENOL	1.6	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				PHENANTHRENE	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				PHENOL	.85	mg/kg	U	N	Y	U	U	ERS6					02J283-01	21:58
				PYRENE	.21	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-01	21:58
TT0011	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				1,2-DICHLOROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				1,3-DICHLOROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				1,4-DICHLOROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4,5-TRICHLOROPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4,6-TRICHLOROPHENOL	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4-DICHLOROPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4-DIMETHYLPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4-DINITROPHENOL	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,4-DINITROTOLUENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2,6-DINITROTOLUENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-CHLORONAPHTHALENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-CHLOROPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-METHYLNAPHTHALENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-METHYLPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-NITROANILINE	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				2-NITROPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				3,3'-DICHLOROBENZIDINE	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				3-NITROANILINE	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4,6-DINITRO-2-METHYLPHENOL	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-BROMOPHENYL-PHENYL ETHER	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-CHLORO-3-METHYLPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-CHLOROANILINE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-CHLOROPHENYL-PHENYL ETHER	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-METHYLPHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-NITROANILINE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				4-NITROPHENOL	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				ACENAPHTHENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				ACENAPHTHYLENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				ANTHRACENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BENZO(A)ANTHRACENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BENZO(A)PYRENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BENZO(B)FLUORANTHENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0011	8270C	SW3550	N 0 1	BENZO(G,H,I)PERYLENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BENZO(K)FLUORANTHENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BIS(2-CHLOROETHOXY)METHANE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BIS(2-CHLOROETHYL)ETHER	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BIS(2-CHLOROISOPROPYL)ETHER	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BIS(2-ETHYLHEXYL)PHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				BUTYLBENZYLPHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				CARBAZOLE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				CHRYSENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DI-N-BUTYLPHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DI-N-OCTYLPHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DIBENZO(A,H)ANTHRACENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DIBENZOFURAN	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DIETHYLPHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				DIMETHYLPHTHALATE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				FLUORANTHENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				FLUORENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				HEXACHLOROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				HEXACHLOROBUTADIENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				HEXACHLOROCYCLOPENTADIENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				HEXACHLOROETHANE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				INDENO(1,2,3-CD)PYRENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				ISOPHORONE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				N-NITROSO-DI-N-PROPYLAMINE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				N-NITROSODIPHENYLAMINE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				NAPHTHALENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				NITROBENZENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				PENTACHLOROPHENOL	.79	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				PHENANTHRENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				PHENOL	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
				PYRENE	.41	mg/kg	U	N	Y	U	U	ERS6					02J283-02	22:28
TT0012	8270C	SW3550	N 0 2	1,2,4-TRICHLOROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				1,2-DICHLOROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				1,3-DICHLOROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				1,4-DICHLOROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,4,5-TRICHLOROPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,4,6-TRICHLOROPHENOL	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,4-DICHLOROPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,4-DIMETHYLPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,4-DINITROPHENOL	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0012	8270C	SW3550	N 0 2	2,4-DINITROTOLUENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2,6-DINITROTOLUENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-CHLORONAPHTHALENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-CHLOROPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-METHYLNAPHTHALENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-METHYLPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-NITROANILINE	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				2-NITROPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				3,3'-DICHLOROBENZIDINE	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				3-NITROANILINE	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4,6-DINITRO-2-METHYLPHENOL	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-BROMOPHENYL-PHENYL ETHER	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-CHLORO-3-METHYLPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-CHLOROANILINE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-CHLOROPHENYL-PHENYL ETHER	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-METHYLPHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-NITROANILINE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				4-NITROPHENOL	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				ACENAPHTHENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				ACENAPHTHYLENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				ANTHRACENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BENZO(A)ANTHRACENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BENZO(A)PYRENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BENZO(B)FLUORANTHENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BENZO(G,H,I)PERYLENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BENZO(K)FLUORANTHENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BIS(2-CHLOROETHOXY)METHANE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BIS(2-CHLOROETHYL)ETHER	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BIS(2-CHLOROISOPROPYL)ETHER	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BIS(2-ETHYLHEXYL)PHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				BUTYLBENZYLPHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				CARBAZOLE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				CHRYSENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DI-N-BUTYLPHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DI-N-OCTYLPHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DIBENZO(A,H)ANTHRACENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DIBENZOFURAN	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DIETHYLPHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				DIMETHYLPHTHALATE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				FLUORANTHENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0012	8270C	SW3550	N 0 2	FLUORENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				HEXACHLOROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				HEXACHLOROBUTADIENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				HEXACHLOROCYCLOPENTADIENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				HEXACHLOROETHANE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				INDENO(1,2,3-CD)PYRENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				ISOPHORONE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				N-NITROSO-DI-N-PROPYLAMINE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				N-NITROSODIPHENYLAMINE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				NAPHTHALENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				NITROBENZENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				PENTACHLOROPHENOL	1.5	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				PHENANTHRENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				PHENOL	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
				PYRENE	.8	mg/kg	U	N	Y	U	U	ERS6					02J283-03	22:57
TT0013	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				1,2-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				1,3-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				1,4-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4,5-TRICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4,6-TRICHLOROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4-DICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4-DIMETHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4-DINITROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,4-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2,6-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-CHLORONAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-CHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-METHYLNAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-NITROANILINE	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				2-NITROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				3,3'-DICHLOROBENZIDINE	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				3-NITROANILINE	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4,6-DINITRO-2-METHYLPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-BROMOPHENYL-PHENYL ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-CHLORO-3-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-CHLOROANILINE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-CHLOROPHENYL-PHENYL ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0013	8270C	SW3550	N 0 1	4-NITROANILINE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				4-NITROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				ACENAPHTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				ACENAPHTHYLENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BENZO(A)ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BENZO(A)PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BENZO(B)FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BENZO(G,H,I)PERYLENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BENZO(K)FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BIS(2-CHLOROETHOXY)METHANE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BIS(2-CHLOROETHYL)ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BIS(2-CHLOROISOPROPYL)ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BIS(2-ETHYLHEXYL)PHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				BUTYLBENZYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				CARBAZOLE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				CHRYSENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DI-N-BUTYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DI-N-OCTYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DIBENZO(A,H)ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DIBENZOFURAN	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DIETHYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				DIMETHYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				FLUORENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				HEXACHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				HEXACHLOROBUTADIENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				HEXACHLOROCYCLOPENTADIENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				HEXACHLOROETHANE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				INDENO(1,2,3-CD)PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				ISOPHORONE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				N-NITROSO-DI-N-PROPYLAMINE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				N-NITROSODIPHENYLAMINE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				NAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				NITROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				PENTACHLOROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				PHENANTHRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				PHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
				PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02J283-04	23:27
TT0010	8260B	SW5035	N 0 .91	1,1,1,2-TETRACHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0010	8260B	SW5035	N 0 .91	1,1,1-TRICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,1,2,2-TETRACHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,1,2-TRICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,1-DICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,1-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,1-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2,3-TRICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-01	10:41
				1,2,3-TRICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2,4-TRICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-01	10:41
				1,2,4-TRIMETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2-DIBROMO-3-CHLOROPROPANE	.012	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2-DIBROMOETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2-DICHLOROETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,2-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,3,5-TRIMETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,3-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,3-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				1,4-DICHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				2,2-DICHLOROPROPANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				2-BUTANONE	.023	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				2-CHLOROTOLUENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				2-HEXANONE	.023	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				4-CHLOROTOLUENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				4-METHYL-2-PENTANONE	.023	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				ACETONE	.023	mg/kg	U	N	Y	U	R	ERS6	04A	05A			02J283-01	10:41
				BENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				BROMOBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				BROMOCHLOROMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				BROMODICHLOROMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				BROMOFORM	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				BROMOMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CARBON DISULFIDE	.0058	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-01	10:41
				CARBON TETRACHLORIDE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CHLOROBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CHLOROETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CHLOROFORM	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CHLOROMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CIS-1,2-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				CIS-1,3-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0010	8260B	SW5035	N 0 .91	DIBROMOCHLOROMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				DIBROMOMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				DICHLORODIFLUOROMETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				ETHYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				HEXACHLOROBUTADIENE	.0058	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-01	10:41
				ISOPROPYL BENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				M/P-XYLENES	.012	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				METHYLENE CHLORIDE	.012	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				N-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				N-PROPYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				NAPHTHALENE	.012	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-01	10:41
				O-XYLENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				P-ISOPROPYLTOLUENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				SEC-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				STYRENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TERT-BUTYLBENZENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TETRACHLOROETHENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TOLUENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TRANS-1,2-DICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TRANS-1,3-DICHLOROPROPENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TRICHLOROETHENE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				TRICHLOROFLUOROMETHANE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
				VINYL CHLORIDE	.0058	mg/kg	U	N	Y	U	U	ERS6					02J283-01	10:41
TT0011	8260B	SW5035	N 0 .88	1,1,1,2-TETRACHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1,1-TRICHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1,2,2-TETRACHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1,2-TRICHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1-DICHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1-DICHLOROETHENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,1-DICHLOROPROPENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2,3-TRICHLOROBENZENE	.0055	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-02	11:17
				1,2,3-TRICHLOROPROPANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2,4-TRICHLOROBENZENE	.0055	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-02	11:17
				1,2,4-TRIMETHYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2-DIBROMO-3-CHLOROPROPANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2-DIBROMOETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2-DICHLOROBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2-DICHLOROETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,2-DICHLOROPROPANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,3,5-TRIMETHYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0011	8260B	SW5035	N 0 .88	1,3-DICHLOROBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,3-DICHLOROPROPANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				1,4-DICHLOROBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				2,2-DICHLOROPROPANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				2-BUTANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				2-CHLOROTOLUENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				2-HEXANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				4-CHLOROTOLUENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				4-METHYL-2-PENTANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				ACETONE	.022	mg/kg	U	N	Y	U	R	ERS6	04A	05A			02J283-02	11:17
				BENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				BROMOBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				BROMOCHLOROMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				BROMODICHLOROMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				BROMOFORM	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				BROMOMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CARBON DISULFIDE	.0055	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-02	11:17
				CARBON TETRACHLORIDE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CHLOROBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CHLOROETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CHLOROFORM	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CHLOROMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CIS-1,2-DICHLOROETHENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				CIS-1,3-DICHLOROPROPENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				DIBROMOCHLOROMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				DIBROMOMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				DICHLORODIFLUOROMETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				ETHYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				HEXACHLOROBUTADIENE	.0055	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-02	11:17
				ISOPROPYL BENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				M/P-XYLENES	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				METHYLENE CHLORIDE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				N-BUTYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				N-PROPYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				NAPHTHALENE	.011	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-02	11:17
				O-XYLENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				P-ISOPROPYLTOLUENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				SEC-BUTYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				STYRENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TERT-BUTYLBENZENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0011	8260B	SW5035	N 0 .88	TETRACHLOROETHENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TOLUENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TRANS-1,2-DICHLOROETHENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TRANS-1,3-DICHLOROPROPENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TRICHLOROETHENE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				TRICHLOROFLUOROMETHANE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
				VINYL CHLORIDE	.0055	mg/kg	U	N	Y	U	U	ERS6					02J283-02	11:17
TT0012	8260B	SW5035	N 0 .88	1,1,1,2-TETRACHLOROETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,1,1-TRICHLOROETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,1,2,2-TETRACHLOROETHANE	.11	mg/kg		Y	Y	P		ERS6					02J283-03	11:53
				1,1,2-TRICHLOROETHANE	.012	mg/kg		Y	Y	P		ERS6					02J283-03	11:53
				1,1-DICHLOROETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,1-DICHLOROETHENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,1-DICHLOROPROPENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2,3-TRICHLOROBENZENE	.0053	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-03	11:53
				1,2,3-TRICHLOROPROPANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2,4-TRICHLOROBENZENE	.0053	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-03	11:53
				1,2,4-TRIMETHYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2-DIBROMO-3-CHLOROPROPANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2-DIBROMOETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2-DICHLOROBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2-DICHLOROETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,2-DICHLOROPROPANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,3,5-TRIMETHYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,3-DICHLOROBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,3-DICHLOROPROPANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				1,4-DICHLOROBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				2,2-DICHLOROPROPANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				2-BUTANONE	.021	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				2-CHLOROTOLUENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				2-HEXANONE	.021	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				4-CHLOROTOLUENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				4-METHYL-2-PENTANONE	.021	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				ACETONE	.021	mg/kg	U	N	Y	U	R	ERS6	04A	05A			02J283-03	11:53
				BENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				BROMOBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				BROMOCHLOROMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				BROMODICHLOROMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				BROMOFORM	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				BROMOMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0012	8260B	SW5035	N 0 .88	CARBON DISULFIDE	.0053	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-03	11:53
				CARBON TETRACHLORIDE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				CHLOROBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				CHLOROETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				CHLOROFORM	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				CHLOROMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				CIS-1,2-DICHLOROETHENE	.0024	mg/kg	J	Y	Y	P	J	ERS6	15				02J283-03	11:53
				CIS-1,3-DICHLOROPROPENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				DIBROMOCHLOROMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				DIBROMOMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				DICHLORODIFLUOROMETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				ETHYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				HEXACHLOROBUTADIENE	.0053	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-03	11:53
				ISOPROPYL BENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				M/P-XYLENES	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				METHYLENE CHLORIDE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				N-BUTYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				N-PROPYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				NAPHTHALENE	.011	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-03	11:53
				O-XYLENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				P-ISOPROPYLTOLUENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				SEC-BUTYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				STYRENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TERT-BUTYLBENZENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TETRACHLOROETHENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TOLUENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TRANS-1,2-DICHLOROETHENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TRANS-1,3-DICHLOROPROPENE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				TRICHLOROETHENE	.051	mg/kg		Y	Y	P		ERS6					02J283-03	11:53
				TRICHLOROFLUOROMETHANE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
				VINYL CHLORIDE	.0053	mg/kg	U	N	Y	U	U	ERS6					02J283-03	11:53
TT0013	8260B	SW5035	N 0 .93	1,1,1,2-TETRACHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1,1-TRICHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1,2,2-TETRACHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1,2-TRICHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1-DICHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1-DICHLOROETHENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,1-DICHLOROPROPENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2,3-TRICHLOROBENZENE	.0056	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-04	12:29
				1,2,3-TRICHLOROPROPANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0013	8260B	SW5035	N 0 .93	1,2,4-TRICHLOROBENZENE	.0056	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-04	12:29
				1,2,4-TRIMETHYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2-DIBROMO-3-CHLOROPROPANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2-DIBROMOETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2-DICHLOROBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2-DICHLOROETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,2-DICHLOROPROPANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,3,5-TRIMETHYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,3-DICHLOROBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,3-DICHLOROPROPANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				1,4-DICHLOROBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				2,2-DICHLOROPROPANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				2-BUTANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				2-CHLOROTOLUENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				2-HEXANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				4-CHLOROTOLUENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				4-METHYL-2-PENTANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				ACETONE	.022	mg/kg	U	N	Y	U	R	ERS6	04A	05A			02J283-04	12:29
				BENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				BROMOBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				BROMOCHLOROMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				BROMODICHLOROMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				BROMOFORM	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				BROMOMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CARBON DISULFIDE	.0056	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-04	12:29
				CARBON TETRACHLORIDE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CHLOROBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CHLOROETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CHLOROFORM	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CHLOROMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CIS-1,2-DICHLOROETHENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				CIS-1,3-DICHLOROPROPENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				DIBROMOCHLOROMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				DIBROMOMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				DICHLORODIFLUOROMETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				ETHYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				HEXACHLOROBUTADIENE	.0056	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-04	12:29
				ISOPROPYL BENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				M/P-XYLENES	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				METHYLENE CHLORIDE	.011	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-04																		
TT0013	8260B	SW5035	N 0 .93	N-BUTYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				N-PROPYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				NAPHTHALENE	.011	mg/kg	U	N	Y	U	UJ	ERS6	05B				02J283-04	12:29
				O-XYLENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				P-ISOPROPYLTOLUENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				SEC-BUTYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				STYRENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TERT-BUTYLBENZENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TETRACHLOROETHENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TOLUENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TRANS-1,2-DICHLOROETHENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TRANS-1,3-DICHLOROPROPENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TRICHLOROETHENE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				TRICHLOROFLUOROMETHANE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
				VINYL CHLORIDE	.0056	mg/kg	U	N	Y	U	U	ERS6					02J283-04	12:29
10514-05																		
TT0008	8321	SW3550	N 0 1	DIMP	.057	mg/kg	U	N	Y	U	U	ERS6					FEFDNS	07:30
				DMMP	.057	mg/kg	U	N	Y	U	U	ERS6					FEFDNS	07:30
				EMPA	.057	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDNS	07:30
				IMPA	.11	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDNS	07:30
				MPA	.57	mg/kg	U	N	Y	U	U	ERS6					FEFDNS	07:30
				THIODIGLYCOL	.057	mg/kg	U	N	Y	U	U	ERS6					FEFDNS	07:30
TT0009	8321	SW3550	N 0 1	DIMP	.059	mg/kg	U	N	Y	U	U	ERS6					FEFDQS	08:48
				DMMP	.059	mg/kg	U	N	Y	U	U	ERS6					FEFDQS	08:48
				EMPA	.059	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDQS	08:48
				IMPA	.12	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDQS	08:48
				MPA	.59	mg/kg	U	N	Y	U	U	ERS6					FEFDQS	08:48
				THIODIGLYCOL	.059	mg/kg	U	N	Y	U	U	ERS6					FEFDQS	08:48
TT0014	8321	SW3550	N 0 1	DIMP	.061	mg/kg	U	N	Y	U	U	ERS6					FEFDVS	09:14
				DMMP	.061	mg/kg	U	N	Y	U	U	ERS6					FEFDVS	09:14
				EMPA	.061	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDVS	09:14
				IMPA	.12	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFDVS	09:14
				MPA	.61	mg/kg	U	N	Y	U	U	ERS6					FEFDVS	09:14
				THIODIGLYCOL	.061	mg/kg	U	N	Y	U	U	ERS6					FEFDVS	09:14
TT0015	8321	SW3550	N 0 1	DIMP	.06	mg/kg	U	N	Y	U	U	ERS6					FEFD0S	09:40
				DMMP	.06	mg/kg	U	N	Y	U	U	ERS6					FEFD0S	09:40
				EMPA	.06	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFD0S	09:40
				IMPA	.12	mg/kg	U	N	Y	U	UJ	ERS6	08A	08B			FEFD0S	09:40
				MPA	.05	mg/kg	J	Y	Y	P	J	ERS6	15				FEFD0S	09:40

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	8321	SW3550	N 0 1	THIODIGLYCOL	.06	mg/kg	U	N	Y	U	U	ERS6					FEFD0S	09:40
TT0008	6010B	SW3050	N 0 1	ALUMINUM	11000	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				ANTIMONY	11.6	mg/kg	U	N	Y	U	UJ	ERS6	08A				02K233-01	23:14
				ARSENIC	5.27	mg/kg		Y	Y	P		ERS6					02K233-01	02:02
				BARIUM	82.6	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				BERYLLIUM	.689	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	23:14
				CADMIUM	1.16	mg/kg	U	N	Y	U	U	ERS6					02K233-01	23:14
				CALCIUM	347	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				CHROMIUM	20.6	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				COBALT	13.5	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				COPPER	13.2	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				IRON	19800	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				LEAD	21.3	mg/kg		Y	Y	P		ERS6					02K233-01	02:02
				MAGNESIUM	529	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				MANGANESE	570	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				NICKEL	6.51	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				POTASSIUM	571	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	23:14
				SELENIUM	1.59	mg/kg		Y	Y	F	B	ERS6	06B				02K233-01	02:02
				SILVER	2.31	mg/kg	U	N	Y	U	U	ERS6					02K233-01	23:14
				SODIUM	36	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	23:14
				THALLIUM	.706	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	02:02
				VANADIUM	26.8	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
				ZINC	23.8	mg/kg		Y	Y	P		ERS6					02K233-01	23:14
	7471A	TOTAL	N 0 1	MERCURY	.037	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	17:07
TT0009	6010B	SW3050	N 0 1	ALUMINUM	17300	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				ANTIMONY	11.8	mg/kg	U	N	Y	U	UJ	ERS6	08A				02K233-02	23:26
				ARSENIC	7.15	mg/kg		Y	Y	P		ERS6					02K233-02	02:12
				BARIUM	67.4	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				BERYLLIUM	1.33	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				CADMIUM	1.18	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:26
				CALCIUM	54.9	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-02	23:26
				CHROMIUM	19	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				COBALT	4.78	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				COPPER	72.6	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				IRON	54700	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				LEAD	30.6	mg/kg		Y	Y	P		ERS6					02K233-02	02:12
				MAGNESIUM	358	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				MANGANESE	32.9	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				NICKEL	6.76	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				POTASSIUM	1860	mg/kg		Y	Y	P		ERS6					02K233-02	23:26

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0009	6010B	SW3050	N 0 1	SELENIUM	3.92	mg/kg		Y	Y	P		ERS6					02K233-02	02:12
				SILVER	2.36	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:26
				SODIUM	58.8	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-02	23:26
				THALLIUM	2.04	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-02	02:12
				VANADIUM	36.1	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
				ZINC	73.3	mg/kg		Y	Y	P		ERS6					02K233-02	23:26
	7471A	TOTAL	N 0 1	MERCURY	.0411	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-02	17:11
TT0014	6010B	SW3050	N 0 1	ALUMINUM	20600	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				ANTIMONY	11.9	mg/kg	U	N	Y	U	UJ	ERS6	08A				02K233-03	23:31
				ARSENIC	10.7	mg/kg		Y	Y	P		ERS6					02K233-03	02:18
				BARIUM	56.1	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				BERYLLIUM	.493	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-03	23:31
				CADMIUM	1.19	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:31
				CALCIUM	227	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				CHROMIUM	28.5	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				COBALT	6.47	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				COPPER	16.9	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				IRON	33400	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				LEAD	13.9	mg/kg		Y	Y	P		ERS6					02K233-03	02:18
				MAGNESIUM	752	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				MANGANESE	324	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				NICKEL	10.6	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				POTASSIUM	633	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				SELENIUM	2.21	mg/kg		Y	Y	P		ERS6					02K233-03	02:18
				SILVER	2.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:31
				SODIUM	38.7	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-03	23:31
				THALLIUM	2.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	02:18
				VANADIUM	44.1	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
				ZINC	34.6	mg/kg		Y	Y	P		ERS6					02K233-03	23:31
	7471A	TOTAL	N 0 1	MERCURY	.055	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-03	17:13
TT0015	6010B	SW3050	N 0 1	ALUMINUM	27000	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				ANTIMONY	12	mg/kg	U	N	Y	U	UJ	ERS6	08A				02K233-04	23:45
				ARSENIC	10	mg/kg		Y	Y	P		ERS6					02K233-04	02:34
				BARIUM	29.2	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				BERYLLIUM	.414	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-04	23:45
				CADMIUM	1.2	mg/kg	U	N	Y	U	U	ERS6					02K233-04	23:45
				CALCIUM	105	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-04	23:45
				CHROMIUM	26.8	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				COBALT	6.04	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				COPPER	18.8	mg/kg		Y	Y	P		ERS6					02K233-04	23:45

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	6010B	SW3050	N 0 1	IRON	33900	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				LEAD	15.2	mg/kg		Y	Y	P		ERS6					02K233-04	02:34
				MAGNESIUM	724	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				MANGANESE	160	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				NICKEL	16.3	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				POTASSIUM	523	mg/kg	J	Y	Y	F	B	ERS6	06B	15			02K233-04	23:45
				SELENIUM	2.34	mg/kg		Y	Y	P		ERS6					02K233-04	02:34
				SILVER	2.41	mg/kg	U	N	Y	U	U	ERS6					02K233-04	23:45
				SODIUM	38.9	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-04	23:45
				THALLIUM	2.41	mg/kg	U	N	Y	U	U	ERS6					02K233-04	02:34
				VANADIUM	54.1	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
				ZINC	53.2	mg/kg		Y	Y	P		ERS6					02K233-04	23:45
	7471A	TOTAL	N 0 1	MERCURY	.0708	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-04	17:19
TT0008	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				1,4-OXATHIANE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				P-CHLOROPHENYLMETHYL SULFONE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				P-CHLOROPHENYLMETHYL SULFOXIDE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
TT0009	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				1,4-OXATHIANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				P-CHLOROPHENYLMETHYL SULFONE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				P-CHLOROPHENYLMETHYL SULFOXIDE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
TT0014	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				1,4-OXATHIANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				P-CHLOROPHENYLMETHYL SULFONE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				P-CHLOROPHENYLMETHYL SULFOXIDE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
TT0015	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				1,4-OXATHIANE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				P-CHLOROPHENYLMETHYL SULFONE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				P-CHLOROPHENYLMETHYL SULFOXIDE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
TT0008	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				1,2-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				1,3-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				1,4-DICHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4,5-TRICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4,6-TRICHLOROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4-DICHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4-DIMETHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4-DINITROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2,4-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0008	8270C	SW3550	N 0 1	2,6-DINITROTOLUENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2-CHLORONAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2-CHLOROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2-METHYLNAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				2-NITROANILINE	.73	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-01	21:46
				2-NITROPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				3,3'-DICHLOROBENZIDINE	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				3-NITROANILINE	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4,6-DINITRO-2-METHYLPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-BROMOPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-CHLORO-3-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-CHLOROANILINE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-CHLOROPHENYL-PHENYL ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-METHYLPHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-NITROANILINE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				4-NITROPHENOL	.73	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-01	21:46
				ACENAPHTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				ACENAPHTHYLENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BENZO(A)ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BENZO(A)PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BENZO(B)FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BENZO(G,H,I)PERYLENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BENZO(K)FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BIS(2-CHLOROETHOXY)METHANE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BIS(2-CHLOROETHYL)ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BIS(2-CHLOROISOPROPYL)ETHER	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				BUTYLBENZYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				CARBAZOLE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				CHRYSENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DI-N-BUTYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DI-N-OCTYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DIBENZO(A,H)ANTHRACENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DIBENZOFURAN	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DIETHYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				DIMETHYLPHTHALATE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				FLUORANTHENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				FLUORENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0008	8270C	SW3550	N 0 1	HEXACHLOROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				HEXACHLOROBUTADIENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				HEXACHLOROCYCLOPENTADIENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				HEXACHLOROETHANE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				INDENO(1,2,3-CD)PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				ISOPHORONE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				N-NITROSO-DI-N-PROPYLAMINE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				N-NITROSODIPHENYLAMINE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				NAPHTHALENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				NITROBENZENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				PENTACHLOROPHENOL	.73	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				PHENANTHRENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				PHENOL	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
				PYRENE	.38	mg/kg	U	N	Y	U	U	ERS6					02K233-01	21:46
TT0009	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				1,2-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				1,3-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				1,4-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4,5-TRICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4,6-TRICHLOROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4-DICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4-DIMETHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4-DINITROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,4-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2,6-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2-CHLORONAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2-CHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2-METHYLNAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				2-NITROANILINE	.74	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-02	23:16
				2-NITROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				3,3'-DICHLOROBENZIDINE	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				3-NITROANILINE	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4,6-DINITRO-2-METHYLPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-BROMOPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-CHLORO-3-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-CHLOROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-CHLOROPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				4-NITROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0009	8270C	SW3550	N 0 1	4-NITROPHENOL	.74	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-02	23:16
				ACENAPHTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				ACENAPHTHYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BENZO(A)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BENZO(A)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BENZO(B)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BENZO(G,H,I)PERYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BENZO(K)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BIS(2-CHLOROETHOXY)METHANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BIS(2-CHLOROETHYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BIS(2-CHLOROISOPROPYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BIS(2-ETHYLHEXYL)PHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				BUTYLBENZYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				CARBAZOLE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				CHRYSENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DI-N-BUTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DI-N-OCTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DIBENZO(A,H)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DIBENZOFURAN	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DIETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				DIMETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				FLUORENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				HEXACHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				HEXACHLOROBUTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				HEXACHLOROCYCLOPENTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				HEXACHLOROETHANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				INDENO(1,2,3-CD)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				ISOPHORONE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				N-NITROSO-DI-N-PROPYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				N-NITROSODIPHENYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				NAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				NITROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				PENTACHLOROPHENOL	.74	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				PHENANTHRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				PHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
				PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-02	23:16
TT0014	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				1,2-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0014	8270C	SW3550	N 0 1	1,3-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				1,4-DICHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4,5-TRICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4,6-TRICHLOROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4-DICHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4-DIMETHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4-DINITROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,4-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2,6-DINITROTOLUENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2-CHLORONAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2-CHLOROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2-METHYLNAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				2-NITROANILINE	.75	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-03	23:46
				2-NITROPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				3,3'-DICHLOROBENZIDINE	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				3-NITROANILINE	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4,6-DINITRO-2-METHYLPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-BROMOPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-CHLORO-3-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-CHLOROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-CHLOROPHENYL-PHENYL ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-METHYLPHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-NITROANILINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				4-NITROPHENOL	.75	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-03	23:46
				ACENAPHTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				ACENAPHTHYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BENZO(A)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BENZO(A)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BENZO(B)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BENZO(G,H,I)PERYLENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BENZO(K)FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BIS(2-CHLOROETHOXY)METHANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BIS(2-CHLOROETHYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BIS(2-CHLOROISOPROPYL)ETHER	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				BUTYLBENZYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				CARBAZOLE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				CHRYSENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0014	8270C	SW3550	N 0 1	DI-N-BUTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				DI-N-OCTYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				DIBENZO(A,H)ANTHRACENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				DIBENZOFURAN	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				DIETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				DIMETHYLPHTHALATE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				FLUORANTHENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				FLUORENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				HEXACHLOROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				HEXACHLOROBUTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				HEXACHLOROCYCLOPENTADIENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				HEXACHLOROETHANE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				INDENO(1,2,3-CD)PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				ISOPHORONE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				N-NITROSO-DI-N-PROPYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				N-NITROSODIPHENYLAMINE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				NAPHTHALENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				NITROBENZENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				PENTACHLOROPHENOL	.75	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				PHENANTHRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				PHENOL	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
				PYRENE	.39	mg/kg	U	N	Y	U	U	ERS6					02K233-03	23:46
TT0015	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				1,2-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				1,3-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				1,4-DICHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4,5-TRICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4,6-TRICHLOROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4-DICHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4-DIMETHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4-DINITROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,4-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2,6-DINITROTOLUENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2-CHLORONAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2-CHLOROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2-METHYLNAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				2-NITROANILINE	.76	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	00:16
				2-NITROPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				3,3'-DICHLOROBENZIDINE	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	8270C	SW3550	N 0 1	3-NITROANILINE	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4,6-DINITRO-2-METHYLPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-BROMOPHENYL-PHENYL ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-CHLORO-3-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-CHLOROANILINE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-CHLOROPHENYL-PHENYL ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-METHYLPHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-NITROANILINE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				4-NITROPHENOL	.76	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	00:16
				ACENAPHTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				ACENAPHTHYLENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BENZO(A)ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BENZO(A)PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BENZO(B)FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BENZO(G,H,I)PERYLENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BENZO(K)FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BIS(2-CHLOROETHOXY)METHANE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BIS(2-CHLOROETHYL)ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BIS(2-CHLOROISOPROPYL)ETHER	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BIS(2-ETHYLHEXYL)PHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				BUTYLBENZYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				CARBAZOLE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				CHRYSENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DI-N-BUTYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DI-N-OCTYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DIBENZO(A,H)ANTHRACENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DIBENZOFURAN	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DIETHYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				DIMETHYLPHTHALATE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				FLUORANTHENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				FLUORENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				HEXACHLOROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				HEXACHLOROBUTADIENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				HEXACHLOROCYCLOPENTADIENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				HEXACHLOROETHANE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				INDENO(1,2,3-CD)PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				ISOPHORONE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				N-NITROSO-DI-N-PROPYLAMINE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				N-NITROSODIPHENYLAMINE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	8270C	SW3550	N 0 1	NAPHTHALENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				NITROBENZENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				PENTACHLOROPHENOL	.76	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				PHENANTHRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				PHENOL	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
				PYRENE	.4	mg/kg	U	N	Y	U	U	ERS6					02K233-04	00:16
TT0008	8260B	SW5035	N 0 .93	1,1,1,2-TETRACHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1,1-TRICHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1,2,2-TETRACHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1,2-TRICHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1-DICHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1-DICHLOROETHENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,1-DICHLOROPROPENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2,3-TRICHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2,3-TRICHLOROPROPANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2,4-TRICHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2,4-TRIMETHYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2-DIBROMO-3-CHLOROPROPANE	.011	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2-DIBROMOETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2-DICHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2-DICHLOROETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,2-DICHLOROPROPANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,3,5-TRIMETHYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,3-DICHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,3-DICHLOROPROPANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				1,4-DICHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				2,2-DICHLOROPROPANE	.0054	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-01	16:19
				2-BUTANONE	.034	mg/kg		Y	Y	F	B	ERS6	06C				02K233-01	16:19
				2-CHLOROTOLUENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				2-HEXANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				4-CHLOROTOLUENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				4-METHYL-2-PENTANONE	.022	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				ACETONE	1	mg/kg	E	Y	N	P	R	NO	16				02K233-01	16:19
				BENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				BROMOBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				BROMOCHLOROMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				BROMODICHLOROMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				BROMOFORM	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				BROMOMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CARBON DISULFIDE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0008	8260B	SW5035	N 0 .93	CARBON TETRACHLORIDE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CHLOROBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CHLOROETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CHLOROFORM	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CHLOROMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CIS-1,2-DICHLOROETHENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				CIS-1,3-DICHLOROPROPENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				DIBROMOCHLOROMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				DIBROMOMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				DICHLORODIFLUOROMETHANE	.011	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				ETHYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				HEXACHLOROBUTADIENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				ISOPROPYL BENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				M/P-XYLENES	.011	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				METHYLENE CHLORIDE	.0041	mg/kg	J	Y	Y	F	B	ERS6	06A	06C	15		02K233-01	16:19
				N-BUTYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				N-PROPYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				NAPHTHALENE	.011	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				O-XYLENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				P-ISOPROPYLTOLUENE	.002	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-01	16:19
				SEC-BUTYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				STYRENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TERT-BUTYLBENZENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TETRACHLOROETHENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TOLUENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TRANS-1,2-DICHLOROETHENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TRANS-1,3-DICHLOROPROPENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TRICHLOROETHENE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				TRICHLOROFLUOROMETHANE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
				VINYL CHLORIDE	.0054	mg/kg	U	N	Y	U	U	ERS6					02K233-01	16:19
	8260B	SW5035	N 1 41	1,1,1,2-TETRACHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1,1-TRICHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1,2,2-TETRACHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1,2-TRICHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1-DICHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1-DICHLOROETHENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,1-DICHLOROPROPENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2,3-TRICHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2,3-TRICHLOROPROPANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2,4-TRICHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0008	8260B	SW5035	N 1 41	1,2,4-TRIMETHYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2-DIBROMO-3-CHLOROPROPANE	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2-DIBROMOETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2-DICHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2-DICHLOROETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,2-DICHLOROPROPANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,3,5-TRIMETHYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,3-DICHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,3-DICHLOROPROPANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				1,4-DICHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				2,2-DICHLOROPROPANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				2-BUTANONE	.95	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				2-CHLOROTOLUENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				2-HEXANONE	.95	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				4-CHLOROTOLUENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				4-METHYL-2-PENTANONE	.95	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				ACETONE	.4	mg/kg	J	Y	Y	P	J	ERS6	04A	05A	05B	15	02K233-01T	07:58
				BENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				BROMOBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				BROMOCHLOROMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				BROMODICHLOROMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				BROMOFORM	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				BROMOMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CARBON DISULFIDE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CARBON TETRACHLORIDE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CHLOROBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CHLOROETHANE	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CHLOROFORM	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CHLOROMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CIS-1,2-DICHLOROETHENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				CIS-1,3-DICHLOROPROPENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				DIBROMOCHLOROMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				DIBROMOMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				DICHLORODIFLUOROMETHANE	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				ETHYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				HEXACHLOROBUTADIENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				ISOPROPYL BENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				M/P-XYLENES	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				METHYLENE CHLORIDE	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				N-BUTYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0008	8260B	SW5035	N 1 41	N-PROPYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				NAPHTHALENE	.47	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				O-XYLENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				P-ISOPROPYLTOLUENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				SEC-BUTYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				STYRENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TERT-BUTYLBENZENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TETRACHLOROETHENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TOLUENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TRANS-1,2-DICHLOROETHENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TRANS-1,3-DICHLOROPROPENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TRICHLOROETHENE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				TRICHLOROFLUOROMETHANE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
				VINYL CHLORIDE	.24	mg/kg	U	N	N	U	R	NO	16				02K233-01T	07:58
TT0009	8260B	SW5035	N 0 1.0	1,1,1,2-TETRACHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1,1-TRICHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1,2,2-TETRACHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1,2-TRICHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1-DICHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1-DICHLOROETHENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,1-DICHLOROPROPENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2,3-TRICHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2,3-TRICHLOROPROPANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2,4-TRICHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2,4-TRIMETHYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2-DIBROMO-3-CHLOROPROPANE	.012	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2-DIBROMOETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2-DICHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2-DICHLOROETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,2-DICHLOROPROPANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,3,5-TRIMETHYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,3-DICHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,3-DICHLOROPROPANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				1,4-DICHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				2,2-DICHLOROPROPANE	.0059	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-02	16:55
				2-BUTANONE	.024	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				2-CHLOROTOLUENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				2-HEXANONE	.024	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				4-CHLOROTOLUENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				4-METHYL-2-PENTANONE	.024	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0009	8260B	SW5035	N 0 1.0	ACETONE	.024	mg/kg	U	N	Y	U	R	ERS6	04A	05A			02K233-02	16:55
				BENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				BROMOBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				BROMOCHLOROMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				BROMODICHLOROMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				BROMOFORM	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				BROMOMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CARBON DISULFIDE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CARBON TETRACHLORIDE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CHLOROBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CHLOROETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CHLOROFORM	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CHLOROMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CIS-1,2-DICHLOROETHENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				CIS-1,3-DICHLOROPROPENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				DIBROMOCHLOROMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				DIBROMOMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				DICHLORODIFLUOROMETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				ETHYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				HEXACHLOROBUTADIENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				ISOPROPYL BENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				M/P-XYLENES	.012	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				METHYLENE CHLORIDE	.0046	mg/kg	J	Y	Y	F	B	ERS6	06A	06C	15		02K233-02	16:55
				N-BUTYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				N-PROPYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				NAPHTHALENE	.012	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				O-XYLENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				P-ISOPROPYLTOLUENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				SEC-BUTYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				STYRENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TERT-BUTYLBENZENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TETRACHLOROETHENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TOLUENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TRANS-1,2-DICHLOROETHENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TRANS-1,3-DICHLOROPROPENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TRICHLOROETHENE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				TRICHLOROFLUOROMETHANE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
				VINYL CHLORIDE	.0059	mg/kg	U	N	Y	U	U	ERS6					02K233-02	16:55
TT0014	8260B	SW5035	N 0 .78	1,1,1,2-TETRACHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,1,1-TRICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0014	8260B	SW5035	N 0 .78	1,1,2,2-TETRACHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,1,2-TRICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,1-DICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,1-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,1-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2,3-TRICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2,3-TRICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2,4-TRICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2,4-TRIMETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2-DIBROMO-3-CHLOROPROPANE	.0093	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2-DIBROMOETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2-DICHLOROETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,2-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,3,5-TRIMETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,3-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,3-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				1,4-DICHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				2,2-DICHLOROPROPANE	.0047	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-03	17:31
				2-BUTANONE	.019	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				2-CHLOROTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				2-HEXANONE	.019	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				4-CHLOROTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				4-METHYL-2-PENTANONE	.0026	mg/kg	J	Y	Y	P	J	ERS6	15				02K233-03	17:31
				ACETONE	.027	mg/kg		Y	Y	F	B	ERS6	04A	05A	06C		02K233-03	17:31
				BENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				BROMOBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				BROMOCHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				BROMODICHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				BROMOFORM	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				BROMOMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CARBON DISULFIDE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CARBON TETRACHLORIDE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CHLOROBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CHLOROETHANE	.0093	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CHLOROFORM	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CIS-1,2-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				CIS-1,3-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				DIBROMOCHLOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0014	8260B	SW5035	N 0 .78	DIBROMOMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				DICHLORODIFLUOROMETHANE	.0093	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				ETHYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				HEXACHLOROBUTADIENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				ISOPROPYL BENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				M/P-XYLENES	.0093	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				METHYLENE CHLORIDE	.0037	mg/kg	J	Y	Y	F	B	ERS6	06A	06C	15		02K233-03	17:31
				N-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				N-PROPYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				NAPHTHALENE	.0093	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				O-XYLENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				P-ISOPROPYLTOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				SEC-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				STYRENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TERT-BUTYLBENZENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TETRACHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TOLUENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TRANS-1,2-DICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TRANS-1,3-DICHLOROPROPENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TRICHLOROETHENE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				TRICHLOROFLUOROMETHANE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
				VINYL CHLORIDE	.0047	mg/kg	U	N	Y	U	U	ERS6					02K233-03	17:31
TT0015	8260B	SW5035	N 0 .85	1,1,1,2-TETRACHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1,1-TRICHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1,2,2-TETRACHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1,2-TRICHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1-DICHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1-DICHLOROETHENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,1-DICHLOROPROPENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2,3-TRICHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2,3-TRICHLOROPROPANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2,4-TRICHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2,4-TRIMETHYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2-DIBROMO-3-CHLOROPROPANE	.01	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2-DIBROMOETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2-DICHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2-DICHLOROETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,2-DICHLOROPROPANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,3,5-TRIMETHYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,3-DICHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	8260B	SW5035	N 0 .85	1,3-DICHLOROPROPANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				1,4-DICHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				2,2-DICHLOROPROPANE	.0051	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				2-BUTANONE	.02	mg/kg	U	N	Y	U	R	ERS6	05A	05B			02K233-04	14:03
				2-CHLOROTOLUENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				2-HEXANONE	.02	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				4-CHLOROTOLUENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				4-METHYL-2-PENTANONE	.02	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				ACETONE	.017	mg/kg	J	Y	Y	F	B	ERS6	04A	05	06C	15	02K233-04	14:03
				BENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				BROMOBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				BROMOCHLOROMETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				BROMODICHLOROMETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				BROMOFORM	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				BROMOMETHANE	.0051	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				CARBON DISULFIDE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CARBON TETRACHLORIDE	.0051	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				CHLOROBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CHLOROETHANE	.01	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CHLOROFORM	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CHLOROMETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CIS-1,2-DICHLOROETHENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				CIS-1,3-DICHLOROPROPENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				DIBROMOCHLOROMETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				DIBROMOMETHANE	.0051	mg/kg	U	N	Y	U	UJ	ERS6	05B				02K233-04	14:03
				DICHLORODIFLUOROMETHANE	.01	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				ETHYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				HEXACHLOROBUTADIENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				ISOPROPYL BENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				M/P-XYLENES	.01	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				METHYLENE CHLORIDE	.0039	mg/kg	J	Y	Y	F	B	ERS6	06A	06C	15		02K233-04	14:03
				N-BUTYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				N-PROPYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				NAPHTHALENE	.01	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				O-XYLENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				P-ISOPROPYLTOLUENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				SEC-BUTYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				STYRENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TERT-BUTYLBENZENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TETRACHLOROETHENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-05																		
TT0015	8260B	SW5035	N 0 .85	TOLUENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TRANS-1,2-DICHLOROETHENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TRANS-1,3-DICHLOROPROPENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TRICHLOROETHENE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				TRICHLOROFLUOROMETHANE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
				VINYL CHLORIDE	.0051	mg/kg	U	N	Y	U	U	ERS6					02K233-04	14:03
10514-06																		
TT0016	8321	SW3550	N 0 1	DIMP	.078	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
				DMMP	.078	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
				EMPA	.078	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
				IMPA	.16	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
				MPA	.78	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
				THIODIGLYCOL	.078	mg/kg	U	N	Y	U	U	ERS6					FHARPS	23:36
TT0017	8321	SW3550	N 0 1	DIMP	.067	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
				DMMP	.067	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
				EMPA	.067	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
				IMPA	.13	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
				MPA	.67	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
				THIODIGLYCOL	.067	mg/kg	U	N	Y	U	U	ERS6					FHAR8S	00:02
TT0016	6010B	SW3050	N 0 1	ALUMINUM	15300	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				ANTIMONY	16.6	mg/kg	U	N	Y	U	U	ERS6					03A184-01	14:56
				ARSENIC	10.6	mg/kg		Y	Y	P		ERS6					03A184-01	19:03
				BARIUM	52.5	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				BERYLLIUM	.824	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	14:56
				CADMIUM	1.66	mg/kg	U	N	Y	U	U	ERS6					03A184-01	14:56
				CALCIUM	282	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				CHROMIUM	25.3	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				COBALT	5.43	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				COPPER	38.4	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				IRON	39500	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				LEAD	34.3	mg/kg		Y	Y	P		ERS6					03A184-01	19:03
				MAGNESIUM	612	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				MANGANESE	82.8	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				NICKEL	19.6	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				POTASSIUM	1120	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				SELENIUM	1.26	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	19:03
				SILVER	3.31	mg/kg	U	N	Y	U	U	ERS6					03A184-01	14:56
				SODIUM	83.3	mg/kg	J	Y	Y	F	B	ERS6	06A	15			03A184-01	14:56
				THALLIUM	3.31	mg/kg	U	N	Y	U	U	ERS6					03A184-01	19:03

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0016	6010B	SW3050	N 0 1	VANADIUM	46.1	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
				ZINC	72.7	mg/kg		Y	Y	P		ERS6					03A184-01	14:56
	7471A	TOTAL	N 0 1	MERCURY	.0516	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	13:18
TT0017	6010B	SW3050	N 0 1	ALUMINUM	12500	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				ANTIMONY	14.2	mg/kg	U	N	Y	U	U	ERS6					03A184-02	15:10
				ARSENIC	4.86	mg/kg		Y	Y	P		ERS6					03A184-02	19:20
				BARIUM	67.3	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				BERYLLIUM	.507	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	15:10
				CADMIUM	1.42	mg/kg	U	N	Y	U	U	ERS6					03A184-02	15:10
				CALCIUM	854	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				CHROMIUM	21.1	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				COBALT	1.72	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	15:10
				COPPER	51.5	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				IRON	23000	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				LEAD	51.5	mg/kg		Y	Y	P		ERS6					03A184-02	19:20
				MAGNESIUM	503	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				MANGANESE	94.7	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				NICKEL	4.2	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				POTASSIUM	1190	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				SELENIUM	1.25	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	19:20
				SILVER	2.83	mg/kg	U	N	Y	U	U	ERS6					03A184-02	15:10
				SODIUM	71.2	mg/kg	J	Y	Y	F	B	ERS6	06A	15			03A184-02	15:10
				THALLIUM	2.83	mg/kg	U	N	Y	U	U	ERS6					03A184-02	19:20
				VANADIUM	24.7	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
				ZINC	76	mg/kg		Y	Y	P		ERS6					03A184-02	15:10
	7471A	TOTAL	N 0 1	MERCURY	.142	mg/kg	U	N	Y	U	U	ERS6					03A184-02	13:20
TT0016	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	03:17
				1,4-OXATHIANE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	03:17
				P-CHLOROPHENYLMETHYL SULFONE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	03:17
				P-CHLOROPHENYLMETHYL SULFOXIDE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	03:17
TT0017	8270CWM	SW3550	N 0 1	1,4-DITHIANE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	03:51
				1,4-OXATHIANE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	03:51
				P-CHLOROPHENYLMETHYL SULFONE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	03:51
				P-CHLOROPHENYLMETHYL SULFOXIDE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	03:51
TT0016	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				1,2-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				1,3-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				1,4-DICHLOROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2,4,5-TRICHLOROPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0016	8270C	SW3550	N 0 1	2,4,6-TRICHLOROPHENOL	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2,4-DICHLOROPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2,4-DIMETHYLPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2,4-DINITROPHENOL	1	mg/kg	U	N	Y	U	UJ	ERS6	05B				03A184-01	23:55
				2,4-DINITROTOLUENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2,6-DINITROTOLUENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-CHLORONAPHTHALENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-CHLOROPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-METHYLNAPHTHALENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-NITROANILINE	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				2-NITROPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				3,3'-DICHLOROBENZIDINE	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				3-NITROANILINE	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4,6-DINITRO-2-METHYLPHENOL	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-BROMOPHENYL-PHENYL ETHER	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-CHLORO-3-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-CHLOROANILINE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-CHLOROPHENYL-PHENYL ETHER	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-METHYLPHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-NITROANILINE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				4-NITROPHENOL	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				ACENAPHTHENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				ACENAPHTHYLENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				ANTHRACENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				BENZO(A)ANTHRACENE	.34	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				BENZO(A)PYRENE	.33	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				BENZO(B)FLUORANTHENE	.55	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				BENZO(G,H,I)PERYLENE	.25	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				BENZO(K)FLUORANTHENE	.21	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				BIS(2-CHLOROETHOXY)METHANE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				BIS(2-CHLOROETHYL)ETHER	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				BIS(2-CHLOROISOPROPYL)ETHER	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				BIS(2-ETHYLHEXYL)PHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				BUTYLBENZYLPHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				CARBAZOLE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				CHRYSENE	.47	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				DI-N-BUTYLPHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				DI-N-OCTYLPHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				DIBENZO(A,H)ANTHRACENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0016	8270C	SW3550	N 0 1	DIBENZOFURAN	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				DIETHYLPHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				DIMETHYLPHTHALATE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				FLUORANTHENE	.78	mg/kg		Y	Y	P		ERS6					03A184-01	23:55
				FLUORENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				HEXACHLOROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				HEXACHLOROBUTADIENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				HEXACHLOROCYCLOPENTADIENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				HEXACHLOROETHANE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				INDENO(1,2,3-CD)PYRENE	.28	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				ISOPHORONE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				N-NITROSO-DI-N-PROPYLAMINE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				N-NITROSODIPHENYLAMINE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				NAPHTHALENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				NITROBENZENE	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				PENTACHLOROPHENOL	1	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				PHENANTHRENE	.3	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-01	23:55
				PHENOL	.55	mg/kg	U	N	Y	U	U	ERS6					03A184-01	23:55
				PYRENE	.76	mg/kg		Y	Y	P		ERS6					03A184-01	23:55
TT0017	8270C	SW3550	N 0 1	1,2,4-TRICHLOROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				1,2-DICHLOROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				1,3-DICHLOROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				1,4-DICHLOROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,4,5-TRICHLOROPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,4,6-TRICHLOROPHENOL	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,4-DICHLOROPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,4-DIMETHYLPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,4-DINITROPHENOL	.89	mg/kg	U	N	Y	U	UJ	ERS6	05B				03A184-02	00:29
				2,4-DINITROTOLUENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2,6-DINITROTOLUENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-CHLORONAPHTHALENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-CHLOROPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-METHYLNAPHTHALENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-METHYLPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-NITROANILINE	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				2-NITROPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				3,3'-DICHLOROBENZIDINE	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				3-NITROANILINE	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4,6-DINITRO-2-METHYLPHENOL	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-BROMOPHENYL-PHENYL ETHER	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0017	8270C	SW3550	N 0 1	4-CHLORO-3-METHYLPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-CHLOROANILINE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-CHLOROPHENYL-PHENYL ETHER	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-METHYLPHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-NITROANILINE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				4-NITROPHENOL	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				ACENAPHTHENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				ACENAPHTHYLENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				ANTHRACENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				BENZO(A)ANTHRACENE	.38	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				BENZO(A)PYRENE	.37	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				BENZO(B)FLUORANTHENE	.58	mg/kg		Y	Y	P		ERS6					03A184-02	00:29
				BENZO(G,H,I)PERYLENE	.3	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				BENZO(K)FLUORANTHENE	.23	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				BIS(2-CHLOROETHOXY)METHANE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				BIS(2-CHLOROETHYL)ETHER	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				BIS(2-CHLOROISOPROPYL)ETHER	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				BIS(2-ETHYLHEXYL)PHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				BUTYLBENZYLPHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				CARBAZOLE	.077	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				CHRYSENE	.49	mg/kg		Y	Y	P		ERS6					03A184-02	00:29
				DI-N-BUTYLPHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				DI-N-OCTYLPHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				DIBENZO(A,H)ANTHRACENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				DIBENZOFURAN	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				DIETHYLPHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				DIMETHYLPHTHALATE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				FLUORANTHENE	.86	mg/kg		Y	Y	P		ERS6					03A184-02	00:29
				FLUORENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				HEXACHLOROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				HEXACHLOROBUTADIENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				HEXACHLOROCYCLOPENTADIENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				HEXACHLOROETHANE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				INDENO(1,2,3-CD)PYRENE	.32	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				ISOPHORONE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				N-NITROSO-DI-N-PROPYLAMINE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				N-NITROSODIPHENYLAMINE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				NAPHTHALENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				NITROBENZENE	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				PENTACHLOROPHENOL	.89	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0017	8270C	SW3550	N 0 1	PHENANTHRENE	.37	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02	00:29
				PHENOL	.47	mg/kg	U	N	Y	U	U	ERS6					03A184-02	00:29
				PYRENE	.83	mg/kg		Y	Y	P		ERS6					03A184-02	00:29
TT0016	8260B	SW5035	N 0 .96	1,1,1,2-TETRACHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1,1-TRICHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1,2,2-TETRACHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1,2-TRICHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1-DICHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1-DICHLOROETHENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,1-DICHLOROPROPENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2,3-TRICHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2,3-TRICHLOROPROPANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2,4-TRICHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2,4-TRIMETHYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2-DIBROMO-3-CHLOROPROPANE	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2-DIBROMOETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2-DICHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2-DICHLOROETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,2-DICHLOROPROPANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,3,5-TRIMETHYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,3-DICHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,3-DICHLOROPROPANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				1,4-DICHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				2,2-DICHLOROPROPANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				2-BUTANONE	.032	mg/kg	U	N	Y	U	R	ERS6	05A				03A184-01R	12:02
				2-CHLOROTOLUENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				2-HEXANONE	.032	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				4-CHLOROTOLUENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				4-METHYL-2-PENTANONE	.032	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				ACETONE	.081	mg/kg		Y	Y	P	J	ERS6	04A	05A	05B		03A184-01R	12:02
				BENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				BROMOBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				BROMOCHLOROMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				BROMODICHLOROMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				BROMOFORM	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				BROMOMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CARBON DISULFIDE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CARBON TETRACHLORIDE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CHLOROBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CHLOROETHANE	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0016	8260B	SW5035	N 0 .96	CHLOROFORM	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CHLOROMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CIS-1,2-DICHLOROETHENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				CIS-1,3-DICHLOROPROPENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				DIBROMOCHLOROMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				DIBROMOMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				DICHLORODIFLUOROMETHANE	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				ETHYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				HEXACHLOROBUTADIENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				ISOPROPYL BENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				M/P-XYLENES	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				METHYLENE CHLORIDE	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				N-BUTYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				N-PROPYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				NAPHTHALENE	.016	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				O-XYLENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				P-ISOPROPYLTOLUENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				SEC-BUTYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				STYRENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TERT-BUTYLBENZENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TETRACHLOROETHENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TOLUENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TRANS-1,2-DICHLOROETHENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TRANS-1,3-DICHLOROPROPENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TRICHLOROETHENE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				TRICHLOROFLUOROMETHANE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
				VINYL CHLORIDE	.0079	mg/kg	U	N	Y	U	U	ERS6					03A184-01R	12:02
TT0017	8260B	SW5035	N 0 .86	1,1,1,2-TETRACHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1,1-TRICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1,2,2-TETRACHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1,2-TRICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1-DICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,1-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2,3-TRICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2,3-TRICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2,4-TRICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2,4-TRIMETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2-DIBROMO-3-CHLOROPROPANE	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2-DIBROMOETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0017	8260B	SW5035	N 0 .86	1,2-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2-DICHLOROETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,2-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,3,5-TRIMETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,3-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,3-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				1,4-DICHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				2,2-DICHLOROPROPANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				2-BUTANONE	.024	mg/kg	U	N	Y	U	R	ERS6	05A				03A184-02R	12:44
				2-CHLOROTOLUENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				2-HEXANONE	.024	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				4-CHLOROTOLUENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				4-METHYL-2-PENTANONE	.024	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				ACETONE	.15	mg/kg		Y	Y	P	J	ERS6	04A	05A	05B		03A184-02R	12:44
				BENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				BROMOBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				BROMOCHLOROMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				BROMODICHLOROMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				BROMOFORM	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				BROMOMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CARBON DISULFIDE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CARBON TETRACHLORIDE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CHLOROBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CHLOROETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CHLOROFORM	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CHLOROMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CIS-1,2-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				CIS-1,3-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				DIBROMOCHLOROMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				DIBROMOMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				DICHLORODIFLUOROMETHANE	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				ETHYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				HEXACHLOROBUTADIENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				ISOPROPYL BENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				M/P-XYLENES	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				METHYLENE CHLORIDE	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				N-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				N-PROPYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				NAPHTHALENE	.012	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				O-XYLENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-06																		
TT0017	8260B	SW5035	N 0 .86	P-ISOPROPYLTOLUENE	.028	mg/kg		Y	Y	P		ERS6					03A184-02R	12:44
				SEC-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				STYRENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TERT-BUTYLBENZENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TETRACHLOROETHENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TOLUENE	.0023	mg/kg	J	Y	Y	P	J	ERS6	15				03A184-02R	12:44
				TRANS-1,2-DICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TRANS-1,3-DICHLOROPROPENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TRICHLOROETHENE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				TRICHLOROFLUOROMETHANE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
				VINYL CHLORIDE	.0061	mg/kg	U	N	Y	U	U	ERS6					03A184-02R	12:44
10514-07																		
TT3010	8321	METHOD	Y 0 1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
				DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
				EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
				IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
				MPA	.1	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
				THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FLM7AW	00:05
TT3010	6010B	SW3010	N 0 1	ALUMINUM	.0872	mg/L	J	Y	Y	P	J	ERS6	15				03D047-01	12:29
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:32
				BARIUM	.0191	mg/L		Y	Y	P		ERS6					03D047-01	12:29
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				CADMIUM	.0066	mg/L	J	Y	Y	P	J	ERS6	15				03D047-01	12:29
				CALCIUM	2.85	mg/L		Y	Y	F	B	ERS6	06C				03D047-01	12:29
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				COPPER	.0165	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D047-01	12:29
				IRON	.73	mg/L	J	Y	Y	P	J	ERS6	15				03D047-01	12:29
				LEAD	.00211	mg/L	J	Y	Y	P	J	ERS6	15				03D047-01	12:32
				MAGNESIUM	1.88	mg/L		Y	Y	F	B	ERS6	06C				03D047-01	12:29
				MANGANESE	.117	mg/L		Y	Y	P		ERS6					03D047-01	12:29
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				POTASSIUM	2.4	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D047-01	12:29
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:32
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				SODIUM	1.39	mg/L		Y	Y	F	B	ERS6	06C				03D047-01	12:29
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:32
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D047-01	12:29

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1 2 3 4	Lab Sample:	Analysis Time:
10514-07													
TT3010	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N Y U	U	ERS6		03D047-01	16:54
TT3010	8270CWM	SW3520	N 0 1	1,4-DITHIANE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				1,4-OXATHIANE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				P-CHLOROPHENYLMETHYL SULFONE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				P-CHLOROPHENYLMETHYL SULFOXIDE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
TT3010	8270C	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				1,2-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				1,3-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				1,4-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4-DICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4-DINITROPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,4-DINITROTOLUENE	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2,6-DINITROTOLUENE	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-CHLORONAPHTHALENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-CHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-METHYLNAPHTHALENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-NITROANILINE	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				2-NITROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				3-NITROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-CHLOROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-NITROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				4-NITROPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				ACENAPHTHENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				ACENAPHTHYLENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				ANTHRACENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				BENZO(A)ANTHRACENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				BENZO(A)PYRENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N Y U	U	ERS6		03D047-01	17:42

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-07																		
TT3010	8270C	SW3520	N 0 1	BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
				PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D047-01	17:42
TT3010	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-07																		
TT3010	8260B	SW5030	N 0 1	1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D047-01	23:48
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A	05B		03D047-01	23:48
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05B			03D047-01	23:48
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	UJ	ERS6	05B				03D047-01	23:48
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D047-01	23:48
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D047-01	23:48
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-07																				
TT3010	8260B	SW5030	N	0	1	NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						P-ISOPROPYLTOLUENE	.0006	mg/L	J	Y	Y	P	J	ERS6	15				03D047-01	23:48
						SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D047-01	23:48
						TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
						TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D047-01	23:48
						VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D047-01	23:48
10514-08																				
TT3005	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0XKW	23:56
TT3011	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0W0W	22:31
TT3012	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0XAW	22:53
TT3013	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0XRW	00:17
TT3016	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3016	8321	METHOD	Y 0 1	DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14
				EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14
				IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14
				MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14
				THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0XDW	23:14
TT3005	6010B	SW3010	N 0 1	ALUMINUM	.0581	mg/L	J	Y	Y	F	B	ERS6	06A	15			03D064-02	15:22
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				ARSENIC	.00382	mg/L	J	Y	Y	F	B	ERS6	06B	15			03D064-02	15:47
				BARIUM	.0745	mg/L		Y	Y	P		ERS6					03D064-02	15:22
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				CALCIUM	53	mg/L		Y	Y	P		ERS6					03D064-02	15:22
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				IRON	2.94	mg/L		Y	Y	P		ERS6					03D064-02	15:22
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:47
				MAGNESIUM	2.47	mg/L		Y	Y	F	B	ERS6	06C				03D064-02	15:22
				MANGANESE	6.19	mg/L		Y	Y	P		ERS6					03D064-02	15:22
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				POTASSIUM	.787	mg/L	J	Y	Y	F	B	ERS6	06A	06B	06C	15	03D064-02	15:22
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:47
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				SODIUM	13.4	mg/L		Y	Y	F	B	ERS6	06C				03D064-02	15:22
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:47
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D064-02	15:22
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D064-02	11:10
TT3011	6010B	SW3010	N 0 1	ALUMINUM	.148	mg/L	J	Y	Y	F	B	ERS6	06A	15			03D056-02	15:04
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				ARSENIC	.00286	mg/L	J	Y	Y	F	B	ERS6	06B	15			03D056-02	15:25
				BARIUM	.0807	mg/L		Y	Y	P		ERS6					03D056-02	15:04
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				CALCIUM	8.41	mg/L		Y	Y	F	B	ERS6	06C				03D056-02	15:04
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				IRON	7.68	mg/L		Y	Y	P		ERS6					03D056-02	15:04
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3011	6010B	SW3010	N 0 1	MAGNESIUM	4.55	mg/L		Y	Y	F	B	ERS6	06C				03D056-02	15:04
				MANGANESE	.168	mg/L		Y	Y	P		ERS6					03D056-02	15:04
				NICKEL	.0214	mg/L		Y	Y	P		ERS6					03D056-02	15:04
				POTASSIUM	1.19	mg/L	J	Y	Y	F	B	ERS6	06A	06B	06C	15	03D056-02	15:04
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:25
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				SODIUM	6.31	mg/L		Y	Y	F	B	ERS6	06C				03D056-02	15:04
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:25
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-02	15:04
				ZINC	.0373	mg/L	J	Y	Y	P	J	ERS6	15				03D056-02	15:04
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D056-02	11:02
TT3012	6010B	SW3010	N 0 1	ALUMINUM	.123	mg/L	J	Y	Y	F	B	ERS6	06A	15			03D056-03	15:13
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:36
				BARIUM	.0163	mg/L		Y	Y	P		ERS6					03D056-03	15:13
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				CALCIUM	1.26	mg/L		Y	Y	F	B	ERS6	06C				03D056-03	15:13
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				IRON	2.75	mg/L		Y	Y	P		ERS6					03D056-03	15:13
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:36
				MAGNESIUM	4.21	mg/L		Y	Y	F	B	ERS6	06C				03D056-03	15:13
				MANGANESE	.0485	mg/L	J	Y	Y	P	J	ERS6	15				03D056-03	15:13
				NICKEL	.023	mg/L		Y	Y	P		ERS6					03D056-03	15:13
				POTASSIUM	1.17	mg/L	J	Y	Y	F	B	ERS6	06A	06B	06C	15	03D056-03	15:13
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:36
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				SODIUM	1.17	mg/L		Y	Y	F	B	ERS6	06C				03D056-03	15:13
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:36
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-03	15:13
				ZINC	.0886	mg/L	J	Y	Y	P	J	ERS6	15				03D056-03	15:13
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D056-03	11:06
TT3013	6010B	SW3010	N 0 1	ALUMINUM	.105	mg/L	J	Y	Y	F	B	ERS6	06A	15			03D064-03	15:27
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:53
				BARIUM	.115	mg/L		Y	Y	P		ERS6					03D064-03	15:27
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3013	6010B	SW3010	N 0 1	CALCIUM	16.6	mg/L		Y	Y	P		ERS6					03D064-03	15:27
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				IRON	6.09	mg/L		Y	Y	P		ERS6					03D064-03	15:27
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:53
				MAGNESIUM	9.45	mg/L		Y	Y	F	B	ERS6	06C				03D064-03	15:27
				MANGANESE	.187	mg/L		Y	Y	P		ERS6					03D064-03	15:27
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				POTASSIUM	1.46	mg/L	J	Y	Y	F	B	ERS6	06A	06B	06C	15	03D064-03	15:27
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:53
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				SODIUM	6.27	mg/L		Y	Y	F	B	ERS6	06C				03D064-03	15:27
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:53
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D064-03	15:27
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D064-03	11:13
TT3016	6010B	SW3010	N 0 1	ALUMINUM	.104	mg/L	J	Y	Y	F	B	ERS6	06A	15			03D056-04	15:18
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:42
				BARIUM	.0676	mg/L		Y	Y	P		ERS6					03D056-04	15:18
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				CALCIUM	69.8	mg/L		Y	Y	P		ERS6					03D056-04	15:18
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				IRON	.139	mg/L	J	Y	Y	P	J	ERS6	15				03D056-04	15:18
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:42
				MAGNESIUM	5.5	mg/L		Y	Y	F	B	ERS6	06C				03D056-04	15:18
				MANGANESE	1.1	mg/L		Y	Y	P		ERS6					03D056-04	15:18
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				POTASSIUM	3.07	mg/L	J	Y	Y	F	B	ERS6	06A	06B	06C	15	03D056-04	15:18
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:42
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				SODIUM	4.06	mg/L		Y	Y	F	B	ERS6	06C				03D056-04	15:18
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:42
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D056-04	15:18
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D056-04	11:08

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																				
TT3005	8270CWM	SW3520	N	0	.98	1,4-DITHIANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						1,4-OXATHIANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						P-CHLOROPHENYLMETHYL SULFONE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						P-CHLOROPHENYLMETHYL SULFOXIDE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
TT3011	8270CWM	SW3520	N	0	.96	1,4-DITHIANE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
						1,4-OXATHIANE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
						P-CHLOROPHENYLMETHYL SULFONE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
						P-CHLOROPHENYLMETHYL SULFOXIDE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
TT3012	8270CWM	SW3520	N	0	.95	1,4-DITHIANE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
						1,4-OXATHIANE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
						P-CHLOROPHENYLMETHYL SULFONE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
						P-CHLOROPHENYLMETHYL SULFOXIDE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
TT3013	8270CWM	SW3520	N	0	.99	1,4-DITHIANE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
						1,4-OXATHIANE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
						P-CHLOROPHENYLMETHYL SULFONE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
						P-CHLOROPHENYLMETHYL SULFOXIDE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
TT3016	8270CWM	SW3520	N	0	.98	1,4-DITHIANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
						1,4-OXATHIANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
						P-CHLOROPHENYLMETHYL SULFONE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
						P-CHLOROPHENYLMETHYL SULFOXIDE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
TT3005	8270C	SW3520	N	0	.98	1,2,4-TRICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						1,2-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						1,3-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						1,4-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4,5-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4,6-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4-DICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4-DIMETHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-CHLORONAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-CHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-METHYLNAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						2-NITROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						3,3'-DICHLOROBENZIDINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
						3-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3005	8270C	SW3520	N 0 .98	4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-CHLORO-3-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-CHLOROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-CHLOROPHENYL-PHENYL ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				ACENAPHTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				ACENAPHTHYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BENZO(A)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BENZO(A)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BENZO(B)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BENZO(G,H,I)PERYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BENZO(K)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BIS(2-CHLOROETHOXY)METHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BIS(2-CHLOROETHYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BIS(2-CHLOROISOPROPYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				BUTYLBENZYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				CARBAZOLE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				CHRYSENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DI-N-BUTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DI-N-OCTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DIBENZO(A,H)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DIBENZOFURAN	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				FLUORENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				HEXACHLOROBUTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				HEXACHLOROCYCLOPENTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				HEXACHLOROETHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				INDENO(1,2,3-CD)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				ISOPHORONE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				N-NITROSO-DI-N-PROPYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				N-NITROSODIPHENYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				NAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3005	8270C	SW3520	N 0 .98	NITROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				PHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
				PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D064-02	02:12
TT3011	8270C	SW3520	N 0 .96	1,2,4-TRICHLOROBENZENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				1,2-DICHLOROBENZENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				1,3-DICHLOROBENZENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				1,4-DICHLOROBENZENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4,5-TRICHLOROPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4,6-TRICHLOROPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4-DICHLOROPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4-DIMETHYLPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4-DINITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,4-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2,6-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-CHLORONAPHTHALENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-CHLOROPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-METHYLNAPHTHALENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-METHYLPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-NITROANILINE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				2-NITROPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				3,3'-DICHLOROBENZIDINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				3-NITROANILINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-CHLORO-3-METHYLPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-CHLOROANILINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-CHLOROPHENYL-PHENYL ETHER	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-METHYLPHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-NITROANILINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				4-NITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				ACENAPHTHENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				ACENAPHTHYLENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				ANTHRACENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BENZO(A)ANTHRACENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BENZO(A)PYRENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BENZO(B)FLUORANTHENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BENZO(G,H,I)PERYLENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BENZO(K)FLUORANTHENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3011	8270C	SW3520	N 0 .96	BIS(2-CHLOROETHOXY)METHANE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BIS(2-CHLOROETHYL)ETHER	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BIS(2-CHLOROISOPROPYL)ETHER	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BIS(2-ETHYLHEXYL)PHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				BUTYLBENZYLPHTHALATE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				CARBAZOLE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				CHRYSENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DI-N-BUTYLPHTHALATE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DI-N-OCTYLPHTHALATE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DIBENZO(A,H)ANTHRACENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DIBENZOFURAN	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				FLUORANTHENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				FLUORENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				HEXACHLOROBUTADIENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				HEXACHLOROCYCLOPENTADIENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				HEXACHLOROETHANE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				INDENO(1,2,3-CD)PYRENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				ISOPHORONE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				N-NITROSO-DI-N-PROPYLAMINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				N-NITROSODIPHENYLAMINE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				NAPHTHALENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				NITROBENZENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				PHENANTHRENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				PHENOL	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
				PYRENE	.0096	mg/L	U	N	Y	U	U	ERS6					03D056-02	00:30
TT3012	8270C	SW3520	N 0 .95	1,2,4-TRICHLOROBENZENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				1,2-DICHLOROBENZENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				1,3-DICHLOROBENZENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				1,4-DICHLOROBENZENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4,5-TRICHLOROPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4,6-TRICHLOROPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4-DICHLOROPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4-DIMETHYLPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4-DINITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,4-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2,6-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3012	8270C	SW3520	N 0 .95	2-CHLORONAPHTHALENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2-CHLOROPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2-METHYLNAPHTHALENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2-METHYLPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2-NITROANILINE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				2-NITROPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				3,3'-DICHLOROBENZIDINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				3-NITROANILINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-CHLORO-3-METHYLPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-CHLOROANILINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-CHLOROPHENYL-PHENYL ETHER	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-METHYLPHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-NITROANILINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				4-NITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				ACENAPHTHENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				ACENAPHTHYLENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				ANTHRACENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BENZO(A)ANTHRACENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BENZO(A)PYRENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BENZO(B)FLUORANTHENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BENZO(G,H,I)PERYLENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BENZO(K)FLUORANTHENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BIS(2-CHLOROETHOXY)METHANE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BIS(2-CHLOROETHYL)ETHER	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BIS(2-CHLOROISOPROPYL)ETHER	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BIS(2-ETHYLHEXYL)PHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				BUTYLBENZYLPHTHALATE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				CARBAZOLE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				CHRYSENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DI-N-BUTYLPHTHALATE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DI-N-OCTYLPHTHALATE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DIBENZO(A,H)ANTHRACENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DIBENZOFURAN	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				FLUORANTHENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				FLUORENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3012	8270C	SW3520	N 0 .95	HEXACHLOROBUTADIENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				HEXACHLOROCYCLOPENTADIENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				HEXACHLOROETHANE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				INDENO(1,2,3-CD)PYRENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				ISOPHORONE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				N-NITROSO-DI-N-PROPYLAMINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				N-NITROSODIPHENYLAMINE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				NAPHTHALENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				NITROBENZENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				PHENANTHRENE	.019	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				PHENOL	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
				PYRENE	.0095	mg/L	U	N	Y	U	U	ERS6					03D056-03	01:04
TT3013	8270C	SW3520	N 0 .99	1,2,4-TRICHLOROBENZENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				1,2-DICHLOROBENZENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				1,3-DICHLOROBENZENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				1,4-DICHLOROBENZENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4,5-TRICHLOROPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4,6-TRICHLOROPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4-DICHLOROPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4-DIMETHYLPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-CHLORONAPHTHALENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-CHLOROPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-METHYLNAPHTHALENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-METHYLPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				2-NITROPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				3,3'-DICHLOROBENZIDINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				3-NITROANILINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-CHLORO-3-METHYLPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-CHLOROANILINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-CHLOROPHENYL-PHENYL ETHER	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-METHYLPHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-NITROANILINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3013	8270C	SW3520	N 0 .99	ACENAPHTHENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				ACENAPHTHYLENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				ANTHRACENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BENZO(A)ANTHRACENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BENZO(A)PYRENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BENZO(B)FLUORANTHENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BENZO(G,H,I)PERYLENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BENZO(K)FLUORANTHENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BIS(2-CHLOROETHOXY)METHANE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BIS(2-CHLOROETHYL)ETHER	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BIS(2-CHLOROISOPROPYL)ETHER	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				BUTYLBENZYLPHTHALATE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				CARBAZOLE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				CHRYSENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DI-N-BUTYLPHTHALATE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DI-N-OCTYLPHTHALATE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DIBENZO(A,H)ANTHRACENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DIBENZOFURAN	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				FLUORANTHENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				FLUORENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				HEXACHLOROBUTADIENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				HEXACHLOROCYCLOPENTADIENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				HEXACHLOROETHANE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				INDENO(1,2,3-CD)PYRENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				ISOPHORONE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				N-NITROSO-DI-N-PROPYLAMINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				N-NITROSODIPHENYLAMINE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				NAPHTHALENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				NITROBENZENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				PHENOL	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
				PYRENE	.0099	mg/L	U	N	Y	U	U	ERS6					03D064-03	02:46
TT3016	8270C	SW3520	N 0 .98	1,2,4-TRICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				1,2-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				1,3-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3016	8270C	SW3520	N 0 .98	1,4-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4,5-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4,6-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4-DICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4-DIMETHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-CHLORONAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-CHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-METHYLNAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				2-NITROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				3,3'-DICHLOROBENZIDINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				3-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-CHLORO-3-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-CHLOROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-CHLOROPHENYL-PHENYL ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				ACENAPHTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				ACENAPHTHYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BENZO(A)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BENZO(A)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BENZO(B)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BENZO(G,H,I)PERYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BENZO(K)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BIS(2-CHLOROETHOXY)METHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BIS(2-CHLOROETHYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BIS(2-CHLOROISOPROPYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				BUTYLBENZYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				CARBAZOLE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				CHRYSENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				DI-N-BUTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3016	8270C	SW3520	N 0 .98	DI-N-OCTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				DIBENZO(A,H)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				DIBENZOFURAN	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				FLUORENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				HEXACHLOROBUTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				HEXACHLOROCYCLOPENTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				HEXACHLOROETHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				INDENO(1,2,3-CD)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				ISOPHORONE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				N-NITROSO-DI-N-PROPYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				N-NITROSODIPHENYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				NAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				NITROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				PHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
				PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D056-04	01:38
TT3005	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3005	8260B	SW5030	N 0 1	1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D064-02	06:02
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D064-02	06:02
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				ACETONE	.32	mg/L	E	Y	N	P	R	NO	16				03D064-02	06:02
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CARBON DISULFIDE	.00053	mg/L	J	Y	Y	P	J	ERS6	15				03D064-02	06:02
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				METHYLENE CHLORIDE	.00021	mg/L	J	Y	Y	P	J	ERS6	15				03D064-02	06:02
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3005	8260B	SW5030	N 0 1	TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-02	06:02
	8260B	SW5030	N 1 5	1,1,1,2-TETRACHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1,1-TRICHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1,2,2-TETRACHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1,2-TRICHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1-DICHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1-DICHLOROETHENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,1-DICHLOROPROPENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2,3-TRICHLOROBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2,3-TRICHLOROPROPANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2,4-TRICHLOROBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2,4-TRIMETHYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2-DIBROMO-3-CHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2-DIBROMOETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2-DICHLOROBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2-DICHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,2-DICHLOROPROPANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,3,5-TRIMETHYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,3-DICHLOROBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,3-DICHLOROPROPANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				1,4-DICHLOROBENZENE	.025	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				2,2-DICHLOROPROPANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				2-BUTANONE	.05	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				2-CHLOROTOLUENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				2-HEXANONE	.05	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				4-CHLOROTOLUENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				4-METHYL-2-PENTANONE	.05	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				ACETONE	.34	mg/L		Y	Y	P	J	ERS6	04A	05A			03D064-02T	14:28
				BENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				BROMOBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				BROMOCHLOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				BROMODICHLOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				BROMOFORM	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				BROMOMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CARBON DISULFIDE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CARBON TETRACHLORIDE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3005	8260B	SW5030	N 1 5	CHLOROBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CHLOROETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CHLOROFORM	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CHLOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CIS-1,2-DICHLOROETHENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				CIS-1,3-DICHLOROPROPENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				DIBROMOCHLOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				DIBROMOMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				DICHLORODIFLUOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				ETHYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				HEXACHLOROBUTADIENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				ISOPROPYL BENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				M/P-XYLENES	.01	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				METHYLENE CHLORIDE	.01	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				N-BUTYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				N-PROPYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				NAPHTHALENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				O-XYLENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				P-ISOPROPYLTOLUENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				SEC-BUTYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				STYRENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TERT-BUTYLBENZENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TETRACHLOROETHENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TOLUENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TRANS-1,2-DICHLOROETHENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TRANS-1,3-DICHLOROPROPENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TRICHLOROETHENE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				TRICHLOROFLUOROMETHANE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
				VINYL CHLORIDE	.005	mg/L	U	N	N	U	R	NO	16				03D064-02T	14:28
TT3011	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3011	8260B	SW5030	N 0 1	1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-02	07:13
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-02	07:13
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-02	07:13
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3011	8260B	SW5030	N 0 1	NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-02	07:13
TT3012	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-03	07:49
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-03	07:49
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-03	07:49

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3012	8260B	SW5030	N 0 1	BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-03	07:49
TT3013	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3013	8260B	SW5030	N 0 1	1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D064-03	06:38
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D064-03	06:38
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D064-03	06:38
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3013	8260B	SW5030	N 0 1	DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TRICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D064-03	06:38
TT3016	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																		
TT3016	8260B	SW5030	N 0 1	1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-04	08:25
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-04	08:25
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D056-04	08:25
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-08																				
TT3016	8260B	SW5030	N	0	1	TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
						TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
						TRICHLOROETHENE	.019	mg/L		Y	Y	P		ERS6					03D056-04	08:25
						TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
						VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D056-04	08:25
10514-09																				
TT3017	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL0HRW	20:46
						DMMP	.01	mg/L	U	N	Y	U	UJ	ERS6	08B				FL0HRW	20:46
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL0HRW	20:46
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL0HRW	20:46
						MPA	.1	mg/L	U	N	Y	U	UJ	ERS6	08B				FL0HRW	20:46
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL0HRW	20:46
TT3017	6010B	SW3010	N	0	1	ALUMINUM	3.01	mg/L		Y	Y	P	J	ERS6	13				03D068-02	13:46
						ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	14:41
						BARIUM	.0202	mg/L		Y	Y	P		ERS6					03D068-02	13:46
						BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						CALCIUM	2.25	mg/L		Y	Y	F	B	ERS6	06C				03D068-02	13:46
						CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						IRON	3.48	mg/L		Y	Y	P		ERS6					03D068-02	13:46
						LEAD	.00244	mg/L	J	Y	Y	P	J	ERS6	15				03D068-02	14:41
						MAGNESIUM	.791	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D068-02	13:46
						MANGANESE	.108	mg/L		Y	Y	P		ERS6					03D068-02	13:46
						NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						POTASSIUM	2.1	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D068-02	13:46
						SELENIUM	.00488	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D068-02	14:41
						SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
						SODIUM	1.09	mg/L		Y	Y	F	B	ERS6	06C				03D068-02	13:46
						THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	14:41
						VANADIUM	.00587	mg/L	J	Y	Y	P	J	ERS6	15				03D068-02	13:46
						ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D068-02	13:46
	7470A	TOTAL	N	0	1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D068-02	12:57
TT3017	8270CWM	SW3520	N	0	1	1,4-DITHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
						1,4-OXATHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
						P-CHLOROPHENYLMETHYL SULFONE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
						P-CHLOROPHENYLMETHYL SULFOXIDE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-09																		
TT3017	8270C	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				3-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-09																		
TT3017	8270C	SW3520	N 0 1	CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
				PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	03:54
TT3017	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-09																		
TT3017	8260B	SW5030	N 0 1	1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D068-02	15:58
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				2-HEXANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D068-02	15:58
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				BROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D068-02	15:58
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D068-02	15:58
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				NAPHTHALENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-09																				
TT3017	8260B	SW5030	N	0	1	TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						TRICHLOROETHENE	.00023	mg/L	J	Y	Y	P	J	ERS6	15				03D068-02	15:58
						TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
						VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D068-02	15:58
10514-10																				
TT3006	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL6APW	00:38
TT3007	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL6A5W	02:02
TT3008	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
						DMMP	.01	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
						EMPA	.01	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
						IMPA	.02	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
						MPA	.1	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
						THIODIGLYCOL	.01	mg/L	U	N	Y		U	ERS6					FL6A7W	02:23
TT3009	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL6A0W	00:59
TT3014	8321	METHOD	Y	0	1	DIMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20
						DMMP	.01	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20
						EMPA	.01	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20
						IMPA	.02	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20
						MPA	.1	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20
						THIODIGLYCOL	.01	mg/L	U	N	Y	U	U	ERS6					FL6A3W	01:20

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3015	8321	METHOD	Y 0 1	DIMP	.01	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
				DMMP	.01	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
				EMPA	.01	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
				IMPA	.02	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
				MPA	.1	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
				THIODIGLYCOL	.01	mg/L	U	N	Y		U	ERS6					FL6A4W	01:41
TT3006	6010B	SW3010	N 0 1	ALUMINUM	.2	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:33
				BARIUM	.0182	mg/L		Y	Y	P		ERS6					03D080-02	14:44
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				CALCIUM	66.9	mg/L		Y	Y	P		ERS6					03D080-02	14:44
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				IRON	.0356	mg/L	J	Y	Y	P	J	ERS6	15				03D080-02	14:44
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:33
				MAGNESIUM	1.89	mg/L		Y	Y	F	B	ERS6	06C				03D080-02	14:44
				MANGANESE	.00851	mg/L	J	Y	Y	P	J	ERS6	15				03D080-02	14:44
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				POTASSIUM	1.81	mg/L	J	Y	Y	F	B	ERS6	06B	06C	15		03D080-02	14:44
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:33
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				SODIUM	1.66	mg/L		Y	Y	F	B	ERS6	06C				03D080-02	14:44
				THALLIUM	.00537	mg/L	J	Y	Y	F	B	ERS6	06B	15			03D080-02	15:33
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D080-02	14:44
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D080-02	12:05
TT3007	6010B	SW3010	N 0 1	ALUMINUM	.2	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				ARSENIC	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	16:14
				BARIUM	.0123	mg/L		Y	Y	F	B	ERS6	06C				03D096-02	15:07
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				CALCIUM	3.66	mg/L		Y	Y	F	B	ERS6	06C				03D096-02	15:07
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				COBALT	.0163	mg/L	J	Y	Y	P	J	ERS6	15				03D096-02	15:07
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				IRON	6.01	mg/L		Y	Y	P		ERS6					03D096-02	15:07

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3007	6010B	SW3010	N 0 1	LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	16:14
				MAGNESIUM	.494	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D096-02	15:07
				MANGANESE	.845	mg/L		Y	Y	P		ERS6					03D096-02	15:07
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				POTASSIUM	5	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	16:14
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				SODIUM	.506	mg/L	J	Y	Y	F	B	ERS6	06C	15	17		03D096-02	15:07
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	16:14
				VANADIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D096-02	15:07
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D096-02	12:18
TT3008	6010B	SW3010	N 0 1	ALUMINUM	.2	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				ANTIMONY	.1	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				ARSENIC	.01	mg/L	U	N	Y		U	ERS6					03D096-03	16:20
				BARIUM	.015	mg/L		Y	Y	P		ERS6					03D096-03	15:21
				BERYLLIUM	.01	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				CADMIUM	.01	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				CALCIUM	4.4	mg/L		Y	Y	F	B	ERS6	06C				03D096-03	15:21
				CHROMIUM	.02	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				COBALT	.0161	mg/L	J	Y	Y	P	J	ERS6	15				03D096-03	15:21
				COPPER	.02	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				IRON	7.59	mg/L		Y	Y	P		ERS6					03D096-03	15:21
				LEAD	.01	mg/L	U	N	Y		U	ERS6					03D096-03	16:20
				MAGNESIUM	.567	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D096-03	15:21
				MANGANESE	1.03	mg/L		Y	Y	P		ERS6					03D096-03	15:21
				NICKEL	.02	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				POTASSIUM	.934	mg/L	J	Y	Y	F	B	ERS6	06B	06C	15		03D096-03	15:21
				SELENIUM	.01	mg/L	U	N	Y		U	ERS6					03D096-03	16:20
				SILVER	.02	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				SODIUM	1.16	mg/L		Y	Y	F	B	ERS6	06C	17			03D096-03	15:21
				THALLIUM	.01	mg/L	U	N	Y		U	ERS6					03D096-03	16:20
				VANADIUM	.02	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
				ZINC	.1	mg/L	U	N	Y		U	ERS6					03D096-03	15:21
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y		U	ERS6					03D096-03	12:20
TT3009	6010B	SW3010	N 0 1	ALUMINUM	1.3	mg/L		Y	Y	P		ERS6					03D080-03	14:53
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				ARSENIC	.00453	mg/L	J	Y	Y	P	J	ERS6	15	17			03D080-03	15:46
				BARIUM	.0669	mg/L		Y	Y	P		ERS6					03D080-03	14:53
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3009	6010B	SW3010	N 0 1	CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				CALCIUM	82.2	mg/L		Y	Y	P		ERS6					03D080-03	14:53
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				IRON	.027	mg/L	J	Y	Y	P	J	ERS6	15				03D080-03	14:53
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D080-03	15:46
				MAGNESIUM	1	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				MANGANESE	.1	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				POTASSIUM	17.6	mg/L		Y	Y	F	B	ERS6	06C				03D080-03	14:53
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-03	15:46
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
				SODIUM	21.1	mg/L		Y	Y	F	B	ERS6	06C				03D080-03	14:53
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-03	15:46
				VANADIUM	.00882	mg/L	J	Y	Y	P	J	ERS6	15				03D080-03	14:53
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D080-03	14:53
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D080-03	12:07
TT3014	6010B	SW3010	N 0 1	ALUMINUM	4.48	mg/L		Y	Y	P		ERS6					03D080-04	14:58
				ANTIMONY	.1	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				ARSENIC	.00188	mg/L	J	Y	Y	P	J	ERS6	15				03D080-04	15:52
				BARIUM	.0463	mg/L		Y	Y	P		ERS6					03D080-04	14:58
				BERYLLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				CADMIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				CALCIUM	8.61	mg/L		Y	Y	P		ERS6					03D080-04	14:58
				CHROMIUM	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				COBALT	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				COPPER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				IRON	2.2	mg/L		Y	Y	P		ERS6					03D080-04	14:58
				LEAD	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	15:52
				MAGNESIUM	.552	mg/L	J	Y	Y	F	B	ERS6	06C	15			03D080-04	14:58
				MANGANESE	.0738	mg/L	J	Y	Y	P	J	ERS6	15				03D080-04	14:58
				NICKEL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				POTASSIUM	2.76	mg/L	J	Y	Y	F	B	ERS6	06B	06C	15		03D080-04	14:58
				SELENIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	15:52
				SILVER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58
				SODIUM	10.9	mg/L		Y	Y	F	B	ERS6	06C				03D080-04	14:58
				THALLIUM	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	15:52
				VANADIUM	.00742	mg/L	J	Y	Y	P	J	ERS6	15				03D080-04	14:58
				ZINC	.1	mg/L	U	N	Y	U	U	ERS6					03D080-04	14:58

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y	U	U	ERS6					03D080-04	12:09
TT3015	6010B	SW3010	N 0 1	ALUMINUM	1.34	mg/L		Y	Y	P		ERS6					03D080-05	15:02
				ANTIMONY	.1	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				ARSENIC	.00193	mg/L	J	Y	Y	P	J	ERS6	15	17			03D080-05	15:57
				BARIUM	.0686	mg/L		Y	Y	P		ERS6					03D080-05	15:02
				BERYLLIUM	.01	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				CADMIUM	.01	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				CALCIUM	83.8	mg/L		Y	Y	P		ERS6					03D080-05	15:02
				CHROMIUM	.02	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				COBALT	.02	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				COPPER	.02	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				IRON	.0332	mg/L	J	Y	Y	P	J	ERS6	15				03D080-05	15:02
				LEAD	.01	mg/L	U	N	Y		U	ERS6					03D080-05	15:57
				MAGNESIUM	1	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				MANGANESE	.1	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				NICKEL	.02	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				POTASSIUM	17.8	mg/L		Y	Y	F	B	ERS6	06C				03D080-05	15:02
				SELENIUM	.01	mg/L	U	N	Y		U	ERS6					03D080-05	15:57
				SILVER	.02	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
				SODIUM	21.3	mg/L		Y	Y	F	B	ERS6	06C				03D080-05	15:02
				THALLIUM	.01	mg/L	U	N	Y		U	ERS6					03D080-05	15:57
				VANADIUM	.00744	mg/L	J	Y	Y	P	J	ERS6	15				03D080-05	15:02
				ZINC	.1	mg/L	U	N	Y		U	ERS6					03D080-05	15:02
	7470A	TOTAL	N 0 1	MERCURY	.0005	mg/L	U	N	Y		U	ERS6					03D080-05	12:11
TT3006	8270CWM	SW3520	N 0 1	1,4-DITHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:51
				1,4-OXATHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:51
				P-CHLOROPHENYLMETHYL SULFONE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:51
				P-CHLOROPHENYLMETHYL SULFOXIDE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	15:51
TT3007	8270CWM	SW3520	N 0 1.01	1,4-DITHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	18:06
				1,4-OXATHIANE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	18:06
				P-CHLOROPHENYLMETHYL SULFONE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	18:06
				P-CHLOROPHENYLMETHYL SULFOXIDE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	18:06
TT3008	8270CWM	SW3520	N 0 .96	1,4-DITHIANE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	18:40
				1,4-OXATHIANE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	18:40
				P-CHLOROPHENYLMETHYL SULFONE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	18:40
				P-CHLOROPHENYLMETHYL SULFOXIDE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	18:40
TT3009	8270CWM	SW3520	N 0 .94	1,4-DITHIANE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	16:25
				1,4-OXATHIANE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	16:25
				P-CHLOROPHENYLMETHYL SULFONE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	16:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit Use BCF	Val Qlfr	Val Code:	Reason Codes 1 2 3 4	Lab Sample:	Analysis Time:
10514-10													
TT3009	8270CWM	SW3520	N 0 .94	P-CHLOROPHENYLMETHYL SULFOXIDE	.0094	mg/L	U	N Y U	U	ERS6		03D080-03	16:25
TT3014	8270CWM	SW3520	N 0 .98	1,4-DITHIANE	.0098	mg/L	U	N Y U	U	ERS6		03D080-04	16:59
				1,4-OXATHIANE	.0098	mg/L	U	N Y U	U	ERS6		03D080-04	16:59
				P-CHLOROPHENYLMETHYL SULFONE	.0098	mg/L	U	N Y U	U	ERS6		03D080-04	16:59
				P-CHLOROPHENYLMETHYL SULFOXIDE	.0098	mg/L	U	N Y U	U	ERS6		03D080-04	16:59
TT3015	8270CWM	SW3520	N 0 .96	1,4-DITHIANE	.0096	mg/L	U	N Y	U	ERS6		03D080-05	17:32
				1,4-OXATHIANE	.0096	mg/L	U	N Y	U	ERS6		03D080-05	17:32
				P-CHLOROPHENYLMETHYL SULFONE	.0096	mg/L	U	N Y	U	ERS6		03D080-05	17:32
				P-CHLOROPHENYLMETHYL SULFOXIDE	.0096	mg/L	U	N Y	U	ERS6		03D080-05	17:32
TT3006	8270C	SW3520	N 0 1	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				1,2-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				1,3-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				1,4-DICHLOROBENZENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4-DICHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4-DIMETHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4-DINITROPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,4-DINITROTOLUENE	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2,6-DINITROTOLUENE	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-CHLORONAPHTHALENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-CHLOROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-METHYLNAPHTHALENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-NITROANILINE	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				2-NITROPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				3-NITROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-CHLOROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-METHYLPHENOL	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-NITROANILINE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				4-NITROPHENOL	.02	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				ACENAPHTHENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				ACENAPHTHYLENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				ANTHRACENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16
				BENZO(A)ANTHRACENE	.01	mg/L	U	N Y U	U	ERS6		03D080-02	17:16

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3006	8270C	SW3520	N 0 1	BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
				PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	17:16
TT3007	8270C	SW3520	N 0 1.01	1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				1,4-DICHLOROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,4,5-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,4,6-TRICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,4-DICHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3007	8270C	SW3520	N 0 1.01	2,4-DIMETHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-CHLORONAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-CHLOROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-METHYLNAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				2-NITROPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				3,3'-DICHLOROBENZIDINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				3-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-CHLORO-3-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-CHLOROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-CHLOROPHENYL-PHENYL ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-METHYLPHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-NITROANILINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				ACENAPHTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				ACENAPHTHYLENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BENZO(A)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BENZO(A)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BENZO(B)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BENZO(G,H,I)PERYLENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BENZO(K)FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BIS(2-CHLOROETHOXY)METHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BIS(2-CHLOROETHYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BIS(2-CHLOROISOPROPYL)ETHER	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				BUTYLBENZYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				CARBAZOLE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				CHRYSENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				DI-N-BUTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				DI-N-OCTYLPHTHALATE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				DIBENZO(A,H)ANTHRACENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				DIBENZOFURAN	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt	REX	Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																				
TT3007	8270C	SW3520	N	0	1.01	DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						FLUORANTHENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						FLUORENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						HEXACHLOROBUTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						HEXACHLOROCYCLOPENTADIENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						HEXACHLOROETHANE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						INDENO(1,2,3-CD)PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						ISOPHORONE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						N-NITROSO-DI-N-PROPYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						N-NITROSODIPHENYLAMINE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						NAPHTHALENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						NITROBENZENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						PHENOL	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
						PYRENE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	19:16
TT3008	8270C	SW3520	N	0	.96	1,2,4-TRICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						1,2-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						1,3-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						1,4-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4,5-TRICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4,6-TRICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4-DICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4-DIMETHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4-DINITROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,4-DINITROTOLUENE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2,6-DINITROTOLUENE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-CHLORONAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-CHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-METHYLNAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-NITROANILINE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						2-NITROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						3,3'-DICHLOROBENZIDINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						3-NITROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						4-CHLORO-3-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
						4-CHLOROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3008	8270C	SW3520	N 0 .96	4-CHLOROPHENYL-PHENYL ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				4-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				4-NITROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				4-NITROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				ACENAPHTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				ACENAPHTHYLENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BENZO(A)ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BENZO(A)PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BENZO(B)FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BENZO(G,H,I)PERYLENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BENZO(K)FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BIS(2-CHLOROETHOXY)METHANE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BIS(2-CHLOROETHYL)ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BIS(2-CHLOROISOPROPYL)ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				BUTYLBENZYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				CARBAZOLE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				CHRYSENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DI-N-BUTYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DI-N-OCTYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DIBENZO(A,H)ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DIBENZOFURAN	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				FLUORENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				HEXACHLOROBUTADIENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				HEXACHLOROCYCLOPENTADIENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				HEXACHLOROETHANE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				INDENO(1,2,3-CD)PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				ISOPHORONE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				N-NITROSO-DI-N-PROPYLAMINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				N-NITROSODIPHENYLAMINE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				NAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				NITROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				PHENANTHRENE	.019	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
				PHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3008	8270C	SW3520	N 0 .96	PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D096-03	19:46
TT3009	8270C	SW3520	N 0 .94	1,2,4-TRICHLOROBENZENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				1,2-DICHLOROBENZENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				1,3-DICHLOROBENZENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				1,4-DICHLOROBENZENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4,5-TRICHLOROPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4,6-TRICHLOROPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4-DICHLOROPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4-DIMETHYLPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4-DINITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,4-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2,6-DINITROTOLUENE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-CHLORONAPHTHALENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-CHLOROPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-METHYLNAPHTHALENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-METHYLPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-NITROANILINE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				2-NITROPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				3,3'-DICHLOROBENZIDINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				3-NITROANILINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-CHLORO-3-METHYLPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-CHLOROANILINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-CHLOROPHENYL-PHENYL ETHER	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-METHYLPHENOL	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-NITROANILINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				4-NITROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				ACENAPHTHENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				ACENAPHTHYLENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				ANTHRACENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BENZO(A)ANTHRACENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BENZO(A)PYRENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BENZO(B)FLUORANTHENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BENZO(G,H,I)PERYLENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BENZO(K)FLUORANTHENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BIS(2-CHLOROETHOXY)METHANE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BIS(2-CHLOROETHYL)ETHER	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BIS(2-CHLOROISOPROPYL)ETHER	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3009	8270C	SW3520	N 0 .94	BUTYLBENZYLPHTHALATE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				CARBAZOLE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				CHRYSENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DI-N-BUTYLPHTHALATE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DI-N-OCTYLPHTHALATE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DIBENZO(A,H)ANTHRACENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DIBENZOFURAN	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				FLUORANTHENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				FLUORENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				HEXACHLOROBUTADIENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				HEXACHLOROCYCLOPENTADIENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				HEXACHLOROETHANE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				INDENO(1,2,3-CD)PYRENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				ISOPHORONE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				N-NITROSO-DI-N-PROPYLAMINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				N-NITROSODIPHENYLAMINE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				NAPHTHALENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				NITROBENZENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				PHENANTHRENE	.019	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
				PHENOL	.013	mg/L		Y	Y	P		ERS6					03D080-03	17:46
				PYRENE	.0094	mg/L	U	N	Y	U	U	ERS6					03D080-03	17:46
TT3014	8270C	SW3520	N 0 .98	1,2,4-TRICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				1,2-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				1,3-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				1,4-DICHLOROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4,5-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4,6-TRICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4-DICHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4-DIMETHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4-DINITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,4-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2,6-DINITROTOLUENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2-CHLORONAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2-CHLOROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2-METHYLNAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	8270C	SW3520	N 0 .98	2-NITROANILINE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				2-NITROPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				3,3'-DICHLOROBENZIDINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				3-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4,6-DINITRO-2-METHYLPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-BROMOPHENYL-PHENYL ETHER	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-CHLORO-3-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-CHLOROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-CHLOROPHENYL-PHENYL ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-METHYLPHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-NITROANILINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				4-NITROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				ACENAPHTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				ACENAPHTHYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BENZO(A)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BENZO(A)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BENZO(B)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BENZO(G,H,I)PERYLENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BENZO(K)FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BIS(2-CHLOROETHOXY)METHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BIS(2-CHLOROETHYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BIS(2-CHLOROISOPROPYL)ETHER	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BIS(2-ETHYLHEXYL)PHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				BUTYLBENZYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				CARBAZOLE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				CHRYSENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DI-N-BUTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DI-N-OCTYLPHTHALATE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DIBENZO(A,H)ANTHRACENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DIBENZOFURAN	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DIETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				DIMETHYLPHTHALATE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				FLUORANTHENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				FLUORENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				HEXACHLOROBENZENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				HEXACHLOROBUTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				HEXACHLOROCYCLOPENTADIENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				HEXACHLOROETHANE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				INDENO(1,2,3-CD)PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16

Validation Qualifier Data Entry Verification

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	8270C	SW3520	N 0 .98	ISOPHORONE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				N-NITROSO-DI-N-PROPYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				N-NITROSODIPHENYLAMINE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				NAPHTHALENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				NITROBENZENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				PENTACHLOROPHENOL	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				PHENANTHRENE	.02	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				PHENOL	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
				PYRENE	.0098	mg/L	U	N	Y	U	U	ERS6					03D080-04	18:16
TT3015	8270C	SW3520	N 0 .96	1,2,4-TRICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				1,2-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				1,3-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				1,4-DICHLOROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4,5-TRICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4,6-TRICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4-DICHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4-DIMETHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4-DINITROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,4-DINITROTOLUENE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2,6-DINITROTOLUENE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-CHLORONAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-CHLOROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-METHYLNAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-NITROANILINE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				2-NITROPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				3,3'-DICHLOROBENZIDINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				3-NITROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4,6-DINITRO-2-METHYLPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-BROMOPHENYL-PHENYL ETHER	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-CHLORO-3-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-CHLOROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-CHLOROPHENYL-PHENYL ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-METHYLPHENOL	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-NITROANILINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				4-NITROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				ACENAPHTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				ACENAPHTHYLENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BENZO(A)ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3015	8270C	SW3520	N 0 .96	BENZO(A)PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BENZO(B)FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BENZO(G,H,I)PERYLENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BENZO(K)FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BIS(2-CHLOROETHOXY)METHANE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BIS(2-CHLOROETHYL)ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BIS(2-CHLOROISOPROPYL)ETHER	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BIS(2-ETHYLHEXYL)PHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				BUTYLBENZYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				CARBAZOLE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				CHRYSENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DI-N-BUTYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DI-N-OCTYLPHTHALATE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DIBENZO(A,H)ANTHRACENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DIBENZOFURAN	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DIETHYLPHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				DIMETHYLPHTHALATE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				FLUORANTHENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				FLUORENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				HEXACHLOROBENZENE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				HEXACHLOROBUTADIENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				HEXACHLOROCYCLOPENTADIENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				HEXACHLOROETHANE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				INDENO(1,2,3-CD)PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				ISOPHORONE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				N-NITROSO-DI-N-PROPYLAMINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				N-NITROSODIPHENYLAMINE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				NAPHTHALENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				NITROBENZENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				PENTACHLOROPHENOL	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				PHENANTHRENE	.019	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
				PHENOL	.017	mg/L		Y	Y	P		ERS6					03D080-05	18:46
				PYRENE	.0096	mg/L	U	N	Y		U	ERS6					03D080-05	18:46
TT3006	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,1,2,2-TETRACHLOROETHANE	.004	mg/L		Y	Y	P		ERS6					03D080-02	21:48
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3006	8260B	SW5030	N 0 1	1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-02	21:48
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-02	21:48
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-02	21:48
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				BROMOMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-02	21:48
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CHLOROFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3006	8260B	SW5030	N 0 1	M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				NAPHTHALENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-02	21:48
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				TRICHLOROETHENE	.0034	mg/L		Y	Y	P		ERS6					03D080-02	21:48
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-02	21:48
TT3007	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,1,2,2-TETRACHLOROETHANE	.23	mg/L	E	Y	N	P	R	NO	16				03D096-02	20:33
				1,1,2-TRICHLOROETHANE	.0023	mg/L		Y	Y	P		ERS6					03D096-02	20:33
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D096-02	20:33
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3007	8260B	SW5030	N 0 1	2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D096-02	20:33
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				ACETONE	.2	mg/L	E	Y	N	P	R	NO	16				03D096-02	20:33
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				BROMOMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D096-02	20:33
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				CHLOROFORM	.0012	mg/L		Y	Y	P		ERS6					03D096-02	20:33
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				CIS-1,2-DICHLOROETHENE	.0031	mg/L		Y	Y	P		ERS6					03D096-02	20:33
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				NAPHTHALENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D096-02	20:33
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				TETRACHLOROETHENE	.0018	mg/L		Y	Y	P		ERS6					03D096-02	20:33
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				TRANS-1,2-DICHLOROETHENE	.0016	mg/L		Y	Y	P		ERS6					03D096-02	20:33
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
				TRICHLOROETHENE	.096	mg/L	E	Y	N	P	R	NO	16				03D096-02	20:33
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33

Validation Qualifier Data Entry Verification
Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3007	8260B	SW5030	N 0 1	VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D096-02	20:33
	8260B	SW5030	N 1 10	1,1,1,2-TETRACHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,1,1-TRICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,1,2,2-TETRACHLOROETHANE	.22	mg/L		Y	Y	P		ERS6					03D096-02T	17:28
				1,1,2-TRICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,1-DICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,1-DICHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,1-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2,3-TRICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2,3-TRICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2,4-TRIMETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2-DIBROMO-3-CHLOROPROPANE	.02	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2-DIBROMOETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2-DICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,2-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,3,5-TRIMETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,3-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				1,4-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				2,2-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				2-BUTANONE	.1	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				2-CHLOROTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				2-HEXANONE	.1	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				4-CHLOROTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				4-METHYL-2-PENTANONE	.1	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				ACETONE	.2	mg/L		Y	Y	P	J	ERS6	04A	05A			03D096-02T	17:28
				BENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				BROMOBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				BROMOCHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				BROMODICHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				BROMOFORM	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				BROMOMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CARBON DISULFIDE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CARBON TETRACHLORIDE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CHLOROFORM	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				CHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3007	8260B	SW5030	N 1 10	CIS-1,2-DICHLOROETHENE	.003	mg/L	J	Y	N	P	R	NO	16				03D096-02T	17:28
				CIS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				DIBROMOCHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				DIBROMOMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				DICHLORODIFLUOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				ETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				ISOPROPYL BENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				M/P-XYLENES	.02	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				METHYLENE CHLORIDE	.02	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				N-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				N-PROPYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				NAPHTHALENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				O-XYLENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				P-ISOPROPYLTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				SEC-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				STYRENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TERT-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TETRACHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TRANS-1,2-DICHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TRANS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				TRICHLOROETHENE	.098	mg/L		Y	Y	P		ERS6					03D096-02T	17:28
				TRICHLOROFLUOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
				VINYL CHLORIDE	.01	mg/L	U	N	N	U	R	NO	16				03D096-02T	17:28
TT3008	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,1,2,2-TETRACHLOROETHANE	.24	mg/L	E	Y	N	P	R	NO	16				03D096-03	21:10
				1,1,2-TRICHLOROETHANE	.0023	mg/L		Y	Y	P		ERS6					03D096-03	21:10
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3008	8260B	SW5030	N 0 1	1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				2-BUTANONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A			03D096-03	21:10
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				2-HEXANONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A			03D096-03	21:10
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				ACETONE	.19	mg/L	E	Y	N	P	R	NO	16				03D096-03	21:10
				BENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				BROMOBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				BROMOFORM	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				BROMOMETHANE	.001	mg/L	U	N	Y		UJ	ERS6	05B				03D096-03	21:10
				CARBON DISULFIDE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				CHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				CHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				CHLOROFORM	.0012	mg/L		Y	Y	P		ERS6					03D096-03	21:10
				CHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				CIS-1,2-DICHLOROETHENE	.003	mg/L		Y	Y	P		ERS6					03D096-03	21:10
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				DIBROMOMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				ETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				M/P-XYLENES	.002	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				N-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				N-PROPYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				NAPHTHALENE	.001	mg/L	U	N	Y		UJ	ERS6	05B				03D096-03	21:10
				O-XYLENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3008	8260B	SW5030	N 0 1	STYRENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				TETRACHLOROETHENE	.0019	mg/L		Y	Y	P		ERS6					03D096-03	21:10
				TOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				TRANS-1,2-DICHLOROETHENE	.0016	mg/L		Y	Y	P		ERS6					03D096-03	21:10
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				TRICHLOROETHENE	.099	mg/L	E	Y	N	P	R	NO	16				03D096-03	21:10
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
				VINYL CHLORIDE	.001	mg/L	U	N	Y		U	ERS6					03D096-03	21:10
	8260B	SW5030	N 1 10	1,1,1,2-TETRACHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,1,1-TRICHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,1,2,2-TETRACHLOROETHANE	.22	mg/L		Y	Y	P		ERS6					03D096-03T	18:04
				1,1,2-TRICHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,1-DICHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,1-DICHLOROETHENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,1-DICHLOROPROPENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2,3-TRICHLOROBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2,3-TRICHLOROPROPANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2,4-TRIMETHYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2-DIBROMO-3-CHLOROPROPANE	.02	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2-DIBROMOETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2-DICHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,2-DICHLOROPROPANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,3,5-TRIMETHYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,3-DICHLOROPROPANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				1,4-DICHLOROBENZENE	.05	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				2,2-DICHLOROPROPANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				2-BUTANONE	.1	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				2-CHLOROTOLUENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				2-HEXANONE	.1	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				4-CHLOROTOLUENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				4-METHYL-2-PENTANONE	.1	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				ACETONE	.2	mg/L		Y	Y	P	J	ERS6	04A	05A			03D096-03T	18:04
				BENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				BROMOBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				BROMOCHLOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				BROMODICHLOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3008	8260B	SW5030	N 1 10	BROMOFORM	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				BROMOMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CARBON DISULFIDE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CARBON TETRACHLORIDE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CHLOROBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CHLOROETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CHLOROFORM	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CHLOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				CIS-1,2-DICHLOROETHENE	.0029	mg/L	J	Y	N	P	R	NO	16				03D096-03T	18:04
				CIS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				DIBROMOCHLOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				DIBROMOMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				DICHLORODIFLUOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				ETHYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				ISOPROPYL BENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				M/P-XYLENES	.02	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				METHYLENE CHLORIDE	.02	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				N-BUTYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				N-PROPYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				NAPHTHALENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				O-XYLENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				P-ISOPROPYLTOLUENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				SEC-BUTYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				STYRENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TERT-BUTYLBENZENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TETRACHLOROETHENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TOLUENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TRANS-1,2-DICHLOROETHENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TRANS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				TRICHLOROETHENE	.096	mg/L		Y	Y	P		ERS6					03D096-03T	18:04
				TRICHLOROFLUOROMETHANE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
				VINYL CHLORIDE	.01	mg/L	U	N	N		R	NO	16				03D096-03T	18:04
TT3009	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3009	8260B	SW5030	N 0 1	1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-03	22:25
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-03	22:25
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				4-METHYL-2-PENTANONE	.0077	mg/L	J	Y	Y	P	J	ERS6	15				03D080-03	22:25
				ACETONE	.011	mg/L		Y	Y	P	J	ERS6	04A	05A			03D080-03	22:25
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				BROMOMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-03	22:25
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CHLOROFORM	.00033	mg/L	J	Y	Y	P	J	ERS6	15				03D080-03	22:25
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3009	8260B	SW5030	N 0 1	M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				NAPHTHALENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-03	22:25
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TETRACHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				TRICHLOROETHENE	.035	mg/L		Y	Y	P		ERS6					03D080-03	22:25
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
				VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-03	22:25
TT3014	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,1,2,2-TETRACHLOROETHANE	.19	mg/L	E	Y	N	P	R	NO	16				03D080-04	23:02
				1,1,2-TRICHLOROETHANE	.00079	mg/L	J	Y	Y	P	J	ERS6	15				03D080-04	23:02
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				2-BUTANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-04	23:02
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	8260B	SW5030	N 0 1	2-HEXANONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-04	23:02
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				4-METHYL-2-PENTANONE	.01	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				ACETONE	.01	mg/L	U	N	Y	U	R	ERS6	04A	05A			03D080-04	23:02
				BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				BROMOBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				BROMOFORM	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				BROMOMETHANE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-04	23:02
				CARBON DISULFIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				CHLOROBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				CHLOROETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				CHLOROFORM	.012	mg/L		Y	Y	P		ERS6					03D080-04	23:02
				CHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				CIS-1,2-DICHLOROETHENE	.00022	mg/L	J	Y	Y	P	J	ERS6	15				03D080-04	23:02
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				DIBROMOMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				ETHYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				M/P-XYLENES	.002	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				N-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				N-PROPYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				NAPHTHALENE	.001	mg/L	U	N	Y	U	UJ	ERS6	05B				03D080-04	23:02
				O-XYLENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				STYRENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				TETRACHLOROETHENE	.0012	mg/L		Y	Y	P		ERS6					03D080-04	23:02
				TOLUENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
				TRICHLOROETHENE	.064	mg/L	E	Y	N	P	R	NO	16				03D080-04	23:02
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	8260B	SW5030	N 0 1	VINYL CHLORIDE	.001	mg/L	U	N	Y	U	U	ERS6					03D080-04	23:02
	8260B	SW5030	N 1 10	1,1,1,2-TETRACHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,1,1-TRICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,1,2,2-TETRACHLOROETHANE	.17	mg/L		Y	Y	P		ERS6					03D080-04T	16:53
				1,1,2-TRICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,1-DICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,1-DICHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,1-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2,3-TRICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2,3-TRICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2,4-TRICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2,4-TRIMETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2-DIBROMO-3-CHLOROPROPANE	.02	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2-DIBROMOETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2-DICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2-DICHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,2-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,3,5-TRIMETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,3-DICHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,3-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				1,4-DICHLOROBENZENE	.05	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				2,2-DICHLOROPROPANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				2-BUTANONE	.1	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				2-CHLOROTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				2-HEXANONE	.1	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				4-CHLOROTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				4-METHYL-2-PENTANONE	.1	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				ACETONE	.1	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BROMOBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BROMOCHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BROMODICHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BROMOFORM	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				BROMOMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CARBON DISULFIDE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CARBON TETRACHLORIDE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CHLOROBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CHLOROETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CHLOROFORM	.012	mg/L		Y	N	P	R	NO	16				03D080-04T	16:53
				CHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3014	8260B	SW5030	N 1 10	CIS-1,2-DICHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				CIS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				DIBROMOCHLOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				DIBROMOMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				DICHLORODIFLUOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				ETHYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				HEXACHLOROBUTADIENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				ISOPROPYL BENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				M/P-XYLENES	.02	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				METHYLENE CHLORIDE	.02	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				N-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				N-PROPYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				NAPHTHALENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				O-XYLENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				P-ISOPROPYLTOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				SEC-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				STYRENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TERT-BUTYLBENZENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TETRACHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TOLUENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TRANS-1,2-DICHLOROETHENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TRANS-1,3-DICHLOROPROPENE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				TRICHLOROETHENE	.066	mg/L		Y	Y	P		ERS6					03D080-04T	16:53
				TRICHLOROFLUOROMETHANE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
				VINYL CHLORIDE	.01	mg/L	U	N	N	U	R	NO	16				03D080-04T	16:53
TT3015	8260B	SW5030	N 0 1	1,1,1,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1,1-TRICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1,2,2-TETRACHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1,2-TRICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,1-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2,3-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2,3-TRICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2,4-TRICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2,4-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2-DIBROMO-3-CHLOROPROPANE	.002	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2-DIBROMOETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,2-DICHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3015	8260B	SW5030	N 0 1	1,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,3,5-TRIMETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,3-DICHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,3-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				1,4-DICHLOROBENZENE	.005	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				2,2-DICHLOROPROPANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				2-BUTANONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A			03D080-05	09:01
				2-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				2-HEXANONE	.01	mg/L	U	N	Y		R	ERS6	04A	05A			03D080-05	09:01
				4-CHLOROTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				4-METHYL-2-PENTANONE	.0068	mg/L	J	Y	Y	P	J	ERS6	15				03D080-05	09:01
				ACETONE	.0098	mg/L	J	Y	Y	P	J	ERS6	04A	05A	15		03D080-05	09:01
				BENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				BROMOBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				BROMOCHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				BROMODICHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				BROMOFORM	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				BROMOMETHANE	.001	mg/L	U	N	Y		UJ	ERS6	05B				03D080-05	09:01
				CARBON DISULFIDE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CARBON TETRACHLORIDE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CHLOROBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CHLOROETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CHLOROFORM	.00033	mg/L	J	Y	Y	P	J	ERS6	15				03D080-05	09:01
				CHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CIS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				CIS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				DIBROMOCHLOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				DIBROMOMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				DICHLORODIFLUOROMETHANE	.001	mg/L	U	N	Y		UJ	ERS6	05B				03D080-05	09:01
				ETHYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				HEXACHLOROBUTADIENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				ISOPROPYL BENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				M/P-XYLENES	.002	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				METHYLENE CHLORIDE	.002	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				N-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				N-PROPYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				NAPHTHALENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				O-XYLENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				P-ISOPROPYLTOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				SEC-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01

Validation Qualifier Data Entry Verification

Run Date: December 17, 2004

Fort McClellan

Sample Number:	Analytical/Extraction Method:		Flt REX Dil:	Parameter:	Result:	Units:	Qlfr:	Hit	Use	BCF	Val Qlfr	Val Code:	Reason Codes 1	2	3	4	Lab Sample:	Analysis Time:
10514-10																		
TT3015	8260B	SW5030	N 0 1	STYRENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TERT-BUTYLBENZENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TETRACHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TOLUENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TRANS-1,2-DICHLOROETHENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TRANS-1,3-DICHLOROPROPENE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				TRICHLOROETHENE	.035	mg/L		Y	Y	P		ERS6					03D080-05	09:01
				TRICHLOROFLUOROMETHANE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01
				VINYL CHLORIDE	.001	mg/L	U	N	Y		U	ERS6					03D080-05	09:01