



## ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

POST OFFICE BOX 301463 ♦ 1751 CONG. W. L. DICKINSON DRIVE 36109-2608

MONTGOMERY, ALABAMA 36130-1463

WWW.ADEM.STATE.AL.US

(334) 271-7700

**JAMES W. WARR**  
DIRECTOR

**DON SIEGELMAN**  
GOVERNOR

January 22, 1999

Ronald M. Levy  
Directorate of Environment  
USACMLS & MPCENS & FM  
Building 141A, 13th Avenue  
Fort McClellan, Alabama 36205-5000

Facsimiles: (334)  
Administration: 271-7950  
Air: 279-3044  
Land: 279-3050  
Water: 279-3051  
Groundwater: 270-5631  
Field Operations: 272-8131  
Laboratory: 277-6718  
Education/Outreach: 213-4399

**RE: ADEM's Comments on the Final Site-Specific Field Sampling Plans and Health and Safety Plans for Site Investigations at the following locations:**

- Range 24A Fog Oil Drum Storage Area (Parcels 88)
- Range 24A Multi-Purpose Range (Parcel 108)
- Smoke Area BVZ, S & R (Parcels 124, 106 & 105)
- Stump Dump (Parcel 82)
- Old Incinerator Building 5710 (Parcel 125)
- Former Smoke Area Choccolocco (Parcel 107)
- Former Smoke Area South Slope Morgan Mountain (Parcel 159)

Dear Mr. Levy:

The Alabama Department of Environmental Management has received and reviewed the Final Site-Specific Field Sampling Plans and Health & Safety Plans for the programed Site Investigations at Fort McClellan. We concur with the submittal and have no comments.

For any questions or concerns please contact me at 334-271-7789 or [clj@adem.state.al.us](mailto:clj@adem.state.al.us)

Sincerely,

Christopher L. Johnson  
Governmental Facilities Section  
Hazardous Waste Branch  
Land Division

CLJ/tc

cc: Bart Reedy, EPA Region IV  
Ellis Pope, USACE-MOB



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 4



61 Forsyth Street  
Atlanta, Georgia 30303-3104

03/01/99

Mr. Ron Levy  
Director of Environment  
USACMLS & MPCENS & FM  
Building 141A  
13<sup>th</sup> Avenue  
Fort McClellan, Alabama 36205-5000

RE: Group 6 Site Investigations

Dear Mr. Levy,

The final revisions proposed for the Group 6 Site Investigations have been reviewed and found to be acceptable. Therefore, the plan is approved for implementation.

Should you have any questions, please contact me at the letterhead address or at 404-562-8541.

Sincerely,

  
Bart Reedy  
USEPA

cc: J. Yacoub IT  
C. Johnson ADEM  
L. Kingsbury USA  
A. Mayila IT